


Orchadian

INDEX Volumes I-V




August 1963 - June 1978

The Orchadian

Founded August, 1963

INDEX Volumes I-V

August 1963 - June 1978
Compiled by John S. Womersley
Edited by J.J. Betts



Published by
the Australasian Native Orchid Society
P.O. Box C106, Clarence Street, Sydney
N.S.W. 2000, Australia.
1984.

PREFACE

The Orchadian, quarterly journal of the Australasian Native Orchid Society, was founded in Australia, in 1963. It began as a 12-page typewritten periodical dedicated to the study and care of orchids indigenous to the region of Australasia; and for this reason it has achieved worldwide importance for students of orchid botany and taxonomy as well as for orchid hobbyists.

Volumes 1-5 of *The Orchadian* cover 60 issues varying from eight to 20 pages per issue. The first 14 years of publication were under the devoted editorship of Mr M.J. Corrigan who also typed every word of those issues. This Index bears testimony to Mr Corrigan's dedication and to the indebtedness of the Australasian Native Orchid Society to its first editor.

From its beginning in 1963, *The Orchadian* took on a special, if not unique, quality among orchid journals: a blend of science, practical horticulture and habitat studies. It conveyed information that could be found in no other publication. Therefore "back copies" have been constantly in demand and the Society has had to reprint early volumes from time to time. The botanical descriptions and naming of newly discovered orchid species — especially in orchid-rich Papua New Guinea — have kept *The Orchadian* under reference in books and periodicals concerned with orchidology.

In the final analysis it is to the voluntary contributors of articles in Vols. 1-5 that the Society is most indebted. They have made *The Orchadian* a success. The extent of the work done by individual contributors can now be judged by looking at the list of authors in part 1 of this Index and the number of articles to the credit of each of them.

By its very nature *The Orchadian* is for retention and continuing reference. Yet the mere accumulation of periodical issues without an index to provide ready access to the valuable contents becomes practically worthless in time.

The need for this consolidated Index has been obvious to the Society for some years, but the work involved was formidable and it was delayed unduly — until Mr John S. Womersley of Adelaide (formerly Chief Botanist for Papua New Guinea) offered to compile the Index. The extreme gratitude of the Australasian Native Orchid Society for Mr Womersley's thoroughly professional treatment of this voluntary task is here recorded.

J.J. Betts,
Editor, *The Orchadian*,
August, 1984.

Mr John S. Womersley

Just prior to the printing of this Index, A.N.O.S. Council learnt of Mr John S. Womersley's death. It is a source of deep regret to the Council that Mr Womersley was unable to see his considerable labours come to fruition with the printing of this index. It was a project he willingly and voluntarily entered into in the belief that the first five volumes of the *Orchadian* contain a wealth of information that richly deserves comprehensive indexing. The Council shares that belief and acknowledges its indebtedness to Mr Womersley.

INDEX TO THE ORCHADIAN VOLS 1-5.

AUGUST 1963 - JUNE 1978.

This index has been prepared in two parts, the first part listing by authors, all papers, articles and notes published in *The Orchadian*, vols 1 - 5. Joint authorship papers will be found under each author. Multiple entries are in chronological order and where an author has more than one paper in an issue of *The Orchadian* the entries will be found in order of pagination.

Part II of this index includes all validly published scientific names and the several misspelled and invalid names which have appeared in *The Orchadian*, vols 1-5 with the putative status at publication of correct botanical names. Non-botanical scientific names have an indication of the phylum appended, e.g. Insecta, Aves, Reptilia.

In a reprint of volume 1 some years ago an additional page 125 was included. In compiling this index the original edition and pagination has been followed. The facsimile edition of volume 1, 1983, follows the original pagination and is covered by this index.

Following publication of Clements "Preliminary Checklist of Australian Orchidaceae", 1982, it has been possible to identify botanical names of orchids which are now accepted as synonyms. These are indicated in the index together with the currently accepted valid names. Synonymous names of plants other than orchids have been verified from a variety of botanical literature. Author names have been abbreviated in accordance with the standardised form being adopted for the Flora of Australia.

In part II of the index all valid generic and specific scientific names are printed in italics, bold face where the names in part of a title, standard face for names standing alone and italics for synonymous names. Titles of papers, articles and notes are in bold face. For ease of recognition in the index volume numbers are printed in Roman numerals, bold, although in *The Orchadian*, arabic numerals are used for volume numbers. Page numbers for illustrations are in bold face.

John S. Womersley,
August, 1984.

Dates of publication of *The Orchadian*

- | | | |
|------|----|-------------------------|
| Vol. | 1. | Aug. 1963 — June, 1965 |
| | 2. | Aug. 1965 — June, 1968 |
| | 3. | Aug. 1968 — May, 1971 |
| | 4. | Sept. 1971 — Dec., 1974 |
| | 5. | Sept. 1975 — June, 1978 |

EDITOR'S FOOTNOTE: With regard to p.125 of Volume 1 referred to by Mr. Womersley. A facsimile edition issued prior to 1983 featured the original illustrated p.125 and provided the substitute page of text (as indexed by Mr. Womersley) as a loose leaf addition. Accordingly these illustrations have been indexed accompanied by a footnote.

Mention should be made of a special limited edition designated as Vol 2 No 2 issued at the time of the 5th World Orchid Conference and distributed mainly in the U.S.A. This issue has not been included in this index as it was composed of articles that had appeared in various earlier issues, and have been indexed at the place of their original appearance.

INDEX

Volumes I-V

PART 1..... Authors..... Page 5

PART 2.... Species and articles.... Page 11

Date of publication of The Ochrastia

Vol. 1	Aug. 1953 - June, 1955
2	Aug. 1955 - June, 1958
3	Aug. 1958 - June, 1961
4	Sept. 1961 - June, 1964
5	Sept. 1964 - June, 1967

PART I

Authors

- Althofer G. W. (July 1969) *Pterostylis nana* R.Br. III, 44.
- Barnett P. M. (Jan. 1968) The Orchids of King Island II, 124.
- Barnett P. F. (July 1969) Orchids of King Island III, 45.
- Bates R. (June 1976) Terrestrial Orchids of South Australia's Semi Arid Areas V, 42.
- (Sept. 1976) New Recording for South Australia V, 57.
- (Dec. 1976) Mount Remarkable National Park V, 77.
- (June 1977) Some Aspects of Swamp or Bog Orchids in South Australia, I & Weber J. (Sept. 1976) A Critical Revision of Some South Australian Orchids V, 124.
- Beek M. (July 1969) Orchids at Gip-Gip Rocks (S.Aust) III, 44.
- (Sept. 1969) Native Orchids as I See Them III, 56.
- (Feb. 1970) The Rediscovery of *Pterostylis concinna* in South Australia III, 87.
- (April 1970) A New Orchid for South Australia III, 97.
- (May 1973) *Chiloglottis cornuta* Hook. f. in South Australia IV, 63.
- Betts J. J. (Dec. 1975) Robert David Fitzgerald V, 10.
- (March 1976) A Message from the President - On Objectives V, 22.
- (June 1976) Footnotes to Noel Jupp's Paper V, 51.
- (June 1977) New Australian Native Orchid Hybrid V, 124.
- (Sept. 1977) New Australian Native Orchid Hybrids V, 137.
- (Dec. 1977) Rupp to Fordham on *Rhinerrhiza divitiflora* - A Monotypic genus V, 144.
- Blackmore J.A.P. (Dec. 1963) *Calochilus saprophyticus* in New South Wales I, 30.
- (June 1964) The "Rufous Group" of *Pterostylis* - A preliminary Review I, 69.
- (Aug. 1964) The Rufous Group of *Pterostylis* - *Pterostylis boormanii* Rupp I, 78.
- (Oct. 1964) *Pterostylis fischii* Nicholls I, 100.
- (June 1965) The 'Rufous Group' of *Pterostylis* I, 160.
- (June 1966) An Orchid in the Course of Evolution II, 44.
- (July 1966) The Genus *Pterostylis* R.Br. II, 54.
- (Jan. 1967) Three Additional Records for N.S.W. II, 76.
- (Aug. 1968) A New *Pterostylis* Species from the Highlands of N.S.W. and the A.C.T. III, 2.
- Blackmore J.A.P., Clemesha S.C. (June 1968) A Review of the So-called "Rufous Group" of the Genus *Pterostylis* II, 148.
- Blanch K. & N. (Sept. 1977) Orchids of the Hastings River Area V, 135.
- Blaxell D.F. (Sept. 1970) More Unique Perfumes in *Prasophyllum* III, 118.
- (Sept. 1971) *Zeuxine oblonga* R.S. Rogers & C.T. White in New South Wales IV, 7.
- (Dec. 1976) Comments on *Dendrobium capituliflorum* in Australia V, 88.
- Blombery A.M. (Aug. 1965) *Dendrobium delicatum* (F.M. Bail) F.M. Bail. II, 10.
- Brinsley W. (Aug. 1968) *Galeola foliata* (F. Muell) F. Muell III, 4.
- (Dec. 1968) A Reduction of *Diuris colemanae* Rupp to a synonym of *Diuris tricolor* Fitzg. III, 14.
- (Dec. 1968) A New Variety of *Caladenia carnea* R.Br. III, 16.
- (Dec. 1968) A Fifth *Acianthus* for New South Wales III, 18.
- (Dec. 1968) *Caladenia alba* R.Br. and its Varieties III, 20.
- (Dec. 1968) A Reduction of *Diuris citrina* Nicholls to a synonym of *Diuris althoferi* Rupp III, 22.
- (Dec. 1968) A Reduction of *Diuris latifolia* Rupp to a synonym of *Diuris sulphurea* R.Br. III, 22.
- (Dec. 1969) *Pterostylis foliata* Hook. f. in N.S.W. III, 66.
- Brown M.W. (Sept. 1976) *Malaxis marsupichila* Upton - Further correspondence V, 64.
- Bunn C.C. & E.M. (Sept. 1971) *Phalaenopsis amabilis* var. *papuana* (syn. var. *rosenstromii*) IV, 6.
- Cady L.I. (Oct. 1963) *Caladenia filamentosa* R.Br. var. *filamentosa* I, 15.
- (Feb. 1964) *Prasophyllum elatum* R.Br. I, 40.
- (Feb. 1964) Notes and Records of Some Australian Orchids I, 44.
- (Aug. 1964) A New Species of *Dendrobium* for N.S.W., *Dendrobium suffusum* sp. nov. I, 80.
- (Aug. 1965) *Burnettia cuneata* Lindl. II, 6.
- (Oct./Dec. 1965) Notes on the pollination of *Caleana major* R.Br. II, 34.
- (Sept. 1971) Notes on the Section *Micranthum* Rupp of the genus *Prasophyllum* IV, 8.
- (Sept. 1971) A New *Prasophyllum* from Tasmania IV, 8.
- (Sept. 1971) A New Recording for Australia IV, 8.
- (Dec. 1972) Notes on the Pollination of *Calochilus campestris* R.Br. IV, 52.
- Chadim V.A. (July 1966) A New Species of *Dendrobium* from New Guinea II, 58.
- (March 1972) *Dendrobium finisterrae* Schlechter IV, 14.
- (June 1972) *Dendrobium macrophyllum* A.Rich. IV, 25.
- Chick B. (Mar. 1968) *Sarcochilus hartmannii* F. Muell II, 139.
- Cicurel F. (April 1970) Asymbiotic Orchid Seed Germination - Questions and Answers III, 100.
- Clarkson J. (Dec. 1976) A New Record for South-east Queensland V, 86.
- (Dec. 1976) An Extension of the Range of the Genus *Habenaria* in Queensland V, 92.
- Claydon A. (June 1973) Some Observations on Native Orchids of the Dorrigo IV, 71.
- Clemesha S.C. (April 1964) *Sarcochilus australis* (Lindl.) Reichb.f. I, 51.
- (June 1964) *Bulbophyllum radicans* F.M. Bail. I, 76.
- (Dec. 1964) *Prasophyllum reflexum* Fitzg. I, 104.
- (Dec. 1964) The Pollination of *Cryptostylis subulata* I, 105.

- (Dec. 1964) *Pterostylis concinna* in Queensland I, 110.
- (Feb. 1965) The Fleshy Leaved Australian Dendrobiums I, 118.
- (Feb. 1965) *Bulbophyllum globuliforme* Nicholls I, 126.
- (Aug. 1965) *Dendrobium teretifolium* R.Br., A Review of the Species II, 11.
- (Oct./Dec. 1965) *Dendrobium kingianum* Bidw. from North to South II, 34.
- (Oct./Dec. 1965) A Lost Orchid, *Dendrobium palmerstoniae* Schltr. II, 36.
- (June 1966) Cool Growing Pseudobulbous Dendrobiums from North Queensland II, 46.
- (Sept. 1966) *Dendrobium pugioniforme* A. Cunn. & *D. beckleri* F. Muell. - Interesting Forms II, 66.
- (Sept. 1966) *Pterostylis alveata* J.R. Garnet in N.S.W. II, 72.
- (Sept. 1966) The Cultivation of *Bulbophyllum newportii* (F.M.Bail.) Rolfe II, 72.
- (Jan. 1967) Saprophytic Orchids of Australia and New Zealand II, 86.
- (April 1967) A New Species of *Sarcochilus* from North Queensland II, 92.
- (June 1967) Saprophytic Orchids of Australia and New Zealand (cont.) II, 99.
- (Jan. 1968) Interesting Recordings from New South Wales II, 129.
- (Aug. 1967) Saprophytic Orchids of Australia and New Zealand (cont.) II, 111.
- (Aug. 1967) A New Name for a Western Australian *Caladenia* II, 118.
- (Mar. 1968) Saprophytic Orchids of Australia and New Zealand (cont.) The True Australians and Underground Plants II, 141.
- (Dec. 1968) New Synonyms for Two Terrestrial Orchids III, 16.
- (Dec. 1968) A New Status for a N.S.W. *Diuris* III, 20.
- (May. 1969) Reduction of *Pterostylis tenuicauda* Kraenzlin to a synonym of *Pterostylis ophioglossa* R.Br. *vae. ophioglossa* III, 30.
- (May 1969) A new Status for a North Queensland *Sarcochilus* (Orchidaceae) III, 35.
- (July 1969) *Dendrobium schneiderae* F. Muell. and its variety *major* Rupp. III, 42.
- (Sept. 1969) The Reduction of Two Queensland *Pterostylis* to synonyms III, 57.
- (Sept. 1969) *Pterostylis longipetala* Rupp III, 62.
- (Sept. 1969) *Dendrobium adae* F.M. Bail. III, 63.
- (Sept. 1969) Growing *Pterostylis* (Greenhoods) in Sydney III, 63.
- (Dec. 1969) *Pterostylis acuminata* var *ingens* in N.S.W. III, 66.
- (Dec. 1969) Orchids and Tree Ferns III, 68.
- (Feb. 1970) Orchids and Tree Ferns III, 79.
- (Feb. 1970) A Note on *Eulophia fitzalanii* F. Muell. III, 79.
- (Feb. 1970) *Bulbophyllum aurantiacum* F. Muell. III, 84.
- (Feb. 1970) *Dendrobium kingianum* Bidw. III, 86.
- (June 1972) *Pterostylis hildae* Nicholls IV, 30.
- (Aug. 1972) *Pterostylis hildae* Nicholls IV, 34.
- (Dec. 1972) A Review of Ground Orchids of Australia by Maynard R. Pocock IV, 50.
- (April 1974) Flora of the Sydney Region, A Review IV, 94.
- (Oct. 1974) A New *Pterostylis* from southern New South Wales IV, 100.
- (Sept. 1975) Orchids Common to North Queensland & South Eastern Australia V, 5.
- (Dec. 1975) Orchids Common to North Queensland & South Eastern Australia V, 17.
- (March 1976) Orchids Common to North Queensland and South Eastern Australia V, 34.
- (June 1976) Orchids Common to North Queensland and South Eastern Australia V, 38.
- (Sept. 1976) Orchids Common to North Queensland & South Eastern Australia V, 63.
- (Dec. 1976) Some Orchids of the Coffs Harbour District V, 75.
- (June 1968) see Blackmore J.A.P.
- Clemesha S.C. & Dockrill A.W. (Sept. 1966) A Review of the species *Bulbophyllum newportii* (F.M. Bail.) Rolfe & B. Gray. (Mar. 1972) A New Species of *Pterostylis* from North Queensland IV, 18.
- Clemesha S.C. & W.T. Upton (Dec. 1963) A *Sarcochilus* problem I, 32.
- (June 1964) Two Helmet Orchids, *Corybas undulatus* (A. Cunn.) Rupp & Nicholls and *Corybas unguiculatus* (R.Br.) Reichb.f. I, 66.
- (Oct. 1964) *Bulbophyllum aurantiacum* F. Muell and *Bulbophyllum crassulifolium* (A. Cunn) Rupp I, 91.
- Clemesha S.C.; Dockrill A.W. & (Apr. 1964) A New Status for a North Queensland Dendrobium I, 52.
- Clemesha S.C.; Upton W. & (Aug. 1963) *Pterostylis concinna* R.Br. I, 5.
- (Aug. 1964) *Dendrobium monophyllum* F. Muell. and *Dendrobium schneiderae* F.M. Bail I, 82.
- Coate F. (Feb. 1964) A Day in the Life of an Orchid Lover. I, 42.
- Coate F.M. (Feb. 1965) *Cryptostylis subulata* - An Observation I, 125.
- Coate F. (July 1969) *Caladenia flava* R.Br. - two Interesting forms III, 48.
- Colman P. (Aug. 1965) The Published Writings of A.W. Dockrill II, 13.
- Corrigan M.B. (Apr. 1964) *Dendrobium delicatum* and *Dendrobium kestevenii* I, 50.
- (Aug. 1964) *Dendrobium delicatum* I, 79.
- (Aug. 1964) *Prasophyllum ruppii* Rogers I, 80.
- (July 1966) New Recordings for *Bulbophyllum minutissimum* F. Muell. II, 49.
- (April 1967) Judging Standards for Native Orchids II, 87.
- (Feb. 1970) A New Native Orchid for Toowoomba III, 79.

(July, 1970) Recent Recordings	III,	111.	Evans J.W. (Mar. 1968) <i>Dendrobium kingianum</i> Bidw.	II,	140.
(Mar. 1972) <i>Cryptanthemis slateri</i> Rupp, A New Recording in New South Wales	IV,	22.	Falappi J. (Feb. 1964) Cultivation of Native Epiphytic Orchids	I,	38.
Crouther K.W. (Mar. 1977) <i>Pteroceras spathulatus</i> (Rogers) Garay in South Queensland	V,	104.	Fetherston P. (Dec. 1969) Asymbiotic germination of Native Orchid Seed	III,	71.
Curtis R.J. (June 1964) The Pollination of Orchids (Oct/Dec 1965) Some Aspects of Orchid Hybridisation	I,	72.	Firth M.J. (Dec. 1964) A New Record for Tasmania (Oct. 1964) An Interesting Square Mile	I,	113.
Dennis G.F.C. (Dec. 1976) Orchids in the Solomon Islands	II,	18.	Fletcher M. (June 1977) "Girraween" - Place of Wild Flowers	I,	97.
Dockrill A.W. (Aug. 1963) <i>Dendrobium cancroides</i> Hunt	V,	87.	Ford R. (Feb. 1970) Native Orchid Observations	V,	120.
(Dec. 1963) <i>Dendrobium lichenastrum</i> (F. Muell.) Kraenzlin	III,	88.	Fordham F. (Apr. 1964) The Association of <i>Dendrobium kingianum</i> and <i>Thelymitra aristata</i>	I,	55.
(June 1964) A New Combination for a small North Queensland Epiphyte	I,	5.	George A.S. (Dec. 1976) Orchids of Western Australia, a letter	I,	28.
(June 1964) <i>Phreatia robusta</i> Rogers	V,	74.	Giles K. (Dec. 1964) An Interesting Observation	I,	114.
(Oct. 1964) A New Species of <i>Bulbophyllum</i> for North Queensland	I,	64	(Mar. 1968) Orchids of the Tumut Shire	II,	143.
(Dec. 1964) A Third <i>Goodyera</i> for Australia	I,	94.	Giles M.A. & W.E. (Dec. 1964) Native Terrestrial Orchid Cultivation at Springside, near Orange	I,	109.
(Dec. 1964) A New Combination for a North Queensland Orchid	I,	106.	Gordon E. (Aug. 1963) Order from Confusion : Attempt to Describe the Modern System of Plant Classification	I,	8.
(Feb. 1965) The Genus <i>Aphyllorchis</i> Blume in Australia	I,	106.	(April 1964) Adjustments to nomenclature	I,	49.
(Apr. 1965) The Genera <i>Diplocaulobium</i> and <i>Ephemerantha</i> in Australia	I,	115.	(April 1964) Notes on Botanical Terminology	I,	57.
(June 1965) A New Combination for an Australian <i>Habenaria</i> - <i>Habenaria ferdinandii</i> Schltr. var <i>arnhemica</i> (Benth.) Dockrill	I,	132.	(June 1965) Is it or is it Not?	I,	146.
(June 1965) A New Species of <i>Habenaria</i>	I,	149.	(Aug. 1965) That Man Again! - on Nomenclature	II,	18.
(June 1965) <i>Oberonia attenuata</i> Dockrill	I,	150.	(Oct./Dec. 1965) The Flowering Periods of Australian & New Zealand Orchids - Sect. 1 N.S.W.	II,	25.
(Aug. 1965) The Genus <i>Spathoglottis</i> in Australia	I,	160.	(Jan. 1967) The Problems of Publishing Botanical Works	II,	76.
(June 1966) Schlechter's Three Australian <i>Bulbophyllum</i> species	II,	2.	(Jan. 1967) Botanical Names	II,	81.
(July 1966) Schlechter's Australian species of <i>Dendrobium</i>	II,	38.	(April 1967) The Flowering Periods of Australian and New Zealand Orchids - Section 2, Queensland	II,	98,122
(Sept. 1966) The Genera <i>Zeuxine</i> and <i>Cheirostylis</i> in Australia	II,	52.	(July 1969) Orchid Seed Flasking	III,	48.
(Apr. 1967) A Review of the Genus <i>Bulbophyllum</i> Thou. in Australia	II,	68.	(April 1974) Some Notes on Nomenclature	IV,	95.
(June 1967) A Review of the Genus <i>Bulbophyllum</i> Thou. Part 1, Section 1.	II,	88,100	Gray B. (Sept. 1970) A New <i>Pterostylis</i> in North Queensland	III,	118.
(June 1967) <i>Trichoglottis australiensis</i> spec. nov.	II,	100	Gray B.; Clemesha S.C. & (Mar. 1972) A New Species of <i>Pterostylis</i> from North Queensland	IV,	18.
(Feb. 1970) A Review of "Orchids of Australia"	II,	106.	Gregory T. (Dec. 1976) Native Orchid Notes and Culture, Spring - Summer, 1976	V,	90.
Dockrill A.W. & Clemesha S.C. (April 1964) A New Status for a North Queensland <i>Dendrobium</i>	III,	81.	(Mar. 1977) Orchids of the Manning River Area	V,	97.
Dockrill A.W. & Clemesha S.C. (Sept. 1966) A Review of the species <i>Bulbophyllum newportii</i> (F.M. Bail.) Rolfe	I,	52.	(Sept. 1977) A Cultural Note on <i>Sarcochilus</i> <i>falcatus</i>	V,	129.
Dodd J. (Mar. 1977) <i>Dendrobium insigne</i> Reichb.f. (extracted)	II,	70.	(Dec. 1977) A Cultural Note on <i>Rhinerrhiza</i> <i>divitiflora</i>	V,	143.
(June 1977) The Problem of Naming Orchids - A New Name for <i>Dendrobium</i> <i>ophioglossum</i> Reichb.f. (extracted)	V,	104.	(Mar. 1978) <i>Dendrobium kingianum</i> : A Plea for Selective Breeding	V,	170.
Douglass H. (Sept. 1976) Fitzgerald's Unpublished Plates (letter)	V,	112.	(June 1978) Some thoughts on <i>Dendrobium</i> <i>X delicatum</i> (F.M. Bail.) F.M. Bail.	V,	184.
Dudman B.J. (Apr. 1965) Native orchids from North Western Tasmania	IV,	68.	Hall G. (June 1973) Antarctic Beeches on list in Ravaging Forests	II,	113.
Ellis K.E.E.; Stewart D. (Oct. 1963) The Orchids of the Gloucester District	I,	142.	Hall H.D. (Aug. 1967) Warringah Group Field Day, 18.6.67	I,	124.
	I,	21.	Harvey S.C. (Feb. 1965) Orchids at Beechworth	I,	127.
			Hatch E.D. (Feb. 1965) The <i>Pterostylids</i> of New Zealand	I,	158.
			(June 1965) On the Structure of the Orchid Flower		

(Oct./Dec. 1965) On <i>Pterostylis coccinea</i> Fitzg.	II,	30.	(July 1969) Cultivation of the Genus <i>Cryptostylis</i>	III,	52.
(July 1966) On the Structure of the Orchid Flower	II,	50.	(April 1970) An earlier Recording of <i>Pterostylis conoglossa</i> W.T. Upton in N.S.W.	III,	91.
(Sept. 1971) Notes on the Structure and Development of the Terrestrial Orchids	IV,	10.	(July 1970) Unique Perfume in <i>Prasophyllum fimbriatum</i>	III,	103.
Hawkes A.D. (Feb. 1965) <i>Dendrobium cucumerinum</i> - the Amazing Gherkin Orchid	I,	47.	(July 1970) <i>Diuris</i> X <i>palachila</i> - a Natural Hybrid	III,	104.
(June 1965) On Australian Dendrobiums	I,	159.	(Sept. 1970) Some Thoughts on the Taxonomy of the Genus <i>Diuris</i>	III,	119.
Hill R.G. (July 1970) <i>Parasarcophilus weinthalii</i> (F.M. Bail.) Dockrill. Our Local Gem	III,	102.	(Dec. 1970) Orchids at Lake Mountain	III,	126.
Hirsch H. (Dec. 1964) <i>Oberonia titania</i>	I,	103.	(Dec. 1970) Two interesting flowering occurrences	III,	151.
Holmes F. & K. (June 1973) Some Notes on <i>Epipogium roseum</i> (D.Don) Lindl.	IV,	69.	(May 1971) The Pollination of <i>Corybas diemenicus</i> (Lindl.) Rupp & Nicholls ex Rupp	III,	156.
Howcroft N.H.S. (May 1969) <i>Dipodium pandanum</i> F.M. Bail.	III,	38.	(Sept. 1971) Early records of <i>Pterostylis foliata</i> Hook. f. from N.S.W.	IV,	11.
(July 1969) Some correspondence on <i>Dipodium punctatum</i> var. <i>hamiltonianum</i>	III,	45.	(Sept. 1971) Cultivation of Lord Howe Island Orchids in Melbourne (Reprint)	IV,	11.
(Sept. 1969) New Guinea's <i>Saccolabium rhopalorrhachis</i> (Reichb.f.) J.J. Smith	III,	54.	(Mar. 1972) The Self-pollination of <i>Prasophyllum beaugleholei</i> Nicholls	IV,	16.
(Sept. 1969) <i>Dendrobium lobbii</i> in New Guinea	III,	59.	(Mar. 1972) Observations on Epiphytes in New South Wales	IV,	24.
(April 1970) New Guinea <i>Paphiopedilum violascens</i> Schltr.	III,	94.	(Aug. 1972) Observations on Epiphytes in New South Wales cont.	IV,	36.
(Sept. 1970) <i>Thrixspermum amplexicaule</i> (Bl.) Reichb. f. A Recording for the Territory of Papua New Guinea	III,	114.	(Oct. 1972) Observations on Epiphytes in New South Wales cont.	IV,	45.
(Mar. 1972) <i>Dendrobium finisterrae</i> Schltr.	IV,	14.	(Oct. 1974) Some Cape York Peninsula Orchid Records	IV,	98.
(Oct. 1972) <i>Dendrobium williamsianum</i> Reichb. f.	IV,	45.	(Sept. 1976) A New Combination for an Australian Orchid	V,	54.
(Oct. 1973) New Guinea's <i>Dendrobium lobbii</i>	IV,	78.	(Dec. 1976) Miscellaneous Notes on Australian Orchidaceae	V,	83.
(June 1976) Distribution of <i>Dipodium pandanum</i> F.M. Bail.	V,	48.	(Sept. 1977) Miscellaneous Notes on Australian Orchidaceae 2 - reduction of 6 Teratological Forms to Synonymy	V,	126.
(Dec. 1976) A New Guinea <i>Bulbophyllum</i>	V,	70.	Jones D.L. & Logan A.E. (Sept. 1971) A Field study of <i>Dipodium hamiltonianum</i> F.M. Bail in Southern N.S.W	IV,	2.
(June 1977) <i>Sarcophilus chrysanthus</i> Schltr. a species from the Mid-montane Forests of New Guinea	V,	110.	Jones D.L. & Raynes L.W. (Apr. 1970) Victorian Group Outing	III,	91.
(Dec. 1977) <i>Dendrobium chloroleucum</i> Schltr.	V,	146.	Jupp N.C. (Dec. 1963) Cultivation of Native Epiphytic Orchids	I,	26.
(Dec. 1977) A Survey of Orchids in Natural and Man-made Forests in Papua New Guinea	V,	150.	(June 1976) Australian Native Orchid Hybrids	V,	49.
(June 1978) New Guinea's <i>Dendrobium rigidum</i> R.Br.	V,	182.	Kerr R. (Oct. 1964) An Appraisal of Pipe Culture	I,	108.
Ingram C.K. (Feb. 1970) <i>Calochilus</i> in the Blue Mountains	III,	80.	(Mar. 1977) It's a Shame about Poor Pauline	V,	94.
(Feb. 1970) <i>Caladenia angustata</i> in the Blue Mountains, N.S.W.	III,	88.	Kitchen D.R. (Dec. 1970) A New Natural Hybrid	III,	151.
(July 1970) Recent Recordings	III,	102.	Laverack P.S. (May 1971) Trip to the Summit of Mount Bartle Frere	III,	154.
Ingram C.K. & Whitehead B. (Dec. 1970) Orchid Flora of the Central West, N.S.W. (Also separately paged 1 - 19)	III,	129.	(Dec. 1972) Two Rare Terrestrial Orchids from Cape York Peninsula	IV,	51.
Jay H. (Aug. 1967) Gadgets, Knick-Knacks & Home Made Devices to Assist the Amateur Orchid Grower	II,	116.	(Sept. 1975) Not Again	V,	2.
(Jan. 1968) Gadgets, Knick-knacks & Home Made Devices to Assist the Amateur Orchid Grower	II,	132.	(June 1976) Fitzgerald's Unpublished Plates (a letter)	V,	39.
(Aug. 1968) Raising Native Orchids from Seed; Extracts from a lecture given to the Sydney Group by Mr. A.M. Blombery	III,	7.	(Sept. 1976) Some Name Changes Affecting Australian Orchids	V,	64.
Jones D.L. (Oct./Dec. 1965) Orchids of the Western Plains, Victoria	II,	32.	(March 1977) Some Notes on Orchids and other plants at Bamaga (extracted)	V,	106.
(July 1969) A Method for Propagating Terrestrial Orchids	III,	46.	(Mar. 1977) Extension of the Range of <i>Malaxis marsupichila</i> Upton	V,	108.
			(June 1977) Further Notes on <i>Dendrobium bigibbum</i> (extract)	V,	123.
			(March 1978) Recent Discoveries in North Queensland	V,	159.

Leonard D.R. (July 1970) A Recent Observation on the Pollination of <i>Cryptostylis erecta</i> by a wasp	III, 111.	Paterson G.A. (Feb. 1964) Epiphytic Orchids and Fertilising - A Challenge Answered	I, 39.
Liddle D. (June 1977) Some Thoughts on the varieties of <i>Dendrobium bigibbum</i> (extract)	V, 123.	Percival M.J. (Sept. 1969) Stradbroke Island Bush Walk	III, 60.
Logan A. (May 1971) A New Recording for <i>Chiloglottis pescottiana</i> Rogers	III, 160.	Pescott R.T.M. (July 1970) Orchids of Australia	III, 103.
Logan A.E.; Jones D.L. & (Sept. 1971) A Field Study of <i>Dipodium hamiltonianum</i> F.M. Bail. in Southern N.S.W.	IV, 2.	Reeves A.G. (Aug. 1967) Baron von Mueller, 1825 - 1896	II, 119.
Logan A. (Dec. 1974) Terrestrial Orchids of Galore Hill Nature Reserve	IV, 109.	Rotherham E.R. (Aug. 1967) Pollination of <i>Spiculea huntiana</i> F. Muell.) Schltr	II, 120.
Lovell G. & C. (Sept. 1976) Antipodean Adventures	V, 54.	Rothwell A. (Apr. 1964) Cultivation of Native Epiphytic Orchids	I, 57.
Maslen R. (Dec. 1972) <i>Cymbidium canaliculatum</i> in New South Wales	IV, 51.	Slater G. (July 1967) Orchids of the Whitebridge District	II, 95.
(May. 1973) Meanderings from Mullumbimby	IV, 60.	Smythe R.S. (Mar. 1968) <i>Phalaenopsis amabilis</i> var <i>rosenstromii</i> (F.M. Bail.) Nicholls	II, 138.
McAlpine D.K. (June 1978) On the Status of <i>Thelymitra truncata</i> Rogers	V, 179.	Pollination of <i>Bulbophyllum baileyi</i>	III, 61.
Mims P. (June 1972) A.N.O.S. Victorian Group - Bulletin Notes	IV, 32.	(Apr. 1970) <i>Dendrobium smilliae</i> - Australia's First Bird-pollinated Orchid	III, 93.
Mogg Mr. & Mrs. E. (April 1970) Group News - Darling Downs; Further Comments on the <i>Dendrobium mortii</i> X <i>D. cucumerinum</i> Cross	III, 93.	(Sept. 1970) A Pollinator for <i>Dendrobium speciosum</i>	III, 119.
Murdoch W.H. (Oct. 1963) The Culture of Epiphytic Orchids	I, 23.	(Sept. 1970) Orchids of Papua and North Queensland	III, 123.
(Dec. 1963) The culture of Epiphytic Orchids cont.	I, 26.	(Dec. 1970) Pollination by the Common Native Bee	III, 128.
(June 1964) Culture of Epiphytic Orchids	I, 63,75	(Dec. 1970) Orchids of Papua New and North Queensland cont.	III, 149.
(Aug. 1964) The President's Travels	I, 87.	(May 1971) Orchids of Papua and North Queensland cont.	III, 154.
(Feb. 1965) A Fast Growing Orchid	I, 126.	(May 1971) Something worth Talking About	III, 163.
(Aug. 1965) Laurie (Jason) and the Golden Fleece	II, 9.	(August 1972) <i>Dendrobium kingianum</i> Bidw. Orchid and Vegetable	IV, 39.
(Aug. 1967) Have Common Names, when applied to our Orchids, any Justification	II, 116.	Spence M. (May 1973) Warringah Group's Conservation Training Program	IV, 63.
(Jan. 1968) Conservation of Native Orchids	II, 127.	Spence P.J. (Oct. 1972) Collecting Orchids in T.P.N.G.	IV, 42.
(Dec. 1970) A.N.D.S. News - Newcastle Group	III, 127.	Stewart D. & Ellis K.E.E. (Oct. 1963) The Orchids of the Gloucester District	I, 21.
Mutton R. (Dec. 1972) A 'Glass House' for \$6 - or How to Beg, Borrow, but not steal	IV, 52.	Taylor C.M. (Aug. 1967) Cultivation of <i>Dendrobium kingianum</i> Bidw.	II, 121.
Nash R.C. (Oct. 1963) Cultural Notes on S.A. Native Terrestrial Orchids	I, 18.	Tonelly P. (Sept. 1975) Enjoy it while it lasts	V, 2.
(Dec. 1964) My Experience with South Australian Swampland Orchids	I, 111.	Trott J. (Sept. 1975) <i>Rhizanthella gardneri</i> Rogers	V, 3.
(Aug. 1968) Night Flowering <i>Thelymitra ixioides</i>	III, 4.	Uhlherr P.H.T. (July 1966) Some Common Orchids of the Sydney Metropolitan Region	II, 62.
(Jan. 1968) Some Interesting Correspondence (Extract of letter from R.C. Nash and reply by S.C. Clemesha for A.N.O.S.)	II, 128.	(Sept. 1966) Some Common Orchids of the Sydney Metropolitan Area	II, 65.
(May, 1969) Some Interesting Correspondence cont.	III, 37.	(Apr. 1967) A Note on the Pollination of <i>Caladenia alba</i> R.Br.	II, 94.
(Sept. 1969) <i>Pterostylis boormanii</i> Rupp	III, 62.	(June 1967) A Note on the Pollination of <i>Caladenia alba</i> R.Br.	II, 108.
Nesbitt L.T. (Sept. 1976) Raising Terrestrial Orchids from Seed.	V, 57.	(Apr. 1970) Opening of <i>Thelymitra</i> flowers	III, 97.
Oliver R.R. (Sept. 1976) Native Orchid Recordings from Western Australia	V, 65.	(July 1970) <i>Thelymitra carnea</i> R.Br. and <i>Thelymitra rubra</i> Fitzg.	III, 107.
Overall H.J.R. (Oct. 1963) <i>Dendrobium kingianum</i> Bidw.	I, 14.	Upton W.T. (June 1964) Housing our Native Orchids	I, 61.
(Sept. 1969) The Lure of the Orchid	III, 58.	(Apr. 1965) <i>Oberonia titania</i> , A Fairy Story	I, 134.
Paterson B.C. (Aug. 1968) Orchid Seed Culture for the Amateur	III, 6.	(June 1965) Getting to Know our Native Orchids	I, 152.
		(April 1967) Observations on some Native Orchids of the Central Western Slopes Area of N.S.W.	II, 96.
		(June 1967) Observations on some Native Orchids of the Central Western Slopes of N.S.W.	II, 108.
		(Aug. 1967) A New Species of <i>Pterostylis</i> for New South Wales	II, 114.

- (July 1969) *Bulbophyllum clavigerum* (Fitzg.) F. Muell III, 49.
- (Mar. 1976) A New Orchid for Australia V, 24, 32
- Upton W.T. & Clemesha S.C.** (Aug. 1963) *Pterostylis concinna* R.Br. I, 5.
- (Aug. 1964) *Dendrobium monophyllum* F. Muell. and *Dendrobium schneiderae* F.M. Bail. I, 82
- Upton W.T.; Clemesha S.C. &** (Dec. 1963) A *Sarcochilus* Problem I, 32.
- (June 1964) Two Helmet Orchids - *Corybas undulatus* (A. Cunn.) Rupp & Nicholls and *Corybas unquiculatus* (R.Br.) Reichb.f. I, 66.
- (Oct. 1964) *Bulbophyllum aurantiacum* F. Muell. and *Bulbophyllum crassulifolium* (A. Cunn.) Rupp I, 91.
- Vadilo P.S.** (Oct. 1974) Concerning the Symmetry of Flowers IV, 98.
- Vaughan P.** (June 1976) An unusual *Sarcanthinae* from the Upper Allyn V, 39.
- (Mar. 1977) Positive Identification of *Pteroceras spathulatus* (Rogers) Garay V, 108.
- (June 1978) The Genus *Calochilus* - Observations and a Field Guide V, 186.
- Voight D.R.** (June 1978) "Cristata Compound" - A Report on the Re-discovery of *Caladenia cristata* V, 190.
- Walker J.** (Aug. 1972) So you have Bugs IV, 37.
- (Oct. 1973) The Sydney Orchids IV, 82.
- Walker R.F.** (Dec. 1976) *Dendrobium moorei* F. Muell. V, 92.
- Wallace B.J.** (Dec. 1974) The Pollination of *Liparis reflexa* (R.Br.) Lindl. IV, 106.
- (Mar. 1978) On *Cryptostylis* pollination and Pseudocopulation V, 168.
- Walters I.D.** (Jan. 1968) North Queensland's New Terrestrial *Dendrobium* II, 130.
- (Aug. 1968) A New Addition to the Australian Members of the Genus *Habenaria* III, 10.
- (Apr. 1970) The Genus *Pachystoma* in Australia - *Pachystoma holyzei* (F. Muell.) F. Muell. III, 98.
- (May 1970) A New species of *Eria* Lindl III, 159.
- Weber J.; Bates R. &** (Sept. 1975) A Critical Revision of some South Australian Orchids V, 56
- Wells G.** (May 1973) Orchid Collecting in Southern Queensland IV, 58.
- (June 1977) Some Bannaby Orchids V, 119.
- White M.G.** (Apr. 1965) The Growth Habits of N.S.W Epiphytic Orchids I, 138.
- Whitehead B.** (Apr. 1965) Early impressions of *Pterostylis fischii* in Cultivation I, 137.
- (Aug. 1965) Terrestrial Orchids and Dry Weather II, 4.
- (Jan. 1967) *Pterostylis nana* R.Br. II, 85.
- (Mar. 1968) Flowering times of *Caladenia alba* R.Br. var *picta* Nicholls and *Pterostylis nutans* R.Br. var. *hispidula* Fitzg II, 140.
- (Mar. 1968) Change of Climate - Effect on Cultivated Terrestrials II, 144.
- (Sept. 1969) A Note on *Acianthus* III, 57.
- (Sept. 1969) An Unusual Habitat
- Record for *Pterostylis revolta* R.Br. III, 60.
- (Sept. 1969) *Corybas* in Captivity III, 61.
- (Feb. 1970) An Unexpected Terrestrial Orchid Record for N.S.W III, 78.
- (July 1970) Terrestrial Orchid Recordings on the South Coast of N.S.W III, 106.
- Wilson H.** (June 1973) Pests of Plants, reprinted from A.N.O.S. Victorian Group News Bulletin IV, 73.
- Wrigley J.W.** (June 1976) *Malaxis marsupichila* - interesting correspondence V, 41.
- Young G.R.** (Oct. 1974) Growing *Sarcochilus hillii* & *S. tricallatus* IV, 99.
- Young J.** (Mar. 1968) North Queensland Orchid Safari II, 136.
- (Aug. 1968) North Queensland Orchid Safari cont. III, 9.
- (Dec. 1968) North Queensland Orchid Safari cont. III, 21.
- (May 1969) North Queensland Orchid Safari III, 31.

PART II

Species and Articles

- A New *Sarcochilus* species from Northern Queensland,**
Ed. note V, 3;
- Acacia* II, 96; III, 46;
- Acacia brunioides* Cunn. ssp. *gordonii* Tindale III, 53;
dealbata Link IV, 6;
falciformis DC. III, 126;
- Acantheclisis fundata* (Insecta) IV, 37;
- Acanthephippium papuanum* Schltr. V, 151;
- Acianthinae II, 80;
- Acianthus* R. Br. I, 3, 88, 98, 110, 142; II, 80, 96; III, 31,
63; IV, 10; V, 58, 63;
- Acianthus amplexicaulis* (Bailey) Rolfe II, 98; III, 18, 19;
IV, 70; V, 7, 19, 75;
caudatus R. Br. I, 51, 66, 98, 156, 157; II, 25, 62, 80, 95,
96, 124; III, 57; IV, 83; V, 2, 78;
- exsertus* R. Br. I, 19, 20, 45, 51, 66, 98, 143; II, 25, 62,
98, 113, 124, 143; III, 18, 44, 45, 57, 60, 87, 141;
IV, 83; V, 2, 7, 78, 119, 120;
- fornicatus* R. Br. I, 45, 51, 66; II, 4, 25, 62, 63, 64, 96,
98, 113; III, 31, 57, 141; IV, 83; V, 7, 19, 119;
- huegelii* (Endl.) Nicholls et Goadby = *A. reniformis*
var. *huegelii* (Endl.) A. S. George IV, 76;
- ledwardii* Rupp II, 98;
- reniformis* (R.Br.) Schltr. I, 19, 20, 51, 124, 156, 157;
II, 25, 33, 62, 95, 96, 98, 124, 143; III, 44, 45, 57,
87, 141; IV, 83, 109; V, 2, 78, 119, 120;
- var. *huegelii* (Endl.) A. S. George IV, 76;
- sublestus* Dockr. = *A. amplexicaulis* J. D. Hook.
III, 18;
- viridis* J. D. Hook. = *Townsonia viridis* (J. D. Hook.)
Schltr. IV, 10;
- Acianthus*, A Fifth . . . for New South Wales, W. Brinsley**
III, 18;
- Acianthus*, A Note on . . . , B. Whitehead** III, 57;
- Acmena hemilampra* (Bailey) Merr. et Perry V, 159;
- Acranthae I, 134; II, 78;
- Acriopsis javanica* Reinw. ex Blume II, 98; V, 152;
var. *nelsoniana* (Bailey) J. J. Smith II, 98;
- Acriopsis nelsoniana* Bailey = *A. javanica* var.
nelsoniana (Bailey) J. J. Smith I, 156, 157;
- Acrotonae I, 134, 154; II, 78;
- Acrotriche serrulata* (Labill.) R. Br. IV, 4;
- Adglopetalum bracteatum* Fitzg. = *Bulbophyllum*
bracteatum (Fitzg.) Bailey II, 100;
- Adenochilus* J. D. Hook. I, 3; IV, 10, 50;
- Adenochilus nortonii* Fitzg. II, 25; III, 88; V, 45, 46;
- Adenoncos papuanum* Schltr. V, 152;
- Adiantum* L. III, 33;
- Aerides* Lour. III, 128;
- Aerides amplexicaulis* Lindley III, 114;
- Aeschynanthus* Jack V, 87;
- Agapetes mainiana* F. Muell. III, 154;
- Agathis* Salisb. V, 110;
- Agathis australis* Steudel I, 128;
- Agrostophyllum* Blume V, 152;
- Ailuroedus crassirostris* (Aves) II, 61;
- Albarol IV, 39;
- Alectura lathamii* (Aves) II, 51;
- Alocasia macrorrhizos* (L.) G. Don V, 114;
- Ammonia IV, 39;
- Angophora* Cav. IV, 24;
- Angophora costata* (Gaertner) Druce III, 4;
floribunda (Sm.) Sweet I, 140;
- Angraecum* Bory. III, 61;
- Angraecum sesquipedale* Thouars III, 127; IV, 92;
- Anoectochilus* Blume I, 152; V, 151;
- Anoectochilus yatesae* Bailey II, 98; III, 155, 156;
- 12**
- A.N.O.S. Group News — Darling Downs, "A New**
Discovery — *Dendrobium mortii* X *D.*
***cucumerinum* McLeay** III, 102;
- A.N.O.S. Group News — Newcastle Group** III, 127;
- A.N.O.S. Group News — Victorian Group** IV, 11, 23;
Bulletin Notes, P. Mims IV, 32, 54;
News Bulletin, reprint, "Pests of Plants, H. Wilson"
IV, 72;
- Anostoxoma* (Insecta) IV, 38;
- Antarctic Beech (*Nothofagus moorei*)- The Sawmiller v's**
The Conservationist, (reprinted) IV, 66;
- Antarctic Beeches on List in Ravaging of Forests, G. Hall**
IV, 68;
- Antennae II, 56;
- Anthurium* Schott I, 39, 63;
- Antipodean Adventures, G. & C. Lovell** V, 54;
- Aphyllorchis* Blume, The Genus . . . in Australia, A. W.**
Dockrill I, 115;
- Aphyllorchis* Blume II, 125;
- Aphyllorchis anomala* Dockr. I, 115, 116, 117; II, 126;
clatae Schltr. (misspelling) I, 115;
- elata* Schltr. I, 116; V, 151;
- queenslandica* Dockr. I, 115, 117; II, 98, 126;
- striata* (Ridley) Schltr. I, 116;
- Apidae trigona* (Insecta) III, 119;
- Aporostylis* Rupp et Hatch I, 3;
- Apostasia* Blume V, 128;
- Apostasia wallichii* R. Br. V, 65, 151;
- Arachnis longicaulis* (Schltr.) L. O. Williams V, 152;
- Araucaria cunninghamii* Aiton I, 84, 126, 140, 142; II, 49;
III, 38, 111, 114, 116; V, 150;
- hunsteinii* K. Schum. V, 150;
- Archimantis latistyla* (Insecta) IV, 38;
- Archontophoenix cunninghamiana* (Wendl. et Drude)
Burret IV, 62;
- Arethusa tetrapetala* (name of no botanical standing)
I, 130;
- Arethuseae II, 78, 80;
- Armillaria* II, 125;
- Arthrochilus byrnesii* Blaxell V, 167;
- dockrillii* Lavarack V, 166, 167;
- huntianus* (F. Muell.) Blaxell IV, 76;
- irritabilis* F. Muell. IV, 76; V, 34, 167;
- Ascochilus* Ridley = *Pteroceras* Hassk. V, 110;
- Ascoglossum papuanum* (unpublished name) IV, 42;
- Asperula conferta* J. D. Hook. IV, 6;
- Asplenium* L. III, 32;
- Asplenium nidus* L. I, 57; II, 138; III, 32; IV, 64;
- Asymbiotic Germination of Native Orchid Seed, P.**
Fetherston III, 70, 71, 77;
- Aulacophora hilaris* (Insecta) IV, 38;
- Australian Orchids, Notes and Records of Some . . . , L.**
Cady I, 44;
- Banksia ornata* F. Muell. ex Meisn. III, 44;
- Bartle Frere, A Trip to the Summit of Mount . . . , P.S.**
Lavarack III, 154
- Basitonae = Orchidoideae I, 154;
- Baysol IV, 39;
- Bee, Pollination by the Common Native . . . , R. Smythe**
III, 128;
- Beechworth, Orchids at . . . , S. L. Harvey** I, 124;
- Beetles and Beetle larvae (Grubs)** IV, 104;
- Beilschmeidia tarairi* Benth. et J. D. Hook I, 4, II, 119;
- Blechnum aggregatum* (Colenso) Tindale and sensu
Australian auct. = *Blechnum chambersii* Tindale
IV, 95;
- chambersii* Tindale IV, 95;
- lanceolatum* Raddi IV, 95;

- Blepharopetalum* (S of *Paphiopedilum*) **III**, 94;
Bletia Ruiz et Pavon **I**, 38;
Bletia paulinae F. Muell. = *Spathoglottis paulinae* F. Muell. **II**, 2;
Bletiinae **II**, 79;
Boea hygroskopica F. Muell **III**, 26;
Bog Orchids in South Australia, Some Aspects of Swamp or . . ., R. Bates **V**, 124;
 Borax — icing sugar **IV**, 39;
 Bordeaux Powder **IV**, 38;
Boronia Sm. **V**, 120;
Botanical Names, E. Gordon **II**, 81;
Botanical Terminology, Notes On . . ., E. Gordon **I**, 57;
Botanical Works, the Problems of Publishing . . ., E. Gordon **II**, 76;
Bougainvillea Comm. ex. Juss. **IV**, 48;
Brachychiton rupestre Terr. **III**, 79, 111;
Brassia actinophylla F. Muell. **III**, 33;
Bromheadia venusta Hunt **II**, 98; **IV**, 51;
Bugs, So you have . . ., J. Walker **IV**, 37;
Bulbophyllinae **II**, 88;
Bulbophyllum Thouars **I**, 3, 152, **155**; **II**, 61, 79, 88, 90, 116; **III**, 32, 33, 73, 88, 155; **V**, 2, 87;
Bulbophyllum, A New Species of . . . for North Queensland, A. W. Dockrill **I**, 94;
Bulbophyllum, A Review of the Genus . . . in Australia, part 1, A. W. Dockrill **II**, 88, 100;
Bulbophyllum, Schlechter's Three Australian . . . species, A. W. Dockrill **II**, 38;
Bulbophyllum, A New Guinea . . . , N.H.S. Howcroft **V**, 70;
Bulbophyllum adenocarpum Schltr. = *B. lageniforme* Bailey **II**, 38, 42, 90;
aurantiacum F. Muell. **I**, 21, 51, 84, 91, 92, **93**, 140; **II**, 25, 98; **III**, 31, 84; **IV**, 58, 59; **V**, 35, 103, 135;
Bulbophyllum aurantiacum F. Muell., S. C. Clemesha **III**, 84;
Bulbophyllum aurantiacum F. Muell. & *Bulbophyllum crassulifolium* (Cunn.) Rupp, S. C. Clemesha & W. T. Upton **I**, 91;
Bulbophyllum baileyi F. Muell. **I**, 131, **155**, 156; **II**, 79, 98; **III**, 33, 61, 119, 123; **IV**, 42; **V**, 108, 159;
Bulbophyllum baileyi, An observation on the Pollination of . . . , R. Smythe **III**, 61;
Bulbophyllum blumei (Lindley) J. J. Smith
 var. *longicaudatum* J. J. Smith **V**, 159;
bowkettiae Bailey **II**, 98;
bracteatum (Fitzg.) Bailey **I**, 51, 84, 140, **155**, 156; **II**, 25, 78, 90, 100, **102**; **III**, 88;
cilioglossum R. Rogers et Nicholls = *B. radicans* Bailey **I**, 76; **III**, 33;
clavigerum (Fitzg.) F. Muell. = *B. longiflorum* Thouars **I**, 106, 107; **II**, 98; **III**, 49, **50**, **51**, 52; **V**, 2, 160;
Bulbophyllum clavigerum (Fitzg.) F. Muell., W. T. Upton **III**, 49;
Bulbophyllum cobolbon Schltr. **V**, 152;
cochleatum Schltr. non Lindley = *B. macphersonii* Rupp var. *spathulatum* Dockr. **II**, 38, 42;
contortisepalum J. J. Smith **V**, 152;
crassulifolium (Cunn.) Rupp **I**, 21, 51, 91, 92, **93**, 105, 140, **155**, 156; **II**, 25, 95, 96; **III**, 84; **IV**, 37, 58, 59; **V**, 35, 39, 103, 120, 135;
 var. *intermedium* (Bailey) Nicholls = *B. crassulifolium* (Cunn.) Rupp **I**, 92;
Bulbophyllum crassulifolium, *Bulbophyllum aurantiacum* & . . . , S. C. Clemesha & W. T. Upton **I**, 91;
Bulbophyllum cruciatum J. J. Smith **V**, 152;
elisae (F. Muell.) Benth. **I**, 21, 27, 51, 139; **II**, 25, 61, 98; **III**, 88, 128; **IV**, 71; **V**, 39, 103, 120, 135;
evasum Hunt et Rupp **II**, 47, 98; **III**, 32, 155, 156;
exiguum F. Muell. **I**, 21, 51, 84, 91, 105, 138, 154, **155**, 156; **II**, 25, 90, 96, 98, 104, **105**; **IV**, 37, 59, 62; **V**, 35, 39, 103, 120, 135;
 var. *dallachyii* Benth. = *B. exiguum* F. Muell. **II**, 104; **V**, 35;
fletcherianum Rolfe **V**, 152;
gadgarrense Rupp **I**, 92, 94, **95**, 96; **II**, 98;
globuliforme Nicholls **I**, 126, 140; **II**, 25, 98;
Bulbophyllum globuliforme Nicholls, S.C. Clemesha **I**, 126;
Bulbophyllum gracillimum (Rolfe) Rolfe **V**, 160;
grandiflorum Blume **IV**, 42; **V**, 152;
graveolens (Bailey) J. J. Smith **V**, 70, **71**, 72, 73;
johnsonii Hunt et Rupp **I**, **155**, 156; **II**, 98; **III**, 31, 32;
lageniforme Bailey **II**, 38, 39, 40, 42, 47, 90, **91**, 98; **III**, 155, 156;
leratii (Schltr.) J. J. Smith = *B. gracillimum* (Rolfe) Rolfe **V**, 159, 160, **162**;
lichenastrum F. Muell. = *Dendrobium lichenastrum* (F. Muell) Kranzlin var. *lichenastrum* **I**, 28, 30;
Bulbophyllum lilianae Rendle **II**, 47, 90, 98, **103**, 104; **III**, 32, 155, 156;
longiflorum Thouars **V**, 2, 160;
longifolium nomen dubium **V**, 152;
macphersonii Rupp **I**, 118, 152, **155**, 156; **II**, 79, 98; **III**, 31;
 var. *macphersonii* **II**, 98;
 var. *spathulatum* Dockr. et St. Cloud **II**, 38, **41**, 42, 98;
macrobulbum J. J. Smith **IV**, 42, 44;
masdavalliaceum Kranzlin **V**, 159, **161**;
minutissimum (F. Muell.) F. Muell. **I**, 51, 126, 140; **II**, 25, 49, 79, 119; **III**, 79, 111; **IV**, 58, 59, 60, 84, 93; **V**, 120, 136;
Bulbophyllum minutissimum F. Muell., New Recordings for . . . , M. J. Corrigan **II**, 49;
Bulbophyllum nematopodum F. Muell. **I**, 76, **155**, 156; **II**, 98;
newportii (Bailey) Rolfe **II**, 38, 42, **43**, 70, 72, 90, 98, 100, **101**, 104; **III**, 32, 155; **V**, 35;
Bulbophyllum newportii (Bailey) Rolfe, A Review of the species . . . , S. C. Clemesha & A. W. Dockrill **II**, 70;
Bulbophyllum newportii (Bailey) Rolfe, The Cultivation of . . . , S. C. Clemesha **II**, 72;
Bulbophyllum pachybulbum (Schltr.) Seidenfaden **V**, 72;
polyblepharon Schltr. **II**, 42;
prenticei F. Muell. = *Dendrobium lichenastrum* (F. Muell.) Kranzlin emend. Dockr. var. *prenticei* (F. Muell) Dockr. **I**, 30; **III**, 33;
pygmaeum (Smith) Lindley **IV**, 11;
radicans Bailey **I**, 76, **155**, 156; **II**, 98; **III**, 33, 155, 156;
Bulbophyllum radicans Bailey, S. C. Clemesha **I**, 76;
Bulbophyllum rarum Schltr. **V**, 152;
revolutum Dockr. et St. Cloud = *B. lilianae* Rendle **II**, 104;
robustum (Rolfe) = *B. graveolens* (Bailey) J. J. Smith **V**, 72;
sessile (J. Konig) J. J. Smith **V**, 152;

- Bulbophyllum toressae* Bailey = *Dendrobium toressae* (Bailey) Dockr. I, 64;
trilobum Schltr. = *B. newportii* (Bailey) Rolfe II, 38, 40, 44, 70, 72, 100;
tuberculatum Colenso IV, 11;
umbellatum Lindley V, 2;
wadsworthii Dockr. I, 94, 95; II, 98; III, 31, 32, 84, 155, 156;
wanjurum Hunt = *B. newportii* (Bailey) Rolfe II, 70, 72, 100;
weinthalii R. Rogers I, 51, 126, 138, 142, 155, 156; II, 25;
wilkianum Hunt = *B. newportii* (Bailey) Rolfe II, 70, 72, 100; III, 32;
Burchardia umbellata R. Br. IV, 6;
Burmanna L. IV, 78;
Burnettia cuneata Lindley II, 6, 7, 25, 124; III, 45;
Burnettia cuneata Lindley, L. Cady II, 6;
Cadetia hispida (A. Rich.) Schltr. I, 131; II, 98, 137; IV, 93;
ruppii St. Cloud = *Diplocaulobium glabrum* (J. J. Smith) Kranzlin I, 134;
taylori (F. Muell.) Schltr. I, 131; II, 98; III, 32, 155, 156; V, 24;
Caladenia R. Br. I, 3, 21, 72, 142; II, 51, 61, 80, 95; III, 20, 63, 87; IV, 32, 92; V, 5, 58, 63;
Caladenia, A New Name for a Western Australian . . . , S. C. Clemesha II, 118;
Caladenia alba R. Br. I, 51; II, 25, 62, 65, 94, 95, 96, 98; III, 60, 143; IV, 83; V, 8, 78, 120;
Caladenia alba R. Br., A Note on the Pollination of . . . , P. J. Uhlherr II, 94, 108;
Caladenia alba R. Br. and its Varieties, W. Brinsley III, 20;
Caladenia alba var. *alba* = *C. alba* R. Br. II, 140; III, 20, 21;
var. *picta* Nicholls = *C. alba* R. Br. I, 51, 60; II, 25, 62, 65, 140; III, 20, 21;
alpina R. Rogers = *C. lyallii* J. D. Hook. IV, 50;
angustata Lindley = *C. gracilis* R. Br. I, 124, 143; II, 25; III, 88, 90, 91, 126, 143;
Caladenia angustata in the Blue Mountains, N.S.W., C. K. Ingram III, 88, 90;
Caladenia aurantiaca (R. Rogers) Rupp II, 25;
barbarossa H. G. Reichb. I, 73; V, 169;
bicolor R. Rogers = *C. radialis* R. Rogers IV, 76;
brunonis (Endl.) H. G. Reichb. = *Elythranchera brunonis* (Endl.) A. S. George I, 44;
caerulea R. Br. I, 130; II, 25, 62, 98, 143; III, 46, 60, 144; IV, 83, 109; V, 119, 120;
cardiochila Tate? *C. tessellata* Fitzg. vide Willis, 1970. I, 20;
carnea R. Br. = *C. catenata* (Smith) Druce var. *catenata* I, 51, 124, 143; II, 25, 62, 64, 65, 67, 80, 95, 96, 98, 108, 124, 143; III, 16, 37, 44, 46, 84, 118, 126; IV, 83, 109; V, 2, 7, 8, 55, 78, 119, 120;
Caladenia carnea R. Br.
var. *attenuata* W. Brinsley = *C. catenata* (Smith) Druce var. *catenata* III, 16, 17, 143;
var. *carnea* = *C. catenata* (Smith) Druce var. *catenata* III, 142;
var. *exigua* (Cheesem.) Rupp = *C. catenata* (Smith) Druce var. *exigua* (Cheesem.) Curtis II, 62, 64;
var. *gigantea* R. Rogers = *C. catenata* (Smith) Druce var. *gigantea* (R. Rogers) W.M. Curtis I, 51; II, 25, 143; III, 16, 143; V, 7, 8, 19, 78;
var. *minor* (J. D. Hook). Hatch = *C. catenata* (Smith) Druce var. *minor* (J. D. Hook) W. M. Curtis III, 143;
var. *pygmaea* R. Rogers = *C. pusilla* W. M. Curtis II, 25, 143; V, 120;
Caladenia carnea R. Br., A New Variety of . . . , W. Brinsley III, 16;
Caladenia caudata Nicholls V, 2;
clavigera Cunn. ex Lindley I, 110; II, 25; III, 91, 142; V, 14, 15;
congesta R. Br. II, 25, 143; III, 143; V, 124;
corynephora A. S. George IV, 77;
crebra A. S. George IV, 77;
cristata R. Rogers V, 190;
Caladenia cristata, "Cristata Compound", A Report on the Re-discovery of . . . , D. R. Voight V, 190
Caladenia cucullata Fitzg. I, 51, 124, 143; II, 25, 96; III, 88, 90, 143; V, 79, 80;
cuneata (Lindley) H. G. Reichb. = *Burnettia cuneata* Lindley II, 6;
deformis R. Br. I, 42, 73, 98, 124; II, 25, 143; III, 44, 104, 132, 144; IV, 109; V, 55, 78;
dilatata R. Br. I, 43, 44, 60, 98, 110, 124; II, 25, 96, 97, 98, 108, 124, 143; III, 44, 45, 60, 91; IV, 83, 109, V, 2, 63, 78, 120;
var. *concinna* Rupp = *C. toxochila* Tate I, 113, 125; II, 25; III, 142; IV, 45, 50; V, 47;
var. *dilatata* III, 142;
var. *rhomboidiformis* E. Coleman = *C. longiclavata* E. Coleman var. *rhomboidiformis* (E. Coleman) A. S. George I, 73; IV, 76;
dimorpha Fitzg. II, 25; III, 88, 90, 111, 143;
dorrienii Domin = *C. filamentosa* R. Br. var. *dorrienii* (Domin) A. S. George IV, 76;
echidnachila Nicholls V, 2;
emarginata (Lindley) H. G. Reichb. = *Elythranchera emarginata* (Lindley) A. S. George I, 44;
filamentosa R. Br. I, 42; II, 25, 80; III, 16, 142; V, 120, 190;
var. *dorrienii* (Domin) A. S. George IV, 76;
var. *tentaculata* R. Rogers I, 15, 16, 17, 20, 43, 44, 73; II, 25; V, 47, 78;
Caladenia filamentosa R. Br. var. *filamentosa*, L. Cady I, 15;
Caladenia fitzgeraldii Rupp I, 51; III, 142;
flava R. Br. I, 42, 73; III, 48;
Caladenia flava R. Br., Two Interesting forms of . . . , F. Coate III, 48;
Caladenia gemmata Lindley I, 43
var. "ixioides R. Erikson", nomen nudum II, 118;
forma *lutea* Clemesha II, 118;
gladiolata R. Rogers IV, 50, V, 77;
gladiolata X *patersonii* V, 78;
gracilis R. Br. V, 2;
graminifolia A. S. George IV, 77;
hildae E. E. Prescott et Nicholls = *C. testacea* R. Br. V, 120
hirta Lindley I, 42, 43, 44;
holmesii Rupp I, 30; II, 25;
huegelii H. G. Reichb. V, 78;
huegelii X *gladiolata* V, 78;
huegelii X *patersonii* V, 78;
integra E. Coleman I, 44;
iridescent R. Rogers II, 25; V, 120;
ixioides Lindley = *C. gemmata* Lindley forma *lutea* Clemesha II, 118;

- lyallii* see *lyallii* J. D. Hook. II, 25;
latifolia R. Br. I, 19, 20, 73, 143; II, 124; III, 45; V, 55, 78;
 var. *angustifolia* Benth = *C. marginata* Lindley IV, 76;
 var. *glandula* Ewart et Wood = *C. marginata* Lindley IV, 76;
leptochila Fitzg. V, 78;
lobata Fitzg. IV, 50;
longiclavata E. Coleman I, 42;
 var. *magniclavata* (Nicholls) A.S. George IV, 76;
 var. *rhomboidiformis* (E. Coleman) A. S. George IV, 76;
lyallii J. D. Hook. II, 143; III, 126; IV, 50;
macrophylla R. Br. = *C. menziesii* R. Br. IV, 76;
Caladenia macrostylis Fitzg. I, 42;
 magniclavata Nicholls = *C. longiclavata* E. Coleman
 var. *magniclavata* Nicholls IV, 76;
 marginata Lindley IV, 76;
 menziesii R. Br. II, 124; III, 45, 92; IV, 76;
 nana IV, 76;
 orchreata Lindley = *C. marginata* Lindley IV, 76;
 pallida Lindley I, 98;
 paniculata Fitzg. = *C. marginata* Lindley I, 44, 73; IV, 76;
 patersonii R. Br. I, 41, 43, 124; II, 25, 98; III, 44, 45, 92, 132; IV, 92; V, 2;
 var. *arenaria* (Fitzg.) Nicholls = *C. patersonii* R. Br.
 var. *patersonii* II, 25; III, 132, 142;
 var. *concolor* (Fitzg.) J. H. Willis et Court II, 25; III, 142; IV, 45;
 var. *longicauda* (Lindley) R. Rogers I, 42;
 var. *patersonii* III, 142;
 pectinata R. Rogers = *C. huegelii* H. G. Reichb. I, 42;
 praecox Nicholls III, 88, 90, 143; IV, 83;
 preisii Endl. = *C. reptans* Lindley IV, 76;
 purdieana C. R. P. Andrews = *C. marginata* Lindley I, 44; IV, 76;
 radialis R. Rogers IV, 76;
 reptans Lindley I, 73; IV, 76;
 reticulata Fitzg. I, 98; II, 25, 108, 143; III, 132, 142; IV, 45, 83; V, 120;
 var. *valida* Nicholls = *C. reticulata* Fitzg. V, 85;
 roei Benth. I, 43;
 tenuis Fitzg. = *C. hirta* Lindley I, 44;
 tessellata Fitzg. II, 25, 62; III, 44; IV, 83; V, 14, 15, 78;
 testacea R. Br. II, 25, 62, 95, 96; III, 132, 143; V, 79, 80;
 toxochila Tate IV, 50; V, 78;
 Xtutelata R. Rogers = *Glossodia major* X *Caladenia deformis* R. Br. II, 25; III, 104;
 unita Fitzg. = *Caladenia nana* Endl. I, 42, 73; IV, 76;
Caladeninae II, 80;
Calanthe chrysantha Schltr. III, 117; V, 87, 151;
 engleriana Kranzlin III, 116, 117; V, 151;
 finisterrae Schltr. V, 151;
 longifolia Schltr. V, 87, 151;
 orthocentron Schltr. V, 151;
 triplicata (Willemet) Ames I, 49, 51, 138; II, 26, 47, 98; III, 32, 88, 116, 155, 156; IV, 58, 61, 62, 69, 72, 92; V, 7, 65, 135;
 veratrifolia (Willd.) R. Br. = *C. triplicata* (Willemet) Ames I, 21, 49; III, 32;
Caleana R. Br. I, 3, 21; II, 80, 113, 141, 142;
Caleana major R. Br. I, 51, 98, 130, 143; II, 25, 34, 35, 62, 80, 96, 98; III, 60, 140, 151; IV, 83; V, 120;
Caleana major R. Br., Notes on the Pollination of . . . , L. Cady II, 34;
Caleana minor R. Br. = *Paracaleana minor* (R. Br.) Blaxell I, 98; II, 25; 62, 80, 98 108, 109; III, 140; IV, 76, 83;
nigrita J. Drummond ex Lindley = *Paracaleana nigrita* (Lindley) Blaxell IV, 76;
nublingii Nicholls = *Paracaleana minor* (R. Br.) Blaxell II, 25; IV, 76; V, 126, 127;
sullivanii (F. Muell.) E. E. Pescott = *Paracaleana minor* (R. Br.) Blaxell IV, 76;
Callicoma Andr. I, 141;
Callicoma serratifolia Andr. II, 61; IV, 45;
Callista conostalix (H. G. Reichb.) Kuntze = *Dendrobium lobbii* Teijsmann et Binnend. IV, 78;
 lobbii (Teijsmann et Binnend.) Kuntze = *Dendrobium lobbii* Teijsmann et Binnend. IV, 78;
 rigida (R. Br.) Kuntze = *Dendrobium rigidum* R. Br. V, 182;
Callitris Vent. IV, 24; V, 35;
Callitris glauca R. Br. II, 96, 108;
Calochilus R. Br. I, 3, 110, 142; II, 141; III, 45; IV, 10; V, 5, 119, 186;
Calochilus in the Blue Mountains, N.S.W. C. K. Ingram III, 80;
Calochilus, The Genus . . . , Observations and a Field Guide, P. Vaughan V, 186;
Calochilus caeruleus Williams V, 186;
 campestris R. Br. I, 30, 51, 143; II, 26, 62, 124, 141, 143; III, 45, 46, 80, 141; IV, 52, 53, 83; V, 83, 99, 100, 120, 186, 187;
Calochilus campestris R. Br., Notes on the Pollination of, L. Cady IV, 52;
Calochilus gracillimus Rupp. II, 26, 98; III, 80, 141; V, 120, 186, 187;
 grandiflorus (Benth.) Domin I, 51; II, 26, 62, 98; III, 80; V, 186, 187;
 herbaceus Lindley = *Calochilus campestris* R. Br. III, 80; V, 83, 186;
 holtzei F. Muell. V, 169, 186;
 imberbis R. Rogers = *Calochilus robertsonii* Benth. V, 186;
 neocaledonicus Schltr. V, 186;
 paludosus R. Br. I, 51, 143; II, 26, 62, 98, 124; III, 45, 80, 141; IV, 83; V, 55, 99, 100, 186, 187;
 richae Nicholls V, 186;
 robertsonii Benth. I, 51, 130, 143; II, 4, 26, 62, 95, 96, 98, 108, 124, 143; III, 45, 80, 141; IV, 109; V, 2, 120, 186, 187;
 saprophyticus R. Rogers = *Calochilus campestris* R. Br. I, 30, 31, 98; II, 26, 86, 124, 141; III, 45, 80, 133, 141; V, 83, 186;
Calochilus saprophyticus in N.S.W. J. A. P. Blackmore I, 30;
Calophyllum L. V, 87;
Calophyllum kajewskii A. C. Smith V, 88;
Camarotis keffordii (Bailey) J. J. Smith = *Micropora fasciculata* (Lindley) Garay II, 98; III, 33; IV, 77;
Campsomeris tasmanienis (Insecta) IV, 52;
Carbamate IV, 39;
Carbaryl IV, 39;
Carica papaya L. V, 88;
Cassia L. III, 40;
Cassinia R. Br. IV, 6;
Cassinia longifolia R. Br. IV, 46;
Cassytha L. II, 112;
Castanopsis (D. Don) Spach IV, 78;

Casuarina Adans. I, 118, 140; II, 79, 132; IV, 24, 45, 59, 99, 135;
Casuarina cunninghamiana Miq. I, 118, 140, 141; II, 12; V, 135;
glauca Sieber I, 118, 121, 140; II, 12; IV, 36, 45;
stricta Aiton IV, 6;
torulosa Aiton II, 47; IV, 62, 69;
Caterpillars IV, 95;
Caterpillars, green looper IV, 104;
Catochilus II, 56;
Cattleya Lindley II, 112; III, 72, 76;
Cattleya intermedia Graham var. *aquinii* Hort. III, 18;
Centaurium pulchellum (Sw.) Druce IV, 6;
Ceratobium IV, 28, V, 49, 50, 51, 152;
Ceroplastes apetalum D. Don I, 141;
Ceroplastes destructor (Insecta) IV, 38;
Cheilanthes tenuifolia (Burm. f.) Sw. IV, 6, 110;
Cheiranthra linearis A. Cunn. ex Lindley = *Cheiranthra cyanea* Brongn. IV, 6;
Ceratostylis Blume V, 152;
Cheirostylis Blume V, 8;
Cheirostylis, The Genera *Zeuxine* & . . ., in Australia, A. W. Dockrill II, 68;
Cheirostylis dendrophila Schltr. V, 151;
Chierostylis grandiflora Blume IV, 7;
grandiflora Maiden = *Cheirostylis ovata* (Bailey) Schltr. II, 68;
ovata (Bailey) Schltr. II, 68, 69, 98; III, 155; IV, 7, 98; V, 8, 75;
Chewing insects IV, 80;
Chiloglottis R. Br. I, 3, 110; II, 30, 125, 127, 142; III, 45, 46, 97; IV, 11, 63; V, 18, 169;
Chiloglottis cornuta J. D. Hook. II, 26, 76, 77, 124, 144; III, 66, 126; IV, 63; V, 124;
Chiloglottis cornuta J. D. Hook. in South Australia, M. Beek IV, 63;
Chiloglottis dockrillii Rupp = *Chiloglottis reflexa* (Labill.) Druce II, 26;
formicifera Fitzg. I, 51, 73; II, 26; III, 140; IV, 83; V, 8, 120;
gunnii Lindley I, 51, 98, 130, 143; II, 26, 76, 143; III, 126, 133, 141, 160, 163; IV, 50;
muelleri Fitzg. = *Chiloglottis cornuta* J. D. Hook. II, 76;
Xpescottiana R. Rogers III, 160, 162, 163;
Chiloglottis pescottiana R. Rogers, A New Recording for . . ., A. Logan III, 160;
Chiloglottis reflexa (Labill.) Druce I, 51, 98, 114; II, 26; 96, 98, 143; III, 18, 97, 133, 140, 155, 156; IV, 69, 83; V, 2, 8, 55, 119, 120;
trapeziformis Fitzg. I, 124; II, 26, 143; III, 97, 140, 160, 163; IV, 63, 83; V, 8, 120;
trilabra Fitzg. = *Chiloglottis reflexa* (Labill.) Druce II, 26; III, 16, 18;
Chiloschista Lindley I, 152; III, 31;
Chiloschista phyllorhiza (F. Muell.) Schltr. I, 131; II, 98; III, 25, 149, 150; IV, 59, 92; V, 108;
Chironomidae (Insecta) IV, 108;
Chlordane IV, 39;
Chrysops ramburi (Insecta) IV, 37;
Cirrhopetalum Lindley II, 89; V, 2;
Cirrhopetalum clavigerum Fitzg. = *Bulbophyllum longiflorum* Thouars I, 106; III, 49; V, 2;
graveolens Bailey = *Bulbophyllum graveolens* (Bailey) J. J. Smith V, 70;
leratii Schltr. = *Bulbophyllum gracillimum* (Rolfe) Rolfe V, 159;

pachybulben Schltr. = *Bulbophyllum pachybulbum* (Schltr.) Seidenfaden V, 72;
robustum Rolfe = *Bulbophyllum graveolens* (Bailey) J. J. Smith V, 70;
thouars Lindley = *Bulbophyllum longiflorum* Thouars III, 49;
Citronella oil IV, 39;
Clensel IV, 39;
Coccinellidae (Insecta) IV, 38;
Coelogyne Lindley IV, 42; V, 87;
Coelogyne asperata Lindley V, 152;
beccarii H. G. Reichb. V, 152;
frangrans Schltr. V, 152;
pustulosa Ridley IV, 42;
Compositae II, 32; IV, 80;
Conservation Training Programme, Warringah Group's . . ., M. Spence IV, 63;
Convallaria majalis L. IV, 54;
Cooktown Orchid, More on the . . ., M. J. Corrigan V, 94;
Coprosma quadrifida (Labill.) Robinson IV, 45;
Correspondence, Some Interesting . . ., A. Letter from R. C. Nash, 27.1.67 II, 128; III, 37;
Correspondence, Some Interesting . . ., Reply to R. C. Nash by S. C. Clemesha II, 129;
Coryanthus (misspelling of *Coryanthes*) III, 61;
Corybabeae V, 4;
Corybas Salisb. I, 3, 88, 110, 142; II, 62, 81, 125, 142; III, 31, 46, 56, 60, 61, 63, 157; IV, 10, 11, 93; V, 17, 18, 19, 58, 63, 151, 174;
Corybas in Captivity, B. Whitehead III, 61;
Corybas, Letters from Rupp to Fordham on . . ., V, 174;
Corybas abellianus Dockrill II, 98; III, 31;
aconitiflorus Salisb. I, 3, 51, 66, 68; II, 26, 96, 98; III, 31, 61, 118, 157; IV, 10, 83; V, 2, 8, 174;
carsei Cheeseman I, 3, 66, 68;
cryptanthus E. D. Hatch I, 3, 4, 66; II, 142; IV, 10;
despectans D. Jones et R. Nash V, 167;
diemenicus (Lindley) Rupp. I, 20, 68, 124, 156, 157; II, 26, 96, 143; III, 44, 56, 61, 87, 130, 132, 144, 156, 157, 159; V, 167;
Corybas diemenicus (Lindley) Rupp, The Pollination of . . ., D. L. Jones III, 156;
Corybas diemenicus and Pollinator III, 158;
Corybas dilatatus (Rupp et Nicholls) Rupp I, 20; II, 26, 76, 77, 124, 143; III, 45, 56, 66, 87; IV, 70; V, 2, 120, 167;
Corybas fimbriatus (R. Br.) H. G. Reichb. I, 51, 68; II, 26, 80, 81, 98, 143; III, 61, 102, 131, 132, 144; IV, 83, 97; V, 2, 8, 55, 119, 120;
sp. aff. *fimbriatus* IV, 44;
fordhamii (Rupp) Rupp I, 3, 68; II, 26, 98, 132; V, 124, 174;
hispidus D. Jones IV, 97;
pruinusos (R. Cunn.) H. G. Reichb. I, 51; II, 26, 76, 113; III, 60, 61; IV, 83; V, 120;
rivularis (Cunn.) H. G. Reichb. V, 5;
saprophyticus Hatch II, 142; V, 5;
undulatus (R. Cunn.) Rupp et Nicholls ex Rupp I, 66, 67, 68, 69; II, 26, 98;
unguiculatus (R. Br.) H. G. Reichb. I, 3, 66, 67, 68, 69, 98, 113; II, 26; III, 61; V, 120;
Corymborkis veratrifolia Thouars ex Blume II, 98; III, 33; IV, 93, V, 65, 151;
Corysanthes R. Br. V, 174;
Corysanthes bicalcarata R. Br. = *Corybas aconitiflorus* Salisb. III, 159; V, 174;
Corysanthinae II, 81;

- Crescentia* L. IV, 48;
 Crickets IV, 80;
"Cristata Compound", A Report on the Rediscovery of
Caladenia cristata D. R. Voight V, 190;
Cryptanthemis Rupp II, 86; V, 5;
Cryptanthemis slateri Rupp I, 30, 66; II, 26, 143; V, 3, 4;
Cryptanthemis slateri Rupp, A New recording in New
 South Wales, M. J. Corrigan IV, 22;
 Cryptostylidinae II, 80;
Cryptostylis R. Br. I, 73; II, 80, 126, 127; III, 61, 111;
 V, 18, 19;
Cryptostylis, The Cultivation of the Genus . . ., D. L.
 Jones III, 52;
Cryptostylis Pollination and Pseudocopulation, On. B.
 J. Wallace V, 168;
Cryptostylis arachnites (Blume) Hassk V, 18;
erecta R. Br. I, 51, 66, 73, 105; II, 26, 62, 96, 98; III, 52,
 60, 111; IV, 58, 83; V, 18, 55, 120, 169;
Cryptostylis erecta, A recent Observation of the
 Pollination of . . . by a wasp, D. R. Leonard
 III, 111;
Cryptostylis fulva Schltr. V, 151;
hunterana Nicholls II, 26, 127, 132, 133; III, 66; V, 18;
 169;
leptochila F. Muell. ex Benth. I, 73; II, 26, 80; III, 52,
 132, 142, IV, 92; V, 18, 55, 120, 168, 169;
longifolia R. Br. = *Cryptostylis subulata* (Labill.)
 H. G. Reichb. III, 52;
ovata R. Br. I, 73, 125; II, 127; V, 18, 169;
subulata (Labill.) H. G. Reichb. I, 51, 66, 73, 104, 105;
 108, 112, 125, 143; II, 26, 62, 80, 96, 98, 124, 127,
 132, 133; III, 45, 52; IV, 54, 58, 84; V, 2, 18,
 120, 124, 168, 169;
Cryptostylis subulata, An Observation on . . ., F. M.
 Coate I, 125;
Cryptostylis subulata (Labill.) H. G. Reichb,
 Observation on the Pollination of . . ., B.
 Whitehead, I, 104;
Cryptostylis subulata, The Pollination of . . ., S. C.
 Clemesha I, 105;
Cyathea Sm. III, 75, 79;
Cyathea australia (R. Br.) Domin III, 74, 79;
cooperi (D. J. Hook. ex F. Muell.) Domin III, 74, 79;
cunninghamii J. D. Hook. III, 74;
leichardtiana (F. Muell.) Copel. III, 74, 79;
marcescens Wakef. III, 74;
 Cymbidiinae II, 79;
 Cymbidieae V, 5;
Cymbidium Sw. I, 38, 74, 159; II, 79, 139, 145; III, 60, 100;
Cymbidium canaliculatum R. Br. I, 21, 51, 140; II, 26, 79,
 98, 136; III, 21, 79, 132, 148; IV, 51, 58; V, 7, 18, 35,
 39, 65, 74, 120, 124;
 var. *canaliculatum* forma *aureolum* Rupp =
Cymbidium canaliculatum R. Br. II, 26;
 var. *sparkesii* (Rendle) Bailey = *Cymbidium*
canaliculatum R. Br. II, 79; V, 7;
Cymbidium canaliculatum in New South Wales, R.
 Maslen IV, 51;
Cymbidium ensifolium (L.) Sw. V, 151;
iridifolium Cunn. = *Cymbidium madidum* Lindley
 var. *madidum* I, 49, 51; III, 31;
madidum Lindley I, 49, 140, 156, 157; II, 26, 46, 79, 98;
 III, 31, 149, 155, 156; IV, 51, 58; V, 18, 35, 97,
 104, 136;
 var. *leroyi* (St. Cloud) Menninger II, 98; V, 18;
 var. *madidum* II, 98;
pictum R. Br. = *Geodorum densiflorum* (Lam.) Schltr.
 I, 16;
suave R. Br. I, 21, 51, 84, 105, 140; II, 26, 62, 79, 95, 96,
 110; III, 31, 74, 132, 148; IV, 46, 58, 60, 62, 84;
 V, 18, 39, 104, 136;
Cypripedium calceolus L. IV, 54;
Cyrtidium Schltr. V, 169;
 Cyrtopodiinae I, 3;
Dactylorhiza Neck. ex Nevski V, 55, 56;
Dactylorhiza fuchsii (Druce) Soo V, 55;
Danthonia pallida R. Br. IV, 4;
Davallia spp. II, 138;
 D.D.T. IV, 39;
 Dendrobinae II, 78;
Dendrobium Sw. I, 3, 74, 79, 120, 132, 152, 159; II, 46, 78,
 116; III, 72, 73, 84, 88; IV, 42; V, 87;
Dendrobium, A New Species of . . ., for N.S.W.,
Dendrobium suffusum sp. nov. L. I. Cady I, 80;
Dendrobium, A New Species of . . . from New Guinea,
 A. Chadim II, 58;
Dendrobium, North Queensland's New Terrestrial . . .,
 I. D. Walters II, 130;
Dendrobium, Schlechter's Australian Species of . . .,
 A. W. Dockrill II, 52;
Dendrobiums, Cool Growing Pseudobulbous . . . from
 North Queensland, S. C. Clemesha II, 46;
Dendrobiums, On Australian . . ., A. D. Hawkes I, 159;
Dendrobiums, The Fleshy Leaved Australian . . .,
 S. C. Clemesha I, 118;
Dendrobium acianthum Schltr. V, 152;
adae Bailey I, 27, 82; II, 36, 47, 52, 110; III, 31, 32, 63,
 127, 155, 156, 164; V, 170;
Dendrobium adae F. M. Bail., S. C. Clemesha III, 63;
Dendrobium aemulum R. Br. I, 21, 23, 26, 51, 108, 142;
 II, 26, 36, 46, 78, 96, 110; III, 74, 75, 88; IV, 58, 59,
 60, 62, 71, 84, 92; V, 28, 29, 35, 39, 64, 103, 135;
affine (Decne.) Steudel V, 94;
agrostophyllum F. Muell. I, 82; II, 36, 46, 52, 53, 54,
 110; III, 31, 32, 155, 156, 164; V, 50;
anosmum Lindley III, 123; IV, 26; V, 152;
attenuatum Lindley II, 110;
antennatum Lindley V, 50, 152;
atroviolaceum Rolfe V, 39;
Dendrobium aurantiaco-purpureum (Nicholls) Dockr. =
Dendrobium lichenastrum (F. Muell) Kranzlin
 var. *prenticei* (F. Muell.) Dockr. forma *aurantiaco-*
purpureum (Nicholls) Dockr. I, 30;
baileyi F. Muell. II, 110; III, 33; IV, 98; V, 163;
bairdianum Bailey I, 156, 157; II, 36, 46, 47, 48, 110;
 III, 27, 31;
bambusaefolium Parl. et H. G. Reichb. V, 152;
baseyanum St. Cloud = *Dendrobium teretifolium*
 R. Br. var. *fasciculatum* Rupp I, 121; II, 48;
beckleri F. Muell. I, 21, 51, 52, 53, 57, 84, 108, 119,
 120, 139; II, 13, 26, 61, 66, 110; III, 88; IV, 36, 71; V, 35,
 39, 98, 120, 135;
 var. *racemosum* Nicholls = *Dendrobium racemosum*
 (Nicholls) Clemesha et Dockr. I, 52, 119;
Dendrobium beckleri F. Muell., *Dendrobium*
pugioniforme A. Cunn. & . . ., — Interesting
 Forms, S. C. Clemesha II, 66;
Dendrobium beetle III, 150; IV, 37, 38;
Dendrobium bifalce Lindley II, 110; III, 123; IV, 42;
 V, 108, 152;
bigibbum Lindley II, 110; III, 149, 150, 154, 164;
 IV, 91, 92; V, 66, 94, 123, 191;

- var. *albomarginatum* Bailey non Linden = *Dendrobium* X *superbiens* H. G. Reichb. V, 95;
var. *bigibbum* II, 110, 127; III, 123; V, 108;
var. *compactum* C. White = subsp. *bigibbum* var. *superbum* Hort. ex H. G. Reichb. subvar. *compactum* (C. White) Dockr. V, 191;
var. *georgei* C. White V, 95;
var. *phalaenopsis* (Fitzg.) Bailey forma. *compactum* (C. White) G. L. Piper = *Dendrobium bigibbum* Lindley subsp. *bigibbum* var. *superbum* Hort. ex H. G. Reichb. subvar. *compactum* (C. White) Dockr. II, 78;
Dendrobium bigibbum Lindley var. *superbum* Hort. ex H. G. Reichb. II, 110, III, 12; subvar. *compactum* (C. White) Dockr. II, 110; III, 26; V, 191;
subvar. *superbum* II, 110;
var. *venosum* Bailey V, 95;
Dendrobium bigibbum, Further Notes on . . . , P. S. Lavarack (extract) V, 123;
Dendrobium bigibbum, Some Thoughts on the Varieties of . . . , D. Liddle (extract) V, 123;
Dendrobium bracteosum H. G. Reichb. V, 112;
calamiforme Lodd. = *Dendrobium teretifolium* R. Br. var. *teretifolium* II, 11;
calcaratum Lindley = *Dendrobium lobbii* Teijsmann et Binnend. II, 130; IV, 78;
canaliculatum R. Br. II, 110, 136, 139; III, 9, 12, 26, 34, 123, 149, 150, 163, 164; V, 108, 131, 132;
var. *canaliculatum* II, 110;
var. *nigrescens* Nicholls II, 110;
var. *pallidum* Dockr. II, 110;
cancroides Hunt I, 6; II, 110;
Dendrobium cancroides Hunt, A. W. Dockrill I, 5;
Dendrobium capituliflorum Rolfe V, 66, 88, 112;
Dendrobium capituliflorum Rolfe, Comments on . . . in Australia, D. F. Blaxell V, 88;
Dendrobium capituliflorum Rolfe in Australia, M. J. Corrigan V, 66;
Dendrobium carrii Rupp et C. White I, 82; II, 48, 110, 126; III, 32, 155, 156;
chloroleucum Schltr. V, 146, 147;
Dendrobium chloroleucum Schltr., N. H. S. Howcroft V, 146;
Dendrobium chordiforme Kranzlin V, 152;
chrysoglossum Schltr. V, 152;
cochlioides Schltr. V, 152;
compactum Rolfe V, 191;
confusum J. J. Smith V, 66, 88, 112;
Dendrobium conostalix H. G. Reich. = *Dendrobium lobbii* Teijsmann et Binnend. II, 130; IV, 78;
constrictum J. J. Smith V, 66, 88, 112;
convexum (Blume) Lindley = *Flickingeria convexa* (Blume) A. Hawkes I, 134;
cucumerinum Macleay ex Lindley I, 21, 23, 26, 27, 51, 108, 125*, 141; II, 26, 79, 110; III, 79, 93, 102; IV, 71; V, 39, 51, 98, 103, 120;
Dendrobium cucumerinum, The Amazing Gherkin Orchid . . . , A. D. Hawkes I, 47;
Dendrobium cunninghamii Lindley I, 121;
cyanocentrum Schltr. IV, 42;
X *delicatum* (Bailey) Bailey I, 13, 14, 15, 21, 26, 51, 138, 146, 147, 148, 149; II, 10, 11, 26, 36, 46, 78, 110, 140; III, 58, 67, 86; IV, 55, 58; V, 49, 50, 97, 98, 184;
X *delicatum* 'Kestevenii' I, 149; V, 50;
Dendrobium delicatum (Bailey) Bailey, A. Blombery II, 10;
Dendrobium delicatum, M. J. Corrigan I, 79;
Dendrobium delicatum and *Dendrobium kestevenii*, M. J. Corrigan I, 50;
Dendrobium X *delicatum* — *D. kingian* n X *D. speciosum* I, 149;
Dendrobium X *delicatum* (Bailey) Bailey, T. Gregory V, 184;
Dendrobium desmotrichoides J. J. Smith V, 182;
dicuphum F. Muell. III, 8; V, 65, 74, 94;
discolor A. D. Hawkes (author error) V, 7;
discolor Lindley I, 91, 159, 160; II, 110, 137, 138; III, 12, 26, 123, 150, 151, 154, 163, 164; IV, 91, 92; V, 40, 49, 65, 94, 108;
var. *discolor* II, 110;
forma *broomfieldii* (Fitzg.) Dockr. II, 110;
forma *discolor* II, 110;
var. *finbrilabium* (H. G. Reichb.) Dockr. II, 110;
Dendrobium discolor Lindley var. *fuscum* (Fitzg.) Dockr. II, 110; III, 154;
elobatum Rupp = *Dendrobium discolor* Lindley var. *discolor* forma *discolor* V, 40
eriocarpum, nomen dubium V, 39;
exiguum (F. Muell.) F. Muell. = *Bulbophyllum exiguum* F. Muell. II, 104;
fairfaxii F. Muell. et Fitzg. = *Dendrobium teretifolium* R. Br. var. *fairfaxii* (F. Muell. et Fitzg.) Bailey forma *fairfaxii* II, 12;
falcorostrum Fitzg. I, 15, 21, 23, 51, 108, 141; II, 26, 36, 46, 47, 61, 78, 110, 140; III, 34, 58, 63; IV, 60, 67, 71, 75; V, 39, 50, 98;
ferox Hassk. IV, 26, 27, 28;
finisterrae Schltr. II, 58; IV, 14, 15, 16, 17, 27;
var. *polystictum* Schltr. IV, 14;
Dendrobium finisterrae Schltr., V. A. Chadim IV, 14;
Dendrobium finisterrae Schltr., N. H. S. Howcroft IV, 14;
Dendrobium fitzgeraldii F. Muell. = *Dendrobium* X *superbiens* H. G. Reichb. V, 95;
flagellum Schltr. V, 152;
fleckeri Rupp et C. White I, 27; II, 36, 47, 110; III, 63, 155, 156, 164; V, 50;
X *foederatum* St. Cloud I, 121; II, 48, 110;
forbesii Ridley II, 58; IV, 16;
fusiforme (Bailey) Bailey non Thouars = *Dendrobium ruppianum* A. Hawkes forma *ruppianum* I, 49, 159; II, 47, 136;
var. *fusiforme* forma *magnifica* Dockr. = *Dendrobium ruppianum* A. Hawkes forma *magnificum* (Dockr.) Dockr. III, 32;
fusiforme Thouars I, 49;
glabrum J. J. Smith = *Diplocaulobium glabrum* (J. J. Smith) Kranzlin I, 134;
goldiei H. G. Reichb. = *Dendrobium* X *superbiens* H. G. Reichb. V, 95;
Dendrobium gracilicaule F. Muell. I, 21, 27, 39, 51, 80, 84, 139; II, 26, 36, 46, 47, 61, 78, 110, 119; III, 32, 63, 88, 128; IV, 58, 84; V, 18, 39, 50, 68, 98, 103, 135;
var. *gracilicaule* II, 110;
var. *howeanum* Maiden II, 78; IV, 11;
X *gracillimum* (Rupp) Rupp I, 36, 51, 139; II, 26, 46, 61, 110; III, 58, 88; IV, 58; V, 39, 98, 135;
X *grimesii* C. White et Summerh. I, 121; II, 48, 110; V, 52;

- helenae* Chadim II, 58, 59, 60;
hymenocentrum Schltr. V, 152;
insigne (Blume) H. G. Reichb. V, 104, 105;
***Dendrobium insigne* Reichb. f., J. Dodd, extracted from the Orchid Soc. of P.N.G. V, 104;**
Dendrobium johannis H. G. Reichb. I, 156, 157; II, 110; III, 9, 10, 123, 149, 150, 151, 154; V, 108;
johnsoniae F. Muell. V, 39, 67, 88, 152;
kestevenii Rupp = *Dendrobium* X *delicatum* (Bailey) Bailey I, 14, 15, 137, 144, 146, 147, 148; II, 10, 11; III, 85;
kestevenii "Coloratum" = *Dendrobium kestevenii* Rupp var. *coloratum* Rupp V, 184;
kestevenii Rupp var. *coloratum* Rupp = *Dendrobium* X *delicatum* (Bailey) Bailey V, 184;
kestevenii Rupp var. *coloratum* = *Dendrobium* X *delicatum* (Bailey) Bailey V, 184;
 'kestevenii' V, 68;
kingianum Bidw. I, 14, 15, 21, 23, 26, 36, 51, 55, 56, 80, 84, 138, 139, 146, 149, 156, 157; II, 11, 26, 34, 36, 46, 61, 78, 110, 118, 121, 140; III, 8, 58, 59, 63, 78, 86, 100, 128, 155, 164; IV, 24, 32, 37, 39, 40, 58, 59, 60, 62, 64, 71; V, 34, 36, 50, 52, 90, 92, 97, 98, 103, 120, 135, 136, 170, 184;
Dendrobium kingianum Bidw., 'album' V, 170;
 var. *album* — no botanical standing II, 26, 110;
 var. *aldersonii* Bailey = *Dendrobium kingianum* Bidw. var. *kingianum* II, 110;
 var. *compactum* — no botanical standing V, 36;
 var. *hillii* — no botanical standing V, 36;
 var. *kingianum* II, 110;
 var. *pallidum* Bailey = *Dendrobium kingianum* Bidw. var. *kingianum* II, 110;
 var. *pulcherrimum* Rupp I, 14; II, 26; V, 170;
 var. *silcockii* Bailey = *Dendrobium kingianum* Bidw. var. *kingianum* I, 27; II, 26, 110; V, 170;
***Dendrobium kingianum* Bidw., S. C. Clemesha III, 86;**
Dendrobium kingianum Bidw., J. W. Evans II, 140;
***Dendrobium kingianum*: A Plea for Selective Breeding, T. Gregory V, 170;**
Dendrobium kingianum Bidw., H. J. R. Overall I, 14;
Dendrobium kingianum Bidw. (Orchid or Vegetable) R.S. Smythe IV, 39;
Dendrobium kingianum and *Thelymitra aristata*, The association of . . . , F. Fordham I, 55;
Dendrobium kingianum Bidw., Cultivation of . . . , C. M. Taylor II, 121;
Dendrobium kingianum Bidw. From North to South, S. C. Clemesha II, 34;
Dendrobium lichenastrum (F. Muell) Kranzlin emend. Dockr. I, 25, 28, 64, 122; II, 110; III, 33, 128, 149, 164; V, 123;
 var. *lichenastrum* I, 28, 29; II, 110;
 var. *prenticei* (F. Muell.) Dockr. I, 29, 118; II, 48, 110; III, 33;
 forma *aurantiaco-purpureum* (Nicholls) Dockr. I, 29, 30; II, 110;
 forma *prenticei* I, 29, 30; II, 110;
Dendrobium lineale Rolfe V, 152;
linguiforme Sw. I, 21, 23, 26, 27, 51, 57, 105, 108, 118, 121, 138, 140, 141; II, 26, 62, 79, 95, 96, 110; III, 60, 79, 148; IV, 24, 32, 36, 58, 60, 62, 64, 71, 84, 92; V, 35, 39, 51, 52, 98, 119, 120, 135;
Dendrobium linguiforme Sw.
 var. *huntianum* Rupp = *Dendrobium linguiforme* var. *linguiforme* I, 122; V, 36;
 var. *linguiforme* I, 121; II, 110;
 var. *nugentii* Bailey II, 48, 110; III, 128; V, 35, 52;
lobbii Teijsmann et Binnend. II, 120, 131, 137; III, 59; IV, 51; 78, 79, 80, 81;
***Dendrobium lobbii* in New Guinea, N. H. S. Howcroft III, 59;**
***Dendrobium lobbii*, New Guinea's . . . , N. H. S. Howcroft IV, 78;**
Dendrobium luteocilium Rupp II, 110; III, 33, 123, 149; IV, 98;
macfarlanei H. G. Reichb. non F. Muell. = *Dendrobium johnsoniae* F. Muell. V, 67;
macrophyllum Rich. IV, 14, 26, 27, 28, 30 31;
 var. *stenopterum* H. G. Reichb. IV, 26, 28, 30;
 var. *subvelutinum* J. J. Smith IV, 27, 30;
 var. *veitchianum* Lindley IV, 25, 28;
***Dendrobium macrophyllum* Rich., V.A. Chadim IV, 25;**
Dendrobium magnificum Schltr. II, 58, 60;
malbrowii Dockr. IV, 93, 98;
masonii Rupp = *Diplocaulobium masonii* (Rupp) Dockr. I, 132, 134;
monophyllum F. Muell. I, 21, 51, 82, 83, 84, 88, 138; 140; II, 26, 46, 48, 110, 119; III, 31; IV, 58; V, 18;
***Dendrobium monophyllum* F. Muell. & *Dendrobium schneiderae* Bailey, W. T. Upton & S. C. Clemesha I, 82;**
Dendrobium moorei F. Muell. V, 11, 92;
***Dendrobium moorei* F. Muell., R. F. Walker V, 92;**
Dendrobium mortii F. Muell. I, 51, 120, 125*, 139; II, 26, 66, 79, 110; III, 79, 93, 102; IV, 58; V, 7;
Dendrobium mortii F. Muell. X *Dendrobium cucumerinum* Macleay III, 85;
***Dendrobium mortii* X *D. cucumerinum* . . . , Further Comments on the, Mr. & Mrs. E. Mogg III, 93;**
Dendrobium muellerianum Schltr. = *Dendrobium agrostophyllum* F. Muell. II, 52, 54;
musciferum Schltr. IV, 27, 28, 29, 30; V, 152;
nindii W. Hill V, 49;
niveum Rolfe = *Dendrobium johnsoniae* F. Muell. V, 67;
nobile Lindley III, 149;
 var. *cooksonianum* H. G. Reichb. III, 18;
ophioglossum H. G. Reichb. = *Dendrobium smillieae* F. Muell. II, 110; IV, 44; V, 66, 88, 112, 152;
***Dendrobium ophioglossum* H. G. Reichb., The Problem of Naming Orchids — A New Name for . . . , J. Dodd, (Extract) V, 112;**
Dendrobium palmerstoniae Schltr. = *Dendrobium adae* Bailey II, 36, 52;
***Dendrobium palmerstoniae* Schltr., A Lost Orchid, S. C. Clemesha II, 36;**
Dendrobium phalaenopsis Fitzg. I, 38; V, 94;
 var. *compactum* C. White = *Dendrobium bigibbum* Lindley subsp. *bigibbum* var. *superbum* Hort. ex H. G. Reichb. subvar. *compactum* (C. White) Dockr. V, 95;
polysema Schltr. II, 58; IV, 16, 26, 27; V, 152;
prenticei (F. Muell.) Nicholls = *Dendrobium lichenastrum* (F. Muell.) Kranzlin emend. Dockr. var. *prenticei* (F. Muell.) Dockr. forma *prenticei* I, 30; III, 33;

- pugioniforme* Cunn. I, 51, 57, 105, 122, 139; II, 26, 61, 66, 110; III, 59, 148; IV, 24, 58, 71; V, 39, 103, 120, 135;
- Dendrobium pugioniforme* Cunn. & *D. beckleri* F. Muell., — Interesting Forms, S. C. Clemesha II, 66;**
- Dendrobium purpureum* Roxb. V, 88, 112, 113;
- racemosum* (Nicholls) Clemesha et Dockr. I, 52, 53, 118, 119, 120, 121; II, 48, 110; V, 35;
- rhodostictum* F. Muell. V, 146;
- Dendrobium rigidum* R. Br. I, 91, 121; II, 48, 79, 110; III, 9, 59; V, 108, 182, 183;
- Dendrobium rigidum* R. Br., New Guinea's . . . , N. H. S. Howcroft V, 182;**
- Dendrobium ruppianum* A. Hawkes I, 49, 159; II, 36, 47, 48, 78, 110, 136; III, 155, 156, 164; V, 36;
- var. *blackburnii* (Nicholls) Dockr. = *Dendrobium ruppianum* forma *ruppianum* II, 122;
- var. *ruppianum* forma *magnificum* (Dockr.) Dockr. II, 110; III, 32;
- forma *ruppianum* II, 110;
- sarcostoma* Teijsmann et Binnend. (possibly a nomen nudum) IV, 26, 28;
- sarcostemma* Teijsmann et Binnend. see *Sarcostoma schneiderae* Bailey I, 51, 82, 83, 84, 126, 139, 140, 156, 157; II, 26, 48, 122; V, 36, 120;
- var. *major* Rupp = *Dendrobium schneiderae* Bailey I, 84; III, 42, 43; V, 36;
- var. *schneiderae* III, 42;
- Dendrobium schneiderae* Bailey and its variety *major* Rupp, S. C. Clemesha III, 42;**
- Dendrobium schneiderae* Bailey, *Dendrobium monophyllum* F. Muell. and . . . , W. T. Upton & S. C. Clemesha I, 82;**
- Dendrobium smillieae* F. Muell. II, 122, 137; III, 21, 93, 119, 123, 149; IV, 42, V, 112, 189;
- Dendrobium smillieae* — Australia's First Bird Pollinated Orchid, R. Smythe III, 93;**
- Dendrobium sophronites* Schltr. IV, 55; V, 189;
- speciosum* Smith I, 14, 15, 23, 26, 51, 57, 97, 105, 138, 139, 146, 147, 149; II, 10, 11, 26, 36, 47, 48, 61, 78, 95, 96, 136, 139, 140; III, 58, 63, 88, 119, 128, 147, 149, 155, 164; IV, 24, 58, 61, 62, 64, 71, 84; V, 36, 90, 97, 98, 120, 135, 184;
- speciosum* 'compactum' V, 50;
- Dendrobium speciosum* Smith var. *curvicaule* Bailey II, 26, 122;
- var. *delicatum* Bailey = *Dendrobium* X *delicatum* (Bailey) Bailey I, 146;
- var. *fusiforme* Bailey = *Dendrobium ruppianum* A. Hawkes forma *ruppianum* I, 49;
- var. *gracillimum* Rupp = *Dendrobium* X *gracillimum* (Rupp) Rupp I, 21;
- var. *hillii* (J. D. Hook.) Bailey = *Dendrobium speciosum* Smith var. *grandiflorum* Bailey I, 21, 51, 84; II, 26, 122; V, 39, 97, 135;
- forma *grandiflorum* (Bailey) Bailey = *Dendrobium speciosum* Smith var. *grandiflorum* Bailey II, 122;
- var. *hillii* Masters forma *bancroftianum* (H. G. Reichb.) Bailey = *Dendrobium* X *gracillimum* (Rupp) Rupp II, 122;
- var. *nitidum* Bailey = *Dendrobium* X *delicatum* (Bailey) Bailey II, 122;
- var. *speciosum* forma *magnificum* — no botanical standing II, 47; III, 155;
- forma *speciosum* II, 122;
- speciosum* Smith 'Pink Form' II, 9;
- Dendrobium speciosum*, A Pollinator for . . . , R. Smythe III, 119;**
- Dendrobium stenopterum* (H. G. Reichb.) Chadim IV, 28;
- striolatum* H. G. Reichb. I, 27, 57, 98, 120, 138, 142; II, 26, 66, 95, 96; III, 148; IV, 32, 36, 37, 84; V, 52, 68;
- stuartii* Bailey II, 48, 122; V, 108;
- suffusum Cady — no botanical standing I, 80, 81; II, 26, 46, 140; III, 128;
- X *suffusum* III, 58; V, 103;
- summeri* F. Muell. = *Dendrobium bigibbum* Lindley subsp. *bigibbum* var. *bigibbum* V, 95;
- Dendrobium* X *superbiens* H. G. Reichb. I, 38; II, 122; III, 149; V, 95, 108;
- tenuissimum* Rupp I, 21, 51, 120, 122, 140; II, 26, 61, 66, 122; III, 88; IV, 59; V, 39, 98, 135;
- teretifolium* R. Br. I, 27, 51, 52, 57, 61, 84, 118, 119, 120, 121, 139; II, 11, 26, 79, 116; III, 79, 88, 147; IV, 36, 58, 62, 84, 92; V, 36, 52, 68, 98, 135;
- var. *aureum* Bailey = *Dendrobium teretifolium* R. Br. var. *fairfaxii* (F. Muell. et Fitzg.) Bailey forma *aureum* (Bailey) Bailey I, 51, 118, 119; II, 11, 12, 122; IV, 58;
- var. *fairfaxii* (F. Muell. et Fitzg.) Bailey I, 21, 51, 118, 119, 139; II, 11, 12, 26, 61; III, 148; IV, 71; V, 36, 39, 52;
- forma *aureum* (Bailey) Clemesha II, 11; V, 36, 120;
- forma *fairfaxii* II, 12; V, 36;
- var. *fasciculatum* Rupp I, 91, 118, 119, 120, 121; II, 33, 48, 122, 145; III, 26, 27, 32; V, 36, 52;
- var. *teretifolium* I, 118, 119; II, 11, 122; III, 147; IV, 58; V, 36;
- Dendrobium teretifolium* R. br., A review of the species .. S. C. Clemesha II, 11;**
- Dendrobium ternatense* J. J. Smith IV, 30;
- tetragonum* Cunn. I, 15, 21, 27, 51, 84, 105, 140; II, 26, 78, 140; III, 63, 123, 128; IV, 36, 37, 58, 62; V, 36, 39, 50, 98, 123, 135;
- var. *giganteum* Gilbert II, 48, 122; III, 32, 164; IV, 98; V, 36, 50, 172;
- var. *hayesianum* Gilbert II, 26, 122;
- var. *tetragonum* II, 122;
- toftii* Bailey = *Dendrobium nindii* W. Hill I, 40; II, 122; III, 12, 21, 25;
- tomohonense* Kranzlin IV, 27, 30;
- toressae* (Bailey) Dockr. I, 64, 65, 79, 122; II, 48, 122; III, 33;
- tozerensis* Laverack V, 163, 165;
- Dendrobium undulatum* R. Br. = *Dendrobium discolor* Lindley var. *discolor* forma *discolor* I, 40, 159; II, 137; V, 94;
- vandoides* Schltr. V, 152;
- variabile* Nicholls = *Dendrobium lichenastrum* (F. Muell.) Kranzlin emend. Dockr. var. *prenticei* (F. Muell.) Dockr. forma *prenticei* I, 30;
- vietchianum* Lindley IV, 26, 28;
- X *vinicolor* St. Cloud II, 122;
- wassellii* S. T. Blake I, 121; II, 48, 122; V, 52;
- wilkianum* Rupp = *Dendrobium mirbellianum* Gaud. II, 122; III, 25, 32;
- williamsianum* H. G. Reichb. IV, 46, 47, 48;
- Dendrobium williamsianum* Reichb. f., N.H.S. Howcroft IV, 45;**

Dendrobium Hybrids — Horticultural Names.

- Albanense = *D. superbiens* X *D. discolor* V, 49, 51;
Allyn Sands = *D. X*Lowana Nioka X *D. johannis* V, 172;
Andrew Persoon III, 58; V, 49, 50;
Australia = *D. bigibbum* X *D. nindii* V, 51;
Baily's Blue V, 94
Bardo Rose I, 15, 36; II, 36, 140; III, 58; V, 50, 52;
Colin Potter = *D. bigibbum* X *D. nindii* V, 49, 51;
Constance = *D. discolor* X *D. lasianthera* V, 51;
David Baver = *D. johannis* X *D. bigibbum* V, 49, 51;
Ellen I, 14, 15, 36; II, 140; III, 58, 128; V, 49, 50, 52;
Elsie Cox = *D. superbiens* X *D. delicatum* V, 50, 51;
Gloucester Sands = *D. discolor* X *D. canaliculatum* V, 50, 51;
Goose Bumps = *D. teretifolium* X *D. cucumerinum* V, 137;
Hilda Poxon = *D. speciosum* X *D. tetragonum* V, 137;
King Rose V, 50;
Judy Leroy = *D. canaliculatum* X *D. dicuphum* V, 50, 51;
Leonie Jane = *D. adae* X *D. falcorostrum* V, 172;
Lowana Nioka = *D. canaliculatum* X *D. antennatum* (N.G. form) V, 50, 51;
Merritt Island = *D. bigibbum* X *D. dicuphum* V, 191;
Mini pearl = *D. canaliculatum* X *D. bigibbum* V, 191;
Our Native = *D. speciosum* X *D. johannis* V, 172;
Pauline = *D. bigibbum* X *D. discolor* V, 49, 51, 94;
Peter Peterson = *D. nindii* X *D. discolor* I, 40, 41; V, 49, 51;
Profusion I, 15, 36; III, 58;
Rachel Simpson V, 50;
Rosemary Jupp = *D. striolatum* X *D. teretifolium* V, 50, 67;
Rosy Tips = *D. canaliculatum* X *D. bigibbum* V, 49, 51;
Saskia = *D. superbiens* X *D. bigibbum* V, 49, 51;
Specio-kingianum = *D. X*delicatum V, 49, 52;
Star Imp = *D. tetragonum* X *D. adae* V, 172;
Star of Gold = *D. falcorostrum* X *D. tetragonum* V, 50, 52;
Sun Sprite = *D. gracillimum* X *D. delicatum* V, 67;
Suzanne = *D. bigibbum* X *D. tetragonum* V, 50, 51;
Tangold = *D. 'Constance'* X *D. 'Pauline'* V, 50;
Tusco = *D. nindii* X *D. johannis* V, 49, 51;
Virginia Jupp V, 50, 52;

Dendrobium — putative hybrids

- (*D. antennatum* X *D. canaliculatum*) X *D. bigibbum*
'Hololeucum' V, 50;
D. beckleri X *D. pugioniforme* III, 88;
D. beckleri X *D. tenuissimum* III, 88;
D. bigibbum X *D. nindii* V, 49;
D. bigibbum X *D. tetragonum* V, 50;
D. bigibbum X *D. undulatum* V, 95;
D. canaliculatum X *D. antennatum* V, 50;
D. canaliculatum X *D. bigibbum* V, 49;
D. delicatum X *D. superbiens* V, 50;
D. discolor X *D. johannis* III, 152;
D. falcorostrum X *D. kingianum* III, 58;
D. gracilicaule X *D. speciosum* III, 58;
D. johannis X *D. bigibbum* subvar. *compactum* V, 49;
D. johannis X *D. discolor* III, 151;
D. johannis X *D. nindii* V, 49;
D. kestevenii X *D. kingianum* III, 58;
D. kingianum X *D. falcorostrum* II, 36;
D. kingianum X *D. gracilicaule* I, 51; II, 140; III, 58;

- D. kingianum* X *D. speciosum* III, 8, 58;
D. kingianum var. *album* X *D. tetragonum* var. *hayesianum* II, 140;
D. linguiforme var. *nugentii* X *D. teretifolium* var. *fairfaxii* V, 67;
D. pugioniforme X *D. tenuissimum* I, 51; III, 88;
D. speciosum X *D. falcorostrum* III, 58; V, 49;
D. striolatum X *D. beckleri* V, 175;
D. suffusum X *D. falcorostrum* II, 140;
D. superbiens X *D. bigibbum* V, 49;
D. superbiens X *D. discolor* V, 49;
D. tenuissimum X *D. pugioniforme* I, 122;
D. teretifolium X *D. striolatum* V, 50;
D. teretifolium var. *aureum* X *D. beckleri* I, 122;
D. teretifolium var. *fairfaxii* X *D. linguiforme* V, 50;
D. tetragonum X *D. discolor* IV, 93;
D. tetragonum X *D. kingianum* III, 58;
D. toftii X *D. undulatum* I, 41;
Dendrochilum longifolium H. G. Reichb. V, 152;
Dendrocnide excelsa (Wedd.) Chew V, 114;
moroides (Wedd.) Chew V, 114;
photinophylla (Kunth) Chew V, 114;
Dendrocolla amplexicaulis Blume = *Thrixspermum amplexicaule* (Blume) H. G. Reichb. III, 114;
Dendrocoryne III, 63; V, 49, 50, 51, 52;
Desmotrichum Blume I, 132;
Desmotrichum convexum Blume = *Flickingeria convexa* (Blume) A. Hawkes I, 134;
Derris Lour. IV, 39;
Derris elliptica (Roxb.) Benth. IV, 39;
Dianella Lam. V, 87;
Dicksonia L'Her. III, 79;
Dicksonia antarctica Labill. III, 74, 79; IV, 64, 75;
youngiae C. Moore III, 74;
Didymoplexis Griffith II, 125;
Didymoplexis pallens Griffith II, 125, 142; V, 65, 159, 161;
Dillwynia Sm., IV, 6;
Dillwynia retorta var. *phyllicoides* (Cunn.) J. Thompson IV, 6;
revoluta IV, 4;
Diplocaulobium (H. G. Reichb.) Kranzlin I, 132; IV, 92;
Diplocaulobium chrysotropis Schltr. V, 152;
glabrum (J. J. Smith) Kranzlin I, 133, 134; II, 122; V, 108;
masonii (Rupp) Dockr. I, 132, 133, 134; II, 122;
minjemense Schltr. V, 152;
Diplocaulobium, The Genera . . . & *Ephemerantha* in Australia, A. W. Dockrill I, 132;
Dipodium R. Br. I, 21, 30; II, 79, 99, 126; III, 31, 155; V, 4, 6;
Dipodium ensifolium F. Muell. II, 99, 122, 129, 136; III, 31, 59, 155, 156; V, 6;
hamiltonianum Bailey II, 26, 99, 111, 112, 122, 129; III, 46, 148, 160; IV, 2, 3, 4, 5; V, 6, 18, 19, 120;
Dipodium hamiltonianum Bailey, A Field study of . . . in Southern N.S.W., D. Jones & A. E. Logan IV, 2;
Dipodium paludosum (Griffith) H. G. Reichb. II, 99, 129;
pandanum Bailey III, 38, 39, 40; IV, 42; V, 6, 48, 87, 151;
var. *pilotaenia* Schltr. V, 48;
Dipodium pandanum Bailey, Distribution of . . . , N.H.S. Howcroft V, 48;
Dipodium pandanum Bailey, N.H.S. Howcroft III, 38;

- Dipodium parviflorum* J. J. Smith II, 99, 129;
pictum (Lindley) H. G. Reichb. II, 99, 129; III, 38, 40; V, 87, 88;
punctatum (Smith) R. Br. I, 51, 98, 105, 124, 143; II, 26, 61, 62, 79, 86, 96, 99, 112, 122, 126, 128, 129, 133, 136, 143; III, 37, 46, 59, 60, 85, 148, 160; IV, 2, 3, 4, 5, 22, 58, 84, 92; V, 2, 4, 5, 6, 18, 19, 38, 119, 120, 136;
 var. *album* Bailey = *Dipodium punctatum* (Smith) R. Br. II, 129;
 var. *hamiltonianum* (Bailey) Bailey = *Dipodium hamiltonianum* Bailey II, 111, 128, 129; III, 37, 46;
 var. *punctatum* II, 130;
 forma *blakneyae* nomen nudum II, 130;
***Dipodium punctatum* var. *hamiltonianum*, Some Correspondence on . . . , N.H. S. Howcroft III, 46;**
Dipodium stenochilum O. Schwartz V, 38;
 Diptera (Insecta) III, 157;
 Diuridinae II, 79;
Diuris Smith I, 21, 37, 42, 43; II, 79, 84, 144, 145; III, 16, 20, 22, 24, 29, 31, 46, 60, 80, 91, 119, 120, 122, 131, 132; V, 58, 63;
***Diuris*, A New Status for a N.S.W. . . . , S.C. Clemesha III, 20;**
***Diuris*, Some Thoughts on the Taxonomy of the Genus . . . , D. L. Jones III, 119;**
Diuris abbreviata F. Muell. ex Benth. I, 51; II, 26, 122; III, 139; V, 120;
aequalis F. Muell. ex Fitzg. II, 26; V, 43, 44;
alba sensu Ewart et B. Rees II, 32;
alba R. Br. = *Diuris punctata* Smith var. *alba* (R. Br.) Ewart et B. Rees III, 121, 132; IV, 54;
althoferi Rupp II, 27; III, 22, 23, 132, 138;
***Diuris althoferi* Rupp, A Reduction of *Diuris citrina* Nicholls to a synonym of . . . , W. Brinsley III, 22;**
Diuris aurea Smith I, 51; II, 27, 62, 122, 145; III, 47, 121, 138; IV, 82; V, 19, 55, 120, 136, 169;
Diuris aurea — *D. platichila* Group III, 22;
Diuris bracteata Fitzg. II, 27; III, 138; V, 120;
brevifolia R. Rogers I, 20, 111; II, 27; III, 121, 131; IV, 82; V, 124;
brevissima Fitzg. et Nicholls = *Diuris maculata* Smith II, 27; III, 131, 132, 137;
carinata Lindley = *Diuris laxiflora* Lindley IV, 76;
citrina Nicholls = *Diuris platichila* Fitzg. II, 27; III, 22, 23, 138;
***Diuris citrina* Nicholls, A Reduction of . . . to a synonym of *Diuris althoferi* Rupp, W. Brinsley III, 22;**
Diuris colemaniae Rupp = *Diuris tricolor* Fitzg. II, 27, 96; III, 14, 15, 137; IV, 50;
***Diuris colemaniae* Rupp, A Reduction of . . . to a synonym of *Diuris tricolor* Fitzg., W. Brinsley III, 14;**
Diuris cucullata Rupp = *Diuris platichila* Fitzg. II, 27; III, 132, 138;
cuneata Fitzg. = *Diuris punctata* Smith var. *longissima* Benth. I, 54; III, 121, 137; IV, 50;
cuneilabris Rupp = *Diuris platichila* Fitzg. II, 27; III, 132, 138;
curtifolia Rupp = *Diuris platichila* Fitzg. II, 27;
dendrobioides Fitzg. = *Diuris punctata* var. *longissima* Benth. II, 27; III, 16, 17, 18;
Diuris elastica Lindley IV, 76;
elongata Sw. = *Diuris punctata* Smith var. *punctata* forma *blackneyae* Bailey III, 17;
emarginata R. Br. var. *pauciflora* (R. Br.) A. S. George IV, 76;
X fastidiosa R. Rogers II, 32, 84;
filifolia Lindley = *Diuris setacea* R. Br. IV, 76;
flavopurpurea Messmer II, 27; III, 131, 132, 137; IV, 50;
fryana Ridley V, 19;
goonooensis Rupp II, 27;
intermedia — no botanical standing III, 104;
latifolia Rupp = *Diuris sulphurea* R. Br. II, 27; III, 22, 23, 24, 25, 132, 138;
***Diuris latifolia* Rupp, A Reduction of . . . , to a synonym of *Diuris sulphurea* R. Br., W. Brinsley III, 22;**
Diuris latifolia Brinsley — nomen nudum III, 24;
Diuris laxiflora Lindley IV, 76;
lineata Messmer II, 27; III, 131, 132, 138;
longifolia R. Br. I, 42, 43, 156, 157; II, 27, 124; III, 24, 44, 45, 92, 121; V, 2, 190;
maculata Smith I, 19, 20, 98, 124; II, 27, 62, 84, 122, 144, 145; III, 24, 44, 46, 47, 92, 104, 105, 119, 120, 121, 132, 137; IV, 82, 109; V, 19, 43, 63, 119, 120;
maculosissima Rupp II, 27; III, 139;
X palachila R. Rogers I, 124; II, 4, 27; III, 22, 47, 104, 105, 106, 120, 131, 133, 138; V, 120;
***Diuris X palachila* — A Natural Hybrid, D. L. Jones III, 104;**
Diuris pallens Benth. II, 27, 122;
palustris Lindley I, 19, 20, 113; II, 32, 33; III, 121; V, 78;
pauciflora R. Br. = *Diuris emarginata* R. Br. var. *pauciflora* (R. Br.) A. S. George IV, 76;
pedunculata R. Br. I, 98, 124; II, 27, 32, 79, 124, 144; III, 17, 47, 104, 105, 106, 120, 121, 130, 139; IV, 71; V, 78, 119, 169;
Diuris pedunculata R. Br. var. *gigantea* Nicholls = *Diuris pedunculata* R. Br. II, 27; III, 139; V, 85;
platichila Fitzg. II, 27, 84; III, 104, 121, 131, 138; V, 120;
polymorpha Messmer = *Diuris maculata* X sp. II, 27; III, 132, 138;
punctata Smith I, 51, 54, 130; II, 79, 96; III, 14, 17, 29, 124, 132; IV, 82; V, 19, 120;
 var. *alba* (R. Br.) Ewart et B. Rees II, 27, 122; III, 31, 121; IV, 82; V, 19, 55, 120;
 forma *blakneyae* Bailey = var. *punctata* forma *blakneyae* Bailey II, 122;
 var. *albo-violacea* Rupp ex Dockr. II, 32; III, 47, 121;
 var. *longissima* Benth. II, 27; III, 16, 17, 137; IV, 50; V, 19;
 var. *minor* Benth. II, 27, 122;
 var. *parvipetala* Dockr. II, 122; III, 121; V, 19;
 var. *punctata* II, 32, 122; III, 47;
 forma *blakneyae* Bailey II, 27; III, 20, 121, 137; V, 19;
 forma *punctata* II, 27; III, 20, 121;
 forma *striata* (Rupp) Clemesha III, 20, 37;
 forma *sulphurea* (Rupp) Dockr. II, 27;
rhomboidalis Rupp = *Diuris platichila* Fitzg. II, 27;
secundiflora Fitzg. II, 27;
semilunulata Messmer = *Diuris maculata* X *Diuris aequalis* complex II, 27; III, 132, 137;
setacea R. Br. III, 106; IV, 76;
sheaffiana Fitzg. II, 27; III, 137;
spathulata Fitzg. non Sw. (1805) = *Diuris punctata* Smith var. *punctata* forma *striata* (Rupp) Clemesha II, 129; III, 20;

striata (Fitzg.) Rupp = *Diuris* var. *punctata* forma *striata* (Rupp) Clemesha II, 27, 129; III, 20;
sulphurea R. Br. I, 51, 98, 124; II, 27, 61, 79, 95, 96, 122, 144; III, 16, 17, 22, 23, 24, 25, 88, 121, 131, 138; IV, 82; V, 55, 119;
***Diuris sulphurea* R. Br., A Reduction *Diuris latifolia* Rupp to a synonym of . . . , W. Brinsley III, 22;**
Diuris tricolor Fitzg. II, 27; III, 14, 15, 121, 137; IV, 50;
***Diuris tricolor* Fitzg., A Reduction of *Diuris colemaniae* Rupp to a Synonym of . . . , W. Brinsley III, 14;**
Diuris venosa Rupp II, 27; III, 121;
victoriensis Messmer = *Diuris maculata* complex II, 27; III, 104, 120;
Dodonaea stenophylla F. Muell IV, 44;
Dorrigo, Some Observations on Native Orchids of the . . . , A. Clayton IV, 71;
Drakea Lindley II, 141;
Drakea fitzgeraldii Schltr. I, 42; IV, 76;
huntiana F. Muell. = *Arthrochilus huntianus* (F. Muell.) Blaxell II, 120;
Drakaeinae II, 80;
Drosophilidae (Insecta) IV, 108;
Drosera auriculata Bakh. IV, 6;
Drymoanthus minutus Nicholls II, 122;
Dysoxylum muelleri Benth. I, 84;

Earina Lindley I, 3;
Earwigs IV, 84;
Elaeocarpus L. III, 40;
Elmerrillia Dandy V, 110;
Elythranthera (Endl.) A. S. George I, 44;
Elythranthera brunonis (Endl.) A. S. George I, 44;
emarginata (Lindley) A. S. George I, 44;
Enjoy it While it Lasts, P. Tonelly V, 2;
Ephemera convexa – no botanical standing, probably
Ephemerantha convexa (Blume) Hunt et Summerhayes II, 122;
Ephemerantha Hunt et Summerhayes I, 132;
Ephemerantha comata (Blume) Hunt et Summerhayes =
Flickingeria comata (Blume) A. Hawkes V, 152;
convexa (Blume) Hunt et Summerhayes =
Flickingeria convexa (Blume) A. Hawkes I, 133, 134;
rhpidiloba Schltr. = *Flickingeria rhipidiloba* (Schltr.) A. Hawkes V, 152;
***Ephemerantha*, The Genera *Diplocaulobium* & . . . in Australia, A. W. Dockrill I, 132;**
Epidendreae II, 78, 79, 88; IV, 106;
Epidendrum L. V, 6;
Epidendrum boothianum Lindley V, 7;
Epilachna punctata (insecta) IV, 38;
Epiphytes, Observations on . . . in New South Wales, D.L. Jones IV, 24, 36, 45;
Epiphytic Orchids and Fertilising, A Challenge answered, G. A. Paterson I, 39;
Epiphytic Orchids, Cultivation of Native . . . , J. Falappi I, 38;
Epiphytic Orchids, Cultivation of Native . . . , N.C. Jupp I, 26;
Epiphytic Orchids, Cultivation of Native . . . , A. Rothwell I, 57;
Epiphytic Orchids, The Culture of . . . , W. H. Murdoch I, 7, 23, 26, 63;
Epiphytic Orchids, The Growth Habits of . . . in N.S.W., M. G. White I, 138;
Epipogum Rich. = *Epipogium* R. Br. II, 126;

Epipogium aphyllum Sw. II, 126;
roseum (D. Don) Lindley II, 27, 122, 126, 142; IV, 69, 70, 71; V, 6, 65, 151;
***Epipogium roseum* (D. Don) Lindley, Some Notes on. . . , F. & K. Holmes IV, 69;**
Eria Lindley I, 97; III, 74; 159, 161; V, 87, 152;
***Eria* Lindley, A New Species of. . . , I. Walters III, 159;**
Eria dischorensis Schltr. IV, 98;
eriaeoides (Bailey) Rolfe II, 122; III, 33; V, 152;
fitzalanii F. Muell. I, 156, 157; II, 122; III, 33; IV, 98; V, 108, 152;
floribunda Lindley V, 152;
imitans Schltr. V, 152;
inornata Hunt II, 122; III, 123;
intermedia Dockr. = *Eria dischorensis* Schltr. II, 122;
irukandjiana St. Cloud II, 122;
queenslandica Hunt II, 122; III, 33;
ramuana Schltr. V, 152;
Ericaceae III, 154;
Eriochilus R. Br. I, 110; V, 63, 124;
Eriochilus cucullatus (Labill.) H.G. Reichb. I, 51, 98, 112, 124; II, 27, 108, 113, 122, 124, 143; III, 44, 45, 141; IV, 83, 109; V, 2, 55, 78, 119, 120;
scaber Lindley IV, 76;
tenuis Lindley = *Eriochilus scaber* Lindley IV, 76;
Eriostemon myoporoides DC IV, 46;
Eucalyptus L'Her I, 140; II, 47, 112, 125; III, 4, 111, IV, 2, 24, 36, 45, 60; V, 2;
Eucalyptus albens Miq. I, 140;
blakeleyae (blakelyi) Maiden IV, 6;
camaldulensis Dehnh. I, 20;
citriodora Hook. III, 103;
diversifolia Bonpl. III, 44;
goniocalyx F. Muell. III, 160;
macrorrhyncha F. Muell. IV, 4, 6;
maculata Hook. III, 46;
mannifera Cunn. III, 88; IV, 4;
microcorys F. Muell. I, 23;
ovata Labill. III, 87;
Eucalyptus paniculata Smith I, 142;
papuana F. Muell. IV, 48;
pauciflora Sieber var. *alpina* Ewart III, 126;
polyanthemus Schauer IV, 4;
radiata Sieber III, 160;
saligna Smith II, 62;
torelliana F. Muell. IV, 48;
Eucharis 'ambonica' = *amboinica* III, 26;
This seems to be an incorrect identification for the plant *Eurycles amboinensis* (L.) Loud.
Eudendrobium IV, 46;
Eugenia L. IV, 36;
Eulophia R. Br. II, 126; III, 98;
Eulophia agrostophylla Bailey II, 122, 126; III, 81;
carrii C. White = *Eulophia zollingeri* (H. G. Reichb.) J.J. Smith II, 122, 126; III, 81;
emarginata Blume = *Eulophia pulchra* (Thouars) Lindley III, 116; V, 151;
fitzalanii F. Muell. ex Benth. II, 122, 126; III, 81; V, 86;
holtzei F. Muell. = *Pachystoma holtzei* (F. Muell.) F. Muell III, 98;
macrostachys Lindley = *Eulophia pulchra* (Thouars) Lindley V, 160;
pulchra (Thouars) Lindley V, 160, 164;

- venosa* (F. Muell.) H.G. Reichb. ex Benth. II, 126; V, 75;
 var. *papuana* Schltr. III, 81;
 var. *venosa* II, 122;
zollingeri (H.G. Reichb.) J. J. Smith II, 126; V, 65, 151;
***Eulophia fitzalani* F. Muell., A Note on . . ., S. C. Clemesha III, 81;**
Eulophidium pulchrum (Thouars) Summerh. V, 160;
Eu-prasophyllum II, 79; III, 103;
Euryglossa rejecta (Insecta) I, 73;
Eu-sarcochilus V, 110;
 Fagaceae IV, 67;
Fagus grandifolia Ehrend. IV, 67;
 sylvatica L. IV, 67;
Ficus L. I, 139, 140; II, 12, 49, 138, 139; III, 111; IV, 36; V, 135;
 Field Day, Warringah Group, 18.6.1967, H.D. Hall II, 113;
 Fitzgerald, Robert David (1830-1892), J. Betts V, 10;
 Fitzgerald's Unpublished Plates, letter from H. Douglass V, 67;
 Letter from P. Lavarack V, 39;
 Flasking Technique, A Simple . . ., Anon IV, 54;
Flickingeria A. Hawkes I, 132;
Flickingeria convexa (Blume) A. Hawkes I, 134;
 Flies IV, 80;
 Flora of the Sydney Region, A Review, S.C. Clemesha IV, 94;
 Flowering Occurrences, Two Interesting . . ., D.L.Jones III, 151;
 Flowering Time of *Caladenia alba* R. Br. var. *picta* Nicholls & *Pterostylis nutans* R. Br. var. *hispidula* Fitzg., B. Whitehead II, 140;
Fomes II, 125;
 Footnotes to Noel Jupp's Paper, J. Betts V, 51;
Freycinetia Gaudich V, 87;
Fruticicola II, 89;
 Gadgets, Knick-knacks and Home Made Devices to Assist the Amateur Native Orchid Grower, H. Jay II, 116, 132;
Gahnia Forster et J. Forster III, 154;
Galeola Lour. I, 30, II, 81, 112, 114, 119; IV, 50; V, 88;
Galeola cassythoides (Cunn.) H. G. Reichb. I, 51; II, 27, 62, 81, 86, 96, 112, 113, 122; III, 4, 60; IV, 84; V, 120;
Galeola foliata (F. Muell.) F. Muell. I, 51; II, 27, 86, 112, 113, 114, 122, 126; III, 4, 5; V, 19;
Galeola foliata (F. Muell.) F. Muell., W. Brinsley III, 4;
Galeola montigena Schltr. V, 151;
 Galore Hill Nature Reserve, Terrestrial Orchids Of . . ., A. Logan IV, 109;
Gastrodia R. Br. I, 3, 30; II, 86, 125; IV, 10, 11; V, 5;
Gastrodia cunninghamii Hook. f. I, 3; II, 125, 142;
 minor Petrie I, 3; II, 125, 142;
 orobanchoides I, 3;
 ovata Bailey = *Cheirostylis ovata* (Bailey) Schltr. II, 68;
 queenslandica Dockr. II, 122, 125, 126, 142; IV, 98;
 sesamoides R. Br. I, 3, 51, 98, 124, 143, 158; II, 27, 50, 86, 122, 124, 125, 143; III, 45, 131, 147; IV, 84; V, 120;
 Gastrodiales V, 5;
Geissois lachnocarpa Maiden = *Pseudoweinmannia lachnocarpa* (F. Muell.) Engl. II, 49;
Genoplesium bauerii R. Br. II, 27, 86, 142; IV, 83;
Geodorum Jackson I, 3;
Geodorum densiflorum (Lam.) Schltr. V, 64, 65;
 dilatatum R. Br. = *Geodorum densiflorum* (Lam.) Schltr. II, 134; V, 64;
 pictum (R. Br.) Lindley = *Geodorum densiflorum* (Lam.) Schltr. I, 16, 17, 51, 138; II, 27, 126, 134; III, 33, 60; IV, 58, 59, 60; V, 19, 64, 65, 151;
 Geometridae (Insecta) IV, 38;
 Giles W. E., Obituary IV, 44;
 "Girraween" — Place of Wildflowers, M. Fletcher V, 120;
Glossodia R. Br. I, 21, 44, 110, 142; V, 63;
Glossodia brunonis Endl. = *Elythranthera brunonis* (Endl.) A.S. George I, 44;
 emarginata Lindley = *Elythranthera emarginata* (Endl.) A.S. George I, 43, 44;
 intermedia Fitzg. = *Elythranthera emarginata* (Endl.) A.S. George I, 44;
 major R. Br. I, 51, 98, 124, 134, 143; III, 46, 87, 104, 144; IV, 83, 109; V, 119, 120;
 var. *alba* = *Glossodia major* R. Br. III, 144;
 minor R. Br. I, 51, 66; II, 62, 95, 96, 134; IV, 83, 92; V, 55, 119, 120;
 'Glass House', A . . . for \$6 — Or How to Beg, Borrow but not Steal, R. Mutton IV, 52;
 Glasshouse Pests IV, 112;
 Gloucester District, Orchids of the . . ., D. Stewart & K.E.E. Ellis I, 21;
Gnaphalium japonicum sensu P.G. Wilson = *Gnaphalium involucratum* Forster f. IV, 6;
Goadhyella gracilis R. Rogers = *Microtis alba* R. Br. I, 44;
 Golden Fleece, Laurie (Jason) and the . . ., W.H. Murdoch II, 9;
Goodyera, A Third . . . for Australia, A.W. Dockrill I, 106;
Goodyera grandis (Blume) Blume V, 64, 65;
 papuana Ridley V, 64;
 rubens Blume = *Goodyera grandis* (Blume) Blume I, 106;
 rubicunda (Blume) Lindley = *Goodyera grandis* (Blume) Blume I, 106, 107; II, 134; V, 64, 151;
 venusta Schltr. V, 151;
 viridiflora (Blume) Blume II, 134; III, 155, 156; V, 65;
 Gordon, Eric G. — Life Member III, 53;
 Gramineae II, 32;
Grammatophyllum papuanum J.J. Smith V, 152;
 Grasshoppers IV, 80;
Grastidium Blume V 152;
 Ground Orchids of Australia by Maynard R. Pocock, A Review, S.C. Clemesha IV, 50;
 Group News, Darling Downs — Further Comments on the *Dendrobium mortii* X *D. cucumerinum* Cross, Mr. & Mrs. E. Mogg III, 93;
Gunnia australis Lindley = *Sarcochilus australis* (Lindley) H.G. Reichb. I, 32;
Habenaria Willd. I, 152, 154; II, 79; III, 10, 81; V, 151;
Habenaria, An Extension of the Range of the Genus . . . in Queensland, J. Clarkson V, 92
Habenaria angustata (Blume) Kuntze I, 150;
 anomala Dockr. = *Habenaria xanthantha* F. Muell. I, 149, 151; II, 134;
 arnhemica F. Muell. ? *Nomen nudum* I, 149;
 banfieldii Bailey = *Peristylus banfieldii* (Bailey) Lavarack II, 134;

- candida* Lindley III, 10;
divaricata R. Rogers et C. White II, 134;
elongata R. Br. II, 134;
eurystoma Schltr. I, 150;
ferdinandii Schltr. I, 149, 150; IV, 50; V, 92;
 var. *arnhemica* (Benth.) Dockr. I, 149, 150, 151;
 II, 134;
graminea Lindley (probably F. Muell. non Lindley)
 var. *arnhemica* Benth. = *Habenaria ferdinandii*
 Schltr. var. *arnhemica* (Benth.) Dockr. I, 149;
holtzei F. Muell. II, 134;
hymenophylla Schltr. II, 134;
lacertifera quoad Rodl. = *lacertifera* Ridley III, 10;
lacertifera Ridley = *Peristylus candidus* J.J. Smith
 III, 10;
muelleriana Schltr. non Cogn. = *Habenaria*
ferdinandii Schltr. var. *ferdinandii* I, 149;
ochroleuca R. Br. II, 134; V, 108;
Habenaria ovoidea R. Rogers et C. White = *Peristylus*
candidus J. J. Smith I, 150; II, 134;
papuana Kranzlin = *Peristylus papuanus* (Kranzlin)
 J. J. Smith II, 134; IV, 98;
propinquior H. G. Reichb. II, 134;
sumatrana (Schltr.) Schltr. = *Peristylus candidus* J.J.
 Smith III, 10, 11;
triplonema Schltr. II, 134, 136;
xanthantha F. Muell. I, 150; II, 134;
Habenaria, A New Addition to the Australian Members
of the Genus . . . , I.D. Walters III, 10;
Habenaria, A New Combination for an Australian . . . ,
A.W. Dockrill I, 149;
Habenaria, A New Species of . . . , A.W. Dockrill I, 150;
 Habenarieae III, 10;
Halictus subinclinans (Insecta) I, 73;
Hardenbergia monophylla (Vent.) Benth. IV, 6;
Helmet Orchids, Two . . . , S.C. Clemesha & W.T. Upton
I, 66;
Helichrysum davenportii F. Muell. I, 42, 43, 44;
Herbarium, Records and the . . . , Anon I, 4;
Herbarium, How to Prepare An . . . , R. Curtis I, 46;
Hetaeria oblongifolia Blume II, 134; III, 32; V, 65;
polygonoides (F. Muell.) Dockr. II, 134;
Hibbertia obtusifolia DC IV, 4;
Hibiscus L. III, 34;
Hippeophyllum micranthum Schltr. V, 152;
Hovea R. Br. IV, 6;
Hovea linearis R. Br. IV, 6;
Hoya R. Br. II, 137; III, 33; V, 87;
Hybrid, A New Natural . . . , D.R. Kitchen III, 151;
Hybridization, Some Aspects of Orchid . . . , R.G. Curtis
II, 18;
Hydrocotyle laxiflora DC IV, 6;
Hymeneria III, 160;
Hypochoeris radicata L. IV, 76;
Hypolaena Nees I, 3, 127;

Imperata III, 38;
Imperata cylindrica (L.) Raeuschel III, 154;
Indigofera australis Willd. IV, 6;
Injuries not caused by pests IV, 112;
International Code of Botanical Nomenclature, The,
E. Gordon I, 45;
Iridiomymex (Insecta) IV, 108;
Is It or Is It Not?, E. Gordon I, 146;

Judging Standards for Australian Native Orchids and
Hybrids IV, 86;

Judging Standards for native orchids W.H. Murdoch
I, 48;
 Juglandaceae III, 34;
Key, An Alternative . . . to the Genus *Calochilus* In New
South Wales C.K. Ingram III, 80;
Key (part of) to *Dendrobium* from Rupp, Orchids of
N.S.W., 1943, H. Douglas III, 86;
Key to the Australian Sections of *Bulbophyllum*, A.W.
Dockrill II, 88;
Key to the Species of the so called "Rufous Group" of the
Genus *Pterostylis*, J.A.P. Blackmore & S.C.
Clemesha II, 149;
King Island, Orchids of, P.F. Bennett III, 45;
 *Kingianum album' II, 10;

Laelia cinnabarina Lindley III, 74;
flava Lindley III, 74;
Lantana L. IV, 10; V, 97;
Laportea Gaudich. I, 140; III, 27;
Latourea Blume II, 58; IV, 14, 16, 26, 27, 28;
Leaching, Some Research concerning . . . of materials
from Plants, D.L. Jones III, 34;
Lepidogyne sceptrum Schltr. V, 151;
Lepidosperma laterale R. Br. IV, 6;
Leporella A. S. George IV, 77;
Leporella fimbriata (Lindley) A.S. George IV, 76;
Leptoceras fimbriata Lindley = *Leporella fimbriata*
 (Lindley) A.S. George III, 44; IV, 76;
oblonga Lindley = *Caladenia menziesii* R. Br. IV, 76;
Leptospermum Forster et G. Forster II, 139; IV, 99;
Leptospermum lanigerum (Aiton) Smith III, 34;
pubescens Lam. = *Leptospermum lanigerum* (Aiton)
 Smith III, 126;
scoparium Forster et G. Forster II, 125;
Letters, H.M.R. Rupp to G.W. Althofer nos. 1, 2, and 3
I, 37;
 no. 4 I, 39;
 no. 5 I, 45;
 no. 6 I, 50;
 no. 7 I, 54;
 nos. 8 and 9 I, 60;
 no. 10 I, 94;
 no. 11 I, 94;
 no. 12 I, 102;
 no. 13, *Prasophyllum fitzgeraldii* R. Rogers et Maiden
 I, 113;
 no. 14 I, 131;
Letters, Rupp to Fordham on *Corybas* V, 174;
Leucopogon R. Br. V, 108, 120;
 Lime-sulphur IV, 39;
Limodorum pulchrum Thouars = *Eulophia pulchra*
 (Thouars) Lindley V, 160;
 Lindane IV, 39;
 Liparidinae I, 134; II, 79; IV, 106;
Liparis Rich III, 31, 32, 73, 74, 88; IV, 60, 106; V, 26, 151,
 152;
Liparis atropurpurea Lindley V, 26;
Liparis bracteata Hunt II, 134; III, 31, 155; IV, 50; V, 38;
coelogynoides (F. Muell.) Benth. I, 21, 51, 140; II, 27,
 134; IV, 71; V, 39, 120;
cuneilabris F. Muell. ex benth. = *Liparis angustilabris*
 (F. Muell.) Blaxell II, 134; III, 31; V, 38;
fleckeri Nicholls II, 134; III, 31, 155, 156; IV, 50; V, 38;

- habenarina* (F. Muell.) Benth. I, 51; II, 27, 134; III, 31; V, 26, 75;
nervosa (Thunb.) Lindley V, 26;
nugentae Bailey II, 134; III, 31; V, 38;
reflexa (R. Br.) Lindley = *Liparis angustilabris* (F. Muell.) Blaxell I, 21, 51, 105, 138; II, 27, 61, 62, 96, 118; III, 147; IV, 37, 50, 58, 72, 84, 106, 107, 108; V, 38, 39, 135;
Liparis reflexa (R. Br.) Lindley, the Pollination of . . . B. Wallace IV, 106;
Liparis simmondsii Bailey I, 51; II, 27, 134; IV, 60; V, 26;
Lissopimpla (Insecta) I, 104, 105, 125; V, 168;
Lissopimpla excelsa (Insecta) I, 73; V, 168, 169;
semipunctata (Insecta) II, 127; III, 111; V, 168;
Listera R. Br. V, 55;
Lithocarpus Blume V, 110;
Lomandra Labill. IV, 6;
Lonchocarpus Kunth V, 87;
Lophyrotoma leachii (Insecta) II, 34;
Lord Howe Island, Cultivation of . . . Orchids in Melbourne, D.L. Jones IV, 11;
Lucilia (Insecta) IV, 106;
Luisia beccarii H.G. Reichb. V, 152;
teretifolia Gaud. II, 134; III, 26, 149; V, 108;
Lycopodium L. III, 32, 33, 154;
Lycopodium serpentinum Kunze I, 3;
Lyperanthus R. Br. I, 3;
Lyperanthus burnettii F. Muell. = *Burnettia cuneata* Lindley II, 6;
ellipticus R. Br. = *Rimacola elliptica* (R. Br.) Rupp V, 133, 134;
leptocerus nomen nudum I, 42;
nigricans R. Br. I, 42, 142; II, 27, 124; III, 45, 92; IV, 83; V, 120;
serratus Lindley I, 42;
Lyperanthus suaveolens R. Br. I, 51, 98, 156, 157; II, 27, 62, 95, 96, 113, 134; III, 132, 141; IV, 83; V, 120;
Macrosiphon rosea (Insecta) IV, 38;
Macrozamia Miq. III, 60;
Malaxis Solander ex Swartz III, 117; V, 151;
Malaxis latifolia Smith I, 156, 157; II, 134; III, 33; V, 32, 41, 65, 108;
leptochila ? nomen nudum V, 64;
marsupichila Upton V, 32, 33, 41, 52, 64, 108;
Malaxis marsupichila Upton, Extension of the Range of . . . P. Lavarack V, 108;
Malaxis marsupichila Upton — Interesting Correspondence M.W. Brown V, 64;
Malaxis marsupichila Upton — Interesting Correspondence — letter W. T. Upton V, 41;
Malaxis marsupichila Upton — Interesting Correspondence, J.W. Wrigley V, 41;
Malaxis palmicola (F. Muell.) F. Muell. = *Oberonia palmicola* F. Muell. I, 137;
xanthochila (Schltr.) Ames et Schweinf. II, 134; IV, 98; V, 32, 41, 52, 64;
Manorina melanophrys (Aves) II, 62;
Melaleuca L. I, 5, 7, 108, 140; II, 12, 114; III, 9; IV, 24, 62; V, 108, 135;
Melaleuca uncinata R. Br. ex Aiton II, 143; III, 44; V, 3, 4;
Melichrus urceolatus R. Br. IV, 4;
Meliphaga flava (Aves) III, 93;
Membership Badge, Introducing Your . . . J. Betts V, 26;
Menura novae-hollandiae (Aves) II, 61;
Mesurolophus IV, 39;
Micranthum II, 79; III, 103;
Micromonanthus II, 89;
Micropera fasciculata (Lindley) Garay IV, 77;
Microstylis amplexicaulis Bailey = *Acianthus amplexicaulis* (Bailey) Rolfe III, 18;
Microtis R. Br. I, 3, 43, 98; III, 91; IV, 11, 102;
Microtis atrata Lindley I, 112, 113; V, 124;
Microtis biloba Nicholls = *Microtis unifolia* (G. Forster) H.G. Reichb. II, 27; V, 83, 84;
bipulvinaris Nicholls = *Microtis parviflora* R. Br. II, 27; V, 83, 84;
gymnadenioides Diels = *Microtis pulchella* R. Br. IV, 76;
holmesii Nicholls = *Microtis parviflora* R. Br. V, 83, 84;
magnadenia R. Rogers II, 27;
oblonga R. Rogers = *Microtis rara* R. Br. I, 51; II, 27, 62; III, 88; IV, 82; V, 78, 120, 124;
orbicularis R. Rogers I, 112, 113, 125; V, 124;
parviflora R. Br. I, 112, 143; II, 27, 62, 134; III, 139; IV, 82, 109; V, 2, 26, 31, 65, 78, 84, 119, 120, 124;
pulchella R. Br. IV, 76;
unifolia (G. Forster) H.G. Reichb. I, 51, 112, 124; II, 4, 27, 33, 62, 95, 96, 124, 134, 143; III, 44, 45, 91, 139; IV, 82; V, 2, 31, 65, 78, 84, 119, 120;
Mites IV, 112;
Mobilabium hamatum Rupp I, 118; II, 134; III, 31, 32;
Monadenia micrantha Lindley IV, 50;
Monandrea I, 134, 154; II, 78;
Monanthochilus V, 110;
Monotoca elliptica (Smith) R. Br. IV, 6;
Mormolyca Fenzl. V, 169;
Mount Remarkable National Park, R. Bates V, 77;
Mueller, Baron von, 1825-1896, A.G. Reeves II, 119;
Mycetophilidae (Insecta) III, 157;
Myrtus L. IV, 69;
Mullumbimby, Meanderings from, R. Maslen IV, 60;
Names, Botanical, E. Gordon II, 81;
Names, Have Common . . . , When Applied to our Common Orchids any Justification, W.H. Murdoch II, 116;
Naphthalene IV, 39;
Natriphene IV, 39;
Native Orchids, Getting to Know our . . . , W.T. Upton I, 152;
Native Orchids, Housing Your . . . , W.T. Upton I, 61;
Native Orchids, Judging Standards for . . . , M.J. Corrigan II, 87;
Native Orchids, Judging Standards for . . . , W.H. Murdoch I, 48;
Native Orchids, Observations on some . . . of the Central Western Slopes, W.T. Upton II, 96;
Natural Hybrid, Recording a . . . , A.W. Dockrill I, 40;
Nematoceras group I, 3;
Nematorhizis II, 89;
Neottieae II, 78, 79;
Neottia rubicunda Blume = *Goodyera grandis* (Blume) Blume I, 106;
Nepenthes mirabilis Merr. IV, 51, 78; V, 108;
Nervilia Commerson. ex Gaud. III, 31, 116; V, 151;
Nervilia aragoana Gaud. V, 65, 151;
dallachyana (F. Muell.) Schltr. = *Nervilia plicata* (Andr.) Schltr. I, 131;
discolor (Blume) Schltr. = *Nervilia plicata* (Andr.) Schltr. II, 134; III, 31;
holochila (F. Muell.) Schltr. II, 134, 136; III, 21, 26; V, 75;

- pachystomoides* (F. Muell.) Schltr. II, 134;
uniflora (F. Muell.) Schltr. II, 134;
 New South Wales, Some Interesting Records from . . . ,
 S.C. Clemesha II, 129;
 Neuroptera (Insecta) IV, 37;
 New Zealand, Brief Comment on the Orchids of . . . , E.D.
 Hatch I, 3;
Nezara viridula (Insecta) IV, 38;
 Nicholls, William Henry, 1885-1951 II, 83;
 Nicotine sulphate IV, 39;
 Nomenclature, Adjustments to . . . , E. Gordon I, 49;
 Nomenclature, Some Notes on . . . , E. Gordon IV, 95;
 Nomenclature, That Man on . . . , Again, E.G. Gordon
 II, 8;
 North Queensland Dendrobium, A New status for a . . . ,
 A.W. Dockrill & S.C. Clemesha I, 52;
 North Queensland Epiphyte, A New Combination for a
 Small . . . , A.W. Dockrill I, 64;
 North Queensland Orchid, A New Combination for a . . . ,
 A.W. Dockrill I, 106;
 Northern New South Wales, The Orchids of . . . ,
 L.W. Archer I, 51;
 Not Again, P. Lavarack V, 2;
Notechis scutatus (Reptilia) II, 51;
Nothofagus Blume II, 125; IV, 16; V, 110;
Nothofagus cunninghamii (Hook.) Oerst. IV, 67;
gunnii Oerst. IV, 67;
moorei (F. Muell.) Krasser I, 141; II, 61; III, 34; IV, 60,
 66, 67, 71; V, 98;
Nothofagus moorei, Antarctic Beech — The Sawmiller
 v's The Conservationist (reprinted) IV, 66;
Notolea longifolia sensu Ewart = *Notolea nervosa*
 F. Muell. IV, 46;
Oberonia Lindley I, 134, 139; IV, 44; V, 31, 152;
Oberonia attenuata Dockr. I, 136, 160, 161; II, 134;
Oberonia attenuata Dockr., A.W. Dockrill I, 160;
Oberonia brachystachys Lindley V, 163;
carnosa Lavarack V, 163, 166;
muelleriana Schltr. I, 51, 136, 137, 140, 160; II, 27, 134,
 III, 27, 149; IV, 59; V, 31;
palmicola F. Muell. I, 137; II, 134, 137; III, 33; IV, 62,
 92; V, 31, 135;
Oberonia titania Lindley nom. illeg. I, 51, 134, 135, 136,
 137, 140, 160; II, 27, 79, 137; III, 33;
Oberonia titania Lindley, A Fairy Story, W.T. Upton
 I, 134;
Oberonia titania, H. Hirsch I, 103;
 Objects of A.N.O.S. I, 1;
 Observation, An Interesting . . . , K. Giles I, 114;
Odontoglossum Kunth III, 32;
Olearia argophylla (Labill.) Benth. IV, 45;
Oncidium Sw. V, 6;
Oncidium henekenii Schomb. ex Lindley V, 169;
Opercularia aspera J. Gaertn. IV, 6;
Ophioglossum L. III, 33;
Ophrys L. II, 127; V, 85, 169;
Ophrys apifera Huds. V, 169;
insectifera L. V, 169;
lancea Thunb. ex Sw. I, 49;
Opisthoplatys (Insecta) IV, 38;
 Orchid, A Fast Growing . . . , W.H. Murdoch I, 126;
 Orchid, A New Combination for an Australian . . . , D.L.
 Jones V, 54;
 Orchid, A New . . . for Australia, W.T. Upton V, 24;
 Orchid, A New . . . for Australia, W.T. Upton V, 32;
 Orchid, An . . . in the course of Evolution, J.A.P.
 Blackmore II, 44;
 Orchid, An Unexpected Terrestrial . . . , Record for
 N.S.W., B. Whitehead III, 78;
 Orchid, A New . . . for South Australia, M. Beek III, 97;
 Orchid, A New Native . . . from Toowoomba, M.J.
 Corrigan III, 79;
 Orchid, Collecting in Southern Queensland, G. Wells
 IV, 58;
 Orchid Cultivation, New Terrestrial . . . at Springside
 near Orange, M.A. & W.E. Giles I, 109;
 Orchid Flora of the Central West, N.S.W., C.K. Ingram
 & B. Whitehead III, 129;
 Orchid Flower, On the Structure of the . . . , E.D. Hatch
 I, 158, II, 50;
 Orchid Hybrids, Australian Native . . . , N. Jupp V, 49;
 Orchid Hybrid, New Australian Native . . . , J. Betts
 V, 124, 137;
 Orchid Lover, A Day in the Life of an . . . , F. Coate I, 42;
 Orchid, Native . . . Notes and Culture, Spring - Summer,
 1976, T. Gregory V, 90;
 Orchid, Native . . . Observations, R. Ford III, 88;
 Orchid, Native . . . Recordings from Western Australia,
 R.R. Oliver V, 65;
 Orchid Safari, North Queensland, J. Young II, 136, 145;
 III, 9, 21, 31;
 Orchid Seed Culture for the Amateur, B.C. Peterson
 III, 6;
 Orchid Seed Flasking III, 48;
 Orchid Seed Germination, Asymbiotic . . . , Questions and
 Answers, F. Cicurel III, 100;
 Orchid, Some Cape York Peninsula . . . Records, D.L.
 Jones IV, 98;
 Orchid, Terrestrial . . . Recordings on the South Coast of
 N.S.W., B. Whitehead III, 106;
 Orchid, The Lure of the . . . , H.J.R. Overall III, 58;
 Orchidaceae I, 134;
 Orchidaceae, Miscellaneous Notes on Australian . . . ,
 D.L. Jones V, 83;
 Orchidaceae, Miscellaneous Notes on Australian . . . , 2 —
 The Reduction of 6 Teratological forms to
 synonymy D.L. Jones V, 126;
 Orchidaceae, A New Species of . . . from Victoria, Anon
 IV, 96;
 Orchideae II, 78, 79;
 Orchidoideae I, 158; II, 50;
 Orchids, A Method for Propagating Terrestrial . . . , D.L.
 Jones III, 46;
 Orchids and Tree Fern, S. C. Clemesha III, 66, 79;
 Orchids at Gip-Gip Rocks, M. Beek III, 44;
 Orchids at Lake Mountain, D.L. Jones III, 126;
 Orchids, Collecting . . . in T.P.N.G., P.J. Spence IV, 42;
 Orchids, Conservation of Native . . . , W.H. Murdoch II,
 127;
 Orchids, Cultivation of Lord Howe Island . . . in
 Melbourne D.L. Jones (reprinted) IV, 11;
 Orchids, Flowering Periods of Australian & New Zealand .
 . . . , Section 1, N.S.W., E.G. Gordon II, 25;
 ditto Section 2, Queensland, E.G. Gordon II, 98, 110,
 122, 134, 145;
 Orchids, My Experience with South Australian Swamp-
 Land . . . , R. Nash I, 111;
 Orchids, Native . . . as I see Them, M. Beek III, 56;
 Orchids, Notes on the Structure & Development of the
 Terrestrial . . . , E.D. Hatch IV, 10;

- Orchids, Observations on some Native . . . of the Central Eastern Slopes of N.S.W., W.T. Upton II, 96 108;
- Orchids of Australia, R.T.M. Pescott III, 103, 117;
- Orchids of Australia, A Review, A.W. Dockrill III, 81;
- Orchids of King Island, P.F. Barnett III, 45;
- Orchids of Papua and North Queensland, R. Smythe III, 123, 149, 154;
- Orchids of the Tumut Shire, K. Giles II, 143;
- Orchids of the Western Plains of Victoria, D.L. Jones II, 32;
- Orchids of the Whitebridge District, G. Slater II, 95;
- Orchids, Raising Native . . . from Seed, Extracts from lecture by A.M. Blombery, reported by H. Jay III, 7;
- Orchids, Saprophytic . . . of Australia & New Zealand, S.C. Clemesha II, 86, 99, 111, 113, 114, 119, 125, 141;
- Orchids, Some Common . . . of the Sydney Metropolitan Region, P.H.T. Uhlherr III, 62, 65;
- Orchids, Some Observations of Native . . . of the Dorrigo, A. Claydon IV, 71;
- Orchids, Synonyms for two Terrestrial . . ., S.C. Clemesha III, 16;
- Orchids, Terrestrial and Dry Weather, B. Whitehead II, 4;
- Orchids, Terrestrial . . . of Galore Hill Nature Reserve, A. Logan IV, 109;
- Orchids The Flowing Periods of Australian & New Zealand, Section 1, N.S.W., E.G. Gordon II, 25;
- ditto, Section 2, Queensland II, 98, 110, 122, 134, 145;
- Orchids, The . . . of King Island, P.M. Barnett II, 124;
- Orchids, The Pollination of . . ., R.J. Curtis I, 72;
- Orchids, The Sydney . . ., J. Walker IV, 82;
- Orchids, Two Rare Terrestrial . . . from Cape York Peninsula, P. Lavarack IV, 51;
- Orchids, A Critical Revision of some South Australian . . ., R. Bates & J. Weber V, 56;
- Orchids Common to North Queensland and South Eastern Australia, S.C. Clemesha V, 5, 17, 26, 34, 38, 63;
- Orchids in Natural and Man-made *Araucaria* Forests in Papua New Guinea, A Survey of . . ., N.H.S. Howcroft V, 150;
- Orchids in the Solomon Islands, G.F.C. Dennis V, 87;
- Orchids of the Hastings River Area, K & N Blanch V, 135;
- Orchids of the Manning River Area, T. Gregory V, 97;
- Orchids of Western Australia, A Letter, A.S. George V, 74;
- Orchids, Raising Australian Terrestrial . . . from Seed, L.T. Nesbitt V, 57;
- Orchids, Some Bannaby . . ., G. Wells V, 119;
- Orchids, Some Names Changes Affecting Australian . . ., P. Lavarack V, 64;
- Orchids, Some Notes on . . . and other Plants at Bamaga, P.S. Lavarack V, 106;
- Orchids, Some . . . of the Coff's Harbour District, S.C. Clemesha V, 75;
- Orchids, Terrestrial . . . of South Australia's Semi-arid areas, R. Bates V, 42, 47;
- Orchis* L. V, 55;
- Orchis mascula* L. V, 56;
- Order from Confusion — Plant Classification, E.G. Gordon I, 8, 22, 31, 34;
- Orsidice lilacina* H.G. Reichb. = *Thrixspermum lilacinum* H.G. Reichb. III, 114;
- Orthoceras* R. Br. I, 3; IV, 10;
- Orthoceras strictum* R. Br. I, 112; II, 27, 62, 133, 134; III, 88, 139; IV, 82; V, 19, 78, 120;
- forma *viride* Hatch = *Orthoceras strictum* R. Br. II, 133;
- Orthodera ministralis* (Insecta) IV, 38;
- Oxyricera purpurascens* (Bailey) Deane = *Bulbophyllum macphersonii* Rupp var. *macphersonii* II, 38;
- Our Native *Phalaenopsis* ?M.J.G. Corrigan II, 17;
- Oxyglossum* IV, 42;
- Pachystoma* Blume III, 98;
- Pachystoma* Blume, The Genus . . . in Australia, *Pachystoma holtzei* (F. Muell.) F. Muell., I. Walters III, 98;
- Pachystoma holtzei* (F. Muell.) F. Muell. III, 98, 99;
- Pandanus* II, 138; III, 154; IV, 51; V, 87;
- Pandanus dei-montium* sphalm for *Pandanus decus-montium* Stone V, 87;
- Paphiopedilum* Pfitzer III, 74; V, 128;
- Paphiopedilum bougainvillanum* Schoser et Fowlie III, 96;
- violascens* Schltr. III, 94, 95, 96;
- distribution III, 97;
- Paphiopedilum violascens* Schltr., New Guinea . . ., N. Howcroft III, 94;
- Paphiopedilum wentworthianum* Schoser et Fowlie III, 96;
- Papillilabium beckleri* (F. Muell. ex Benth.) Dockr. IV, 45, 60, 62; V, 39, 135;
- Papuacedrus* Li V, 110;
- Paracaleana* Blaxell IV, 77;
- Paracaleana minor* (R. Br.) Blaxell IV, 76; V, 120, 126, 127;
- nigrita* (Lindley) Blaxell IV, 76;
- sullivanii* (F. Muell.) Blaxell = *Paracaleana minor* (R. Br.) Blaxell IV, 76; V, 126, 127;
- Parachilus* 'Riverdene' = *Sarcochilus hartmannii* X *Parasarcochilus hirticalcar* V, 124;
- Paracolletes nicholsonii* (Insecta) I, 73;
- Paragryllacris combusta* (Insecta) IV, 38;
- Parasarcochilus* Dockr. III, 88, 102; V, 64;
- Parasarcochilus hirticalcar* Dockr. = *Pteroceras hirticalcar* (Dockr.) Garay IV, 77;
- spathulatus* (R. Rogers) Dockr. = *Pteroceras spathulatus* (R. Rogers) Garay IV, 77; V, 135;
- weinthalii* (Bailey) Dockr. = *Sarcochilus weinthalii* Bailey III, 88, 102; IV, 58, 77;
- Parasarcochilus weinthalii* (Bailey) Dockr. Our Local Gem, R.S. Hill III, 102;
- Pauline, Its a Shame About Poor . . ., R. Kerr IV, 94;
- Pelargonium havlasae* Domin I, 43;
- Peperomia* Ruiz et Pav. III, 33;
- Peristeranthus hillii* (F. Muell.) Hunt I, 51; II, 28, 134; IV, 58, 60; V, 31, 136;
- Peristylus* Blume II, 79; III, 10;
- Peristylus candidus* J. J. Smith III, 10;
- Persoonia* Smith V, 120;
- Persoonia rigida* R. Br. IV, 4;
- Pests of Plants, reprinted from the A.N.O.S. Victorian Group News Bulletin IV, 72;
- Petalochilus* R. Rogers I, 3, 159; II, 51; V, 5;
- Petalochilus calyciformis* R. Rogers I, 158; II, 50;
- Petrophila* R. Br. V, 120;
- Phaiinae III, 98;
- Phaius* III, 60;

- Phaius australis* F. Muell. I, 51; II, 28, 79; III, 26, 27, 59; IV, 50, V, 6;
 var. *australis* II, 134;
 var. *bernaysii* (Rowland ex H.G. Reichb.) Nicholls II, 134;
flavus (Blume) Lindley III, 117; V, 151;
montanus Schltr. V, 151;
pictus Hunt II, 134; III, 33;
tancarvilleae (Banks) Blume I, 51, 138; II, 28, 134; III, 59; IV, 58, 60, 78, 92; V, 6, 7, 64, 65, 151;
wallichii J.D. Hook. = *Phaius tancarvilleae* (Banks) Blume V, 6;
Phalaenantha IV, 46; V, 49, 50, 51;
Phalaenopsis Blume III, 149; IV, 6, 7;
Phalaenopsis amabilis Blume IV, 98;
 var. *papuana* Schltr. III, 154; IV, 6, 7, 112;
Phalaenopsis amabilis var. *papuana* (syn. *rosenstromii*), C.C. & E.M. Bunn IV, 6;
Phalaenopsis amabilis Blume var. *rosenstromii* (Bailey) Nicholls = *Phalaenopsis amabilis* Blume var. *papuana* Schltr. I, 97; II, 17, 134, 138, 139; III, 21, 154; IV, 6, 7, 112;
Phalaenopsis amabilis Blume var. *rosenstromii* (Bailey) Nicholls, R.S. Smythe II, 138;
Phalaenopsis aphrodite H.G. Reichb. IV, 112;
Philodendron Schott II, 112;
Pholidota Lindley III, 74; IV, 42; V, 87;
Pholidota imbricata Lindley = *Pholidota pallida* Lindley III, 33;
pallida Lindley II, 134; III, 33, 123; V, 108;
Phreatia Lindley III, 32;
Phreatia baileyana Schltr. II, 134; III, 31, 32;
crassiuscula F. Muell. ex Nicholls II, 134; III, 31, 32;
robusta R. Rogers = *Rhynchophreatia micrantha* (A. Rich) N. Halle I, 64, 65; II, 134; III, 32, 164; IV, 98;
Phreatia robusta R. Rogers, A.W. Dockrill I, 64;
Phthersigena conspersa (Insecta) IV, 38;
Phyllocladus Rich. ex Mirb. V, 110;
Phyllostictina (fungus) III, 67;
Pimelea humilis R. Br. IV, 6;
treyaudii F. Muell. ex Ewart et B. Rees IV, 44;
Pinus radiata D. Don V, 124;
Pipe Culture, An Appraisal of, R. Kerr I, 108;
 Pipenonyl IV, 39;
Plant/Animal Hybrids Create a New Era in Biology, reprint, Ed. V, 95;
Plant Classification: Order from Confusion, An Attempt to Describe the Modern System of . . ., E.G. Gordon I, 8, 22, 31, 38;
Platanthera Rich III, 10;
Platanthera sumatrana Schltr. = *Peristylus candidus* J.J. Smith III, 10;
Platycerium Desv. I, 120, 122; III, 79;
Platycerium bifurcatum (Cav.) C. Chr. III, 76;
grande (Fee) J. Smith ex Presl I, 39, 57, 63, 138; III, 76;
Platylobium formosum Smith IV, 6;
Plectochilus = *Lectorrhiza* Dockr. X *Sarcochilus* R. Br. V, 96;
Plectochilus 'Richard Jost' = *Sarcochilus hartmannii* X *Plectorrhiza tridentata* V, 96;
Plectochilus 'Rumrill' = *Sarcochilus ceciliae* X *Plectorrhiza tridentata* V, 96;
Plectorrhiza brevilabria (F. Muell) Dockr. II, 134; III, 31; IV, 58, 60; V, 31;
erecta (Fitzg.) Dockr. IV, 11;
tridentata (Lindley) Dockr. II, 134; III, 33; IV, 45, 58, 60, 62, 72; V, 31, 39, 135, 136;
Pleione D. Don V, 56;
Pleuranthe Salisb. II, 78;
Plocoglottis Blume V, 151;
Plusia (Insecta) IV, 38;
Poa L. III, 126; IV, 4, 6;
Podocarpus L'Herit. ex Pers V, 110;
Podochilus australiensis (Bailey) Schltr. II, 134; III, 33; IV, 98;
Pollination of Orchids, R.J. Curtis I, 72;
 Polyblepharon III, 84;
 Polychondreae V, 4;
Polypodium L. III, 33;
Polystachya Hook. I, 159;
Pomatocalpa macphersonii (F. Muell.) Hunt II, 134, 137; IV, 98; V, 108;
marsupiale (Kranzlin) J.J. Smith V, 152;
Pomaderris aspera Sieb. ex DC IV, 45;
 Pompilidae (Insecta) IV, 37;
Porphyroglottis Ridley V, 169;
 Potash Soap IV, 39;
Prasophyllum R. Br. I, 3, 21, 98, 131, 158; II, 50, 79, 95, 96; III, 45, 60, 92, 103, 106; IV, 10, 21;
Prasophyllum sect. *Micranthum* IV, 16;
Prasophyllum, A. New . . . from Tasmania, L. Cady IV, 8;
Prasophyllum, More Unique Perfumes in . . ., D.F. Blaxell III, 118;
Prasophyllum, Notes on the Section *Micranthum* Rupp of the Genus . . ., L. Cady IV, 8;
Prasophyllum acuminatum R. Rogers II, 28, 145;
alpinum R. Br. II, 28, 143;
anomalum Rupp = *Prasophyllum fimbriatum* R. Br. I, 51, 131; II, 28; III, 118; V, 126, 127, 128;
Prasophyllum ansatum Fitzg. I, 131; II, 28;
archeri J.D. Hook. I, 51, 131; II, 4, 28, 124, 133, 145; III, 45, 103, 118, 140; V, 120, 124;
 var. *deirdrae* Nicholls = *Prasophyllum archeri* J.D. Hook. V, 85;
aureoviride Rupp I, 131; II, 28, 80, 142, 146; III, 118; IV, 16; V, 31;
 var. *elmae* Rupp = *Prasophyllum aureoviride* Rupp II, 28; IV, 83;
australe R. Br. I, 40, 111, 112; II, 28, 124, 146; III, 45; V, 120, 124;
 var. *sargentii* Nicholls = *Prasophyllum sargentii* (Nicholls) A.S. George IV, 76;
attenuatum Fitzg. = *Prasophyllum ovale* Lindley var. *ovale* IV, 76;
beagleholei Nicholls II, 28; III, 118; IV, 8, 16, 18, 19; V, 124;
Prasophyllum beagleholei Nicholls, The Self Pollination of . . ., D.L. Jones IV, 16;
Prasophyllum bowdeniae Rupp = *Prasophyllum fimbriatum* R. Br. II, 28; III, 106; V, 126, 127, 128;
brainei R. Rogers III, 92;
brevilabre (Lindley) J.D. Hook. I, 39, 51; II, 28, 146; III, 78, 139; IV, 82; V, 2;
brownii H.G. Reichb. IV, 76;
colemanae R. Rogers = *Prasophyllum odoratum* R. Rogers V, 84, 85;
cucullatum H.G. Reichb. = *Prasophyllum gibbosum* R. Br. IV, 76;
deaneanum Fitzg. = *Genoplesium bauerii* R.Br. I, 131;
densum Fitzg. I, 100, 102, 131; II, 28, 146; III, 118; IV, 83;

- despectans* J.D. Hook II, 28; III, 103; IV, 8, 9, 16; V, 2, 57, 124;
- drummondii* H.G. Reichb. IV, 77;
- elatum* R. Br. I, 41; II, 28, 62, 80, 113, 146; III, 92, 139; IV, 77, 82; V, 78;
- var. *muelleri* Nicholls = *Prasophyllum drummondii* H.G. Reichb. I, 40;
- Prasophyllum elatum* R. Br., L. Cady I, 40;**
- Prasophyllum ellipticum* R. Rogers = *Prasophyllum brownii* H.G. Reichb. IV, 76;
- eriochilum* Fitzg. II, 28;
- exiguum* Rupp II, 28; IV, 8, 9;
- filiforme* Fitzg. II, 28; IV, 83;
- fimbriatum* R. Br. I, 51, 131; II, 28, 80; III, 103, 118; IV, 83; V, 120, 126, 127;
- Prasophyllum fimbriatum*, Unique Perfume in . . ., D.L. Jones III, 103;**
- Prasophyllum firthii* Cady IV, 8, 9;
- fitzgeraldii* R. Rogers et Maiden I, 113; II, 28; III, 131; V, 78;
- flavum* R. Br. II, 28, 62, 86, 142, 146; III, 139; IV, 82; V, 120;
- frenchii* F. Muell. II, 28;
- fusco-viride* Reader = *Prasophyllum nigricans* R. Br. I, 44; III, 103, 140; IV, 76;
- fuscum* R. Br. II, 28, 33; III, 140;
- gibbosum* R. Br. IV, 76;
- gracile* II, 28; V, 120;
- gracile* Lindley = *Prasophyllum macrostachyum* R. Br. var. *macrostachyum* IV, 76;
- gracile* R. Rogers = *Prasophyllum frenchii* F. Muell. I, 37; III, 139;
- hartii* R. Rogers V, 124;
- hopsonii* Rupp II, 28; IV, 8, 10;
- horburyanum* Rupp = *Prasophyllum nigricans* R. Br. I, 44; IV, 76;
- laminatum* Fitzg. II, 28;
- longisepalum* Fitzg. II, 28; III, 140;
- macrostachyum* R. Br. IV, 76;
- macrotyus* Lindley = *Prasophyllum elatum* R. Br. IV, 77;
- mollissimum* Rupp II, 28;
- morrisii* Nicholls I, 131; II, 28, 133; III, 103, 118; IV, 16, 83; V, 120;
- var. *contortum* Nicholls = *morrisii* Nicholls var. *morrisii* V, 85;
- var. *intermedium* Rupp III, 118;
- mucronatum* Rupp I, 164; II, 28;
- muelleri* C.R.P. Andrews = *Prasophyllum drummondii* H.G. Reichb. I, 40, 44; II, 28; IV, 77;
- Prasophyllum nichollsianum* Rupp I, 131; II, 28, 84; IV, 83;**
- nigricans* R. Br. I, 124, 131, 164; II, 28, 62, 124, 146; III, 45, 133, 140; IV, 76, 109; V, 42, 120;
- nublingii* R. Rogers II, 28; III, 103;
- nudum* J.D. Hook. II, 28; IV, 8, 10;
- obovatum* Rupp II, 28; III, 140;
- occidentale* R. Rogers V, 78;
- odoratum* R. Rogers I, 51, 102; II, 28, 143, 146; III, 103, 133, 139; IV, 82; V, 56, 78, 84, 85, 120;
- var. *album* (R. Rogers) R. Rogers = *Prasophyllum odoratum* R. Rogers III, 92;
- var. *odoratum* III, 92;
- ovale* Lindley var. *ovale* IV, 76;
- var. *triglochin* H.G. Reichb. IV, 77;
- pallidum* Nicholls V, 78;
- paludosum* Nicholls = *Prasophyllum drummondii* H.G. Reichb. I, 44; IV, 77;
- parvicallum* Rupp II, 146;
- parviflorum* (R. Rogers) Nicholls I, 125;
- patens* R. Br. I, 102; II, 28, 146; III, 140; IV, 82; V, 120;
- plumaeforme* Fitzg. = *Prasophyllum ovale* Lindley var. *triglochin* H.G. Reichb. IV, 77;
- plumosum* Rupp II, 28; IV, 83; V, 120;
- reflexum* Fitzg. I, 104; II, 28; IV, 83;
- Prasophyllum reflexum* Fitzg., S.C. Clemesha I, 104;**
- Prasophyllum rogersii* Rupp II, 28;
- rotundiflorum* R. Rogers = *Prasophyllum odoratum* R. Rogers V, 56;
- rufum* R. Br. I, 164; II, 4, 28; III, 133, 140; IV, 8, 83; V, 78, 120;
- ruppii* R. Rogers I, 80, 104, 131; II, 28; IV, 83;
- var. *menaiense* Rupp II, 28;
- Prasophyllum ruppii* R. Rogers, M.J. Corrigan I, 80;**
- Prasophyllum sagittiferum* Rupp II, 28, 133;
- sargentii* (Nicholls) A.S. George IV, 76;
- Prasophyllum striatum* R. Br. II, 28; III, 103; IV, 82;
- suttonii* R. Rogers II, 28, 143; III, 126;
- transversum* Fitzg. II, 28;
- trifidum* Rupp I, 131; II, 28; IV, 83;
- unicum* Rupp II, 28; IV, 83;
- uroglossum* Rupp II, 28, III, 78;
- validum* R. Rogers V, 77, 78;
- viride* Fitzg. I, 131; II, 28, 146; IV, 83;
- wilsoniense* Rupp II, 28; IV, 71;
- woollsii* F. Muell. II, 28; IV, 83;
- Prasophyllums, A Comparison of Two . . ., According to Rupp, L. Cady I, 164;**
- President, A Message from the . . . On Objectives, J. Betts V, 22;**
- President's Travels, The, W.H. Murdoch I, 87;**
- Pseudechis porphyriacus* (Reptilia) II, 51, 95;
- Pseuderia similis* Schltr. V, 88;
- Pteris* L. III, 33;
- Pteroceras hirticalcar* (Dockr.) Garay IV, 77; V, 108, 124;
- spathulatus* (R. Rogers) Garay IV, 77; V, 39, 40, 106, 107, 108;
- Pteroceras spathulatus* (R. Rogers) Garay in South Queensland, K.R. Crouther V, 104;**
- Pteroceras spathulatus* (R. Rogers) Garay, Positive Identification of . . ., P. Vaughan V, 108;**
- Pterostylidinae* II, 80;
- Pterostylids* II, 108; IV, 23;
- Pterostylids*, (Grass Leaved) I, 3;
- Pterostylids*, The . . . of New Zealand, E.D. Hatch I, 127;**
- Pterostylis* R. Br. I, 3, 5, 21, 72, 88, 109, 142, 152, 153, 154, 158; II, 50, 54, 57, 58, 80, 86, 95, 96, 108, 145; III, 4, 30, 31, 47, 56, 60, 61, 62, 63, 75, 120; IV, 10; V, 57, 58, 63, 169;
- Pterostylis*, A New . . . in North Queensland, B. Gray III, 118;**
- Pterostylis*, A New . . . from Southern New South Wales, S.C. Clemesha IV, 100;**
- Pterostylis*, A New . . . from the Highlands of N.S.W. & The A.C.T., J.A.P. Blackmore III, 2;**
- Pterostylis*, A New Species of . . . for New South Wales, W.T. Upton II, 114;**
- Pterostylis*, A New Species of . . . from North Queensland, S.C. Clemesha & B. Gray IV, 18;**
- Pterostylis*, A Review of the so-called 'Rufous-group' of the Genus . . ., J.A.P. Blackmore & S.C. Clemesha II, 148;**

- Pterostylis*, Growing . . . (Greenhoods) in Sydney, S.C. Clemesha III, 63;
- Pterostylis* R. Br., The Genus . . ., J.A.P. Blackmore II, 54;
- Pterostylis*, The Reduction of Two Queensland . . . to synonyms, S.C. Clemesha III, 57;
- Pterostylis*, The Rufous Group of . . ., A Preliminary Review, J.A.P. Blackmore I, 69;
- Pterostylis*, The "Rufous Group" of . . ., J.A.P. Blackmore I, 160;
- Pterostylis*, The "Rufous Group" of ..., *Pterostylis boormanii* Rupp, J. A. P. Blackmore I, 78;
- Pterostylis acuminata* R. Br. I, 94, 153, 156; II, 28, 55, 62, 144; III, 60, 75, 133, 145; IV, 18, 22, 50, 84; V, 31, 54, 120;
- var. *acuminata* II, 146; III, 30, 66, 118;
- var. *ingens* Rupp = *Pterostylis* X *ingens* (Rupp) D. Jones III, 66, 75, 91; IV, 71; V, 54;
- Pterostylis acuminata* var. *ingens* Rupp in N.S.W., S.C. Clemesha III, 66;
- Pterostylis aestiva* D. Jones IV, 57, 96;
- alata* (Labill.) H.G. Reichb. I, 7, 19, 98, 110, 124; II, 28, 96, 144; III, 120, 132, 133, 146; IV, 44, 50; V, 109;
- alobula* (Hatch) L.B. Moore IV, 10, 11;
- alpina* R. Rogers = *Pterostylis scabrida* Lindley II, 28, 144; III, 64, 66, 69, 126; IV, 102;
- alveata* Garnet = *Pterostylis obtusa* R. Br. II, 72, 73; III, 66; IV, 10; V, 120, 127;
- Pterostylis alveata* Garnet in N.S.W., S.C. Clemesha II, 72;
- Pterostylis angusta* A.S. George IV, 77;
- areolata* Petrie I, 128; IV, 102;
- australis* J.D. Hook. I, 128;
- banksii* R. Br. ex Cunn. I, 128; IV, 11;
- var. *banksii* I, 129; III, 57;
- var. *patens* (Colenso) Hatch I, 130;
- baptistii* Fitzg. I, 51; II, 28, 57, 80, 95, 96, 113, 144, 146; III, 59, 118; IV, 20, 84, 92; V, 31, 115, 116;
- barbata* Lindley I, 18, 20, 44, 110, 124, 127, 153, 156; II, 6, 28, 55, 56, 80, 108, 124, 144; III, 44, 46, 56, 132, 147, IV, 50;
- bauerii* (R. Br.) Poiret = *Genoplesium bauerii* R. Br. I, 131;
- biseta* Blackmore et Clemesha II, 148, 149, 150, 151, 152, 156, 160, 166; III, 1, 62, 146; IV, 50, 51; V, 47, 78;
- boormanii* Rupp I, 67, 69, 70, 71, 78, 81, 153, 156; II, 4, 29, 55, 80, 85, 108, 144, 148, 149, 152, 153, 154, 166; III, 60, 62, 146; IV, 50; V, 47, 78;
- Pterostylis boormanii* Rupp, R. Nash III, 62;
- Pterostylis bureauviana* Schltr. III, 30;
- brumalis* L.B. Moore IV, 10, 11;
- byrnesii* Blaxell IV, 77;
- caulescens* L.O. Williams I, 130;
- celans* Rupp = *Pterostylis nana* R. Br. II, 73; V, 126, 128;
- ceriflora* Blackmore et Clemesha = *Pterostylis gibbosa* R. Br. II, 148, 149, 156, 157, 158, 163, 166; III, 111; IV, 95;
- clavigera* Fitzg. = *Pterostylis nana* R. Br. III, 133;
- coccinea* Fitzg. I, 7, 51, 98, 109, 127; II, 29, 30, 31, 144; III, 59, 145; IV, 10, 11; V, 119;
- Pterostylis coccinea* Fitzg., On . . ., E.D. Hatch II, 30;
- Pterostylis concinna* R. Br. I, 6, 7, 98, 110, 153, 156; II, 29, 62, 113, 114; III, 47, 60, 87, 120, 142; IV, 63, 82, 84;
- Pterostylis concinna* R. Br., Upton & Clemesha I, 5;
- Pterostylis concinna* R. Br. in Queensland, S.C. Clemesha I, 110;
- Pterostylis concinna*, The Re-discovery of . . . in South Australia, M. Beek III, 87;
- Pterostylis* X *conoglossa* Upton II, 114, 115; III, 91, 120;
- Pterostylis conoglossa* Upton, An Earlier Recording of .. in N.S.W., D.L. Jones III, 91;
- Pterostylis constricta* O. Sarg. = *Pterostylis scabra* Lindley var. *scabra* IV, 77;
- crypta* Nicholls = *Pterostylis obtusa* R. Br. II, 73; V, 126, 127, 128;
- cucullata* R. Br. I, 18, 20, 127; II, 124; III, 46, 64; IV, 92, 102;
- curta* R. Br. I, 18, 19, 20, 51, 98, 109, 124, 153, 156; II, 29, 62, 95, 96, 113, 144; III, 30, 56, 142; IV, 11, 18, 20, 22, 30, 32, 34, 36, 50, 84, 92; V, 38, 55, 78, 119, 120;
- cycnocephala* Fitzg. I, 19, 51, 110, 127; II, 29, 57, 144, 158; III, 64, 147; V, 61, 62, 78, 120;
- daintreana* F. Muell. ex Benth. I, 50, 51, 80; II, 29, 146; III, 146; IV, 84; V, 120;
- decurva* R. Rogers I, 51, 109; II, 29, 144; III, 2, 146; V, 120, 136;
- depauperata* Bailey II, 146; III, 118;
- dubia* R. Br. IV, 102;
- erecta* Hunt III, 57;
- falcata* R. Rogers = *Pterostylis furcata* Lindley I, 109, 124, 153, 156; II, 29, 30, 56, 57, 58, 76, 80, 128, 144; III, 126, 132, 145; IV, 102; V, 54, 57, 120, 124;
- fischii* Nicholls I, 100, 137; II, 29; III, 2, 66, 133, 145; V, 120;
- Pterostylis fischii* Nicholls, J.A.P. Blackmore I, 100;
- Pterostylis fischii*, Early Impressions of . . . in Cultivation, B. Whitehead I, 137;
- Pterostylis foliata* J.D. Hook. I, 127, 128; II, 76, 77, 124, 144; III, 46, 64, 66, 67; IV, 11; V, 57, 85;
- foliata-gracilis* nomen nudum I, 127
- Pterostylis foliata* J.D. Hook. in N.S.W., W. Brinsley III, 66;
- Pterostylis foliata* J.D. Hook., Early Records of . . . from N.S.W., D.L. Jones IV, 11;
- Pterostylis furcata* Lindley II, 29, 76, 144; III, 64, 66, 68; IV, 102; V, 57;
- var. *linearis* Hatch I, 127;
- furcata-micromega* nomen nudum I, 127;
- var. *micromega* (J.D. Hook.) Hatch I, 127;
- X *furcillata* Rupp II, 29; III, 91;
- gibbosa* R. Br. I, 70; II, 148, 149, 150, 158, 159; IV, 50;
- subsp. (var.) *gibbosa* II, 151, 152, 158, 160, 161, 163, 166;
- subsp. *mittchellii* (Lindley) Blackmore et Clemesha II, 153, 160, 161, 163, 166; III, 118, 132, 147, 162; IV, 51; V, 34;
- gracilis* Nicholls = *Pterostylis foliata* J.D. Hook I, 127; III, 66;
- graminea* J.D. Hook. I, 130;
- grandiflora* R. Br. I, 51, 98, 153, 156; II, 29, 55, 57, 62, 80, 95, 96, 113, 146; III, 118, 131, 132, 145; IV, 84; V, 34;
- hamata* Blackmore et Clemesha II, 148, 149, 154, 155, 156, 158, 166; III, 146; IV, 50; V, 47, 78, 120;
- hamiltonii* Nicholls = *Pterostylis scabra* Lindley var. *robusta* (R. Rogers) A.S. George III, 44; IV, 77;

- hildae* Nicholls I, 51, 88, 153, 156; II, 29, 144, 146; III, 31, 118; IV, 18, 20, 22, 30, 32, 34, 36; V, 38;
- Pterostylis hildae* Nicholls, S.C. Clemesha IV, 30, 34;**
- Pterostylis hispidula* Fitzg. = *Pterostylis nutans* R. Br.
var. *hispidula* (Fitzg.) C. Moore et Betch V, 120;
- humilis* R. Rogers I, 127, 128;
- Pterostylis* hybrid -- *concinna* X *ophioglossa* III, 91;
- Pterostylis* X *ingens* (Rupp) D. Jones V, 54;
- irsoniana* Hatch I, 128, 129, 130;
- laxa* Blackmore III, 2, 3, 4, 102, 145; IV, 109, 110; V, 119;
- longicurva* Rupp II, 29; III, 132, 145; IV, 71, V, 120;
- longifolia* R. Br. I, 19, 51, 110, 124, 143, 153, 156; II, 29, 57, 62, 80, 95, 96, 113, 124; III, 46, 56, 146; IV, 84; V, 2, 78, 117, 118, 120;
- longipetala* Rupp II, 29; III, 62, 145;
- Pterostylis longipetala* Rupp, S.C. Clemesha III, 62;**
- Pterostylis matthewsii* Cheesem. = *Pterostylis nutans* R. Br. var. *nutans* I, 127;
- micromega* J.D. Hook. I, 127; IV, 34;
- mitchellii* Lindley I, 67, 69, 70, 71; II, 29, 56, 57, 146, 148, 150, 160, 161, 162, 166; III, 60; IV, 50;
- mitchellii* sensu J. Black III, 62;
- montana* Hatch I, 128, 130;
- var. *rubricaulis* (Matthews) Hatch I, 128;
- mutica* R. Br. I, 18, 20, 110, 124, 127, 153, 156; II, 4, 29, 33, 57, 62, 144, 146, 158; III, 64, 111, 147; V, 42, 47, 61, 62, 78, 120;
- nana* R. Br. I, 5, 7, 19, 44, 124, 127, 143, 153, 156; II, 29, 33, 57, 73, 85; III, 44, 56, 60, 87, 132, 145; IV, 109, V, 2, 58, 78, 126, 128;
- Pterostylis nana* R. Br., G.W. Althofer III, 44;**
- Pterostylis nana* R. Br., B. Whitehead II, 85;**
- Pterostylis* nana-puberula nomen nudum I, 127;
- neocaledonica* Schltr. III, 30; IV, 34, 35;
- nutans* R. Br. I, 19, 51, 110, 124, 127, 143, 153, 156; II, 29, 57, 58, 62, 95, 96, 113, 124, 144, 146; III, 45, 46, 47, 56, 60, 142, 152; IV, 11, 23, 32, 84; V, 2, 54, 119, 120, 124, 136;
- var. *hispidula* (Fitzg.) C. Moore et Betch II, 29, 140; III, 152; V, 75;
- nutans-matthewsii* nomen nudum I, 127;
- Pterostylis nutans* R. Br. var. *nutans* II, 140; III, 30, 152; V, 75;
- obtusata* R. Br. I, 3, 7, 51, 100, 128; II, 29, 72, 73, 95, 96, 113, 146; III, 62, 146; IV, 84; V, 119, 120, 126, 127, 128;
- oliveri* Petrie I, 128; IV, 10;
- ophioglossa* R. Br. I, 7, 51, 153, 156; II, 29, 113, 114, 144, 146; III, 60; V, 38, 120;
- var. *collina* Rupp = *Pterostylis ophioglossa* subsp. *ophioglossa* II, 29, 146; III, 30, 118; V, 38;
- Pterostylis ophioglossa* R. Br. var. *ophioglossa*, A Reduction of *Pterostylis tenuicauda* Kranzlin to a synonym of . . . , S.C. Clemesha III, 30;**
- Pterostylis oreophila* S.C. Clemesha = *Pterostylis dubia* R. Br. IV, 100, 101, 102;
- parviflora* R. Br. I, 51, 66, 110, 112, 124, 137; II, 4, 29, 56, 57, 108, 113, 144, 146; III, 60, 118, 146; IV, 84, 109; V, 34, 119, 120, 124;
- pedoglossa* Fitzg. I, 98; II, 29, 96, 144; IV, 84;
- pedunculata* R. Br. I, 7, 18, 20, 51, 110, 124, 143; II, 29, 95, 113, 124, 144, 146; III, 45, 46, 47, 56, 57, 87, 132, 145; IV, 30, 84; V, 2, 55, 78, 120;
- plumosa* Cady IV, 50; V, 2, 78;
- praecox* Lindley = *Pterostylis alata* (Labill.) H.G. Reichb. III, 133; IV, 44;
- pulchella* Messmer I, 94, 153, 156; II, 29;
- pusilla* R. Rogers I, 19, 51, 67, 69, 70, 71, 110, 124; II, 29, 57, 62, 144, 146, 164, 166; III, 44, 47;
- var. *aciculiformis* Nicholls = *Pterostylis rufa* R. Br. subsp. *aciculiformis* (Nicholls) Blackmore et Clemesha II, 29, 146, 164, 166;
- var. *prominens* Rupp = *Pterostylis rufa* R. Br. subsp. *rufa* I, 67, 70, 71, 160; II, 29, 148, 160, 161, 163, 164, 166; V, 120;
- var. *pusilla* II, 148, 160, 161, 164, 166;
- Pterostylis pusilla* Blackmore (name illeg.) II, 164;
- Pterostylis recurva* Benth. I, 42, 100, 153, 156;
- reflexa* R. Br. I, 109, 131, 153, 156; II, 29, 144, 146; III, 2, 62, 145; V, 119, 120;
- revoluta* R. Br. I, 79, 109, 124, 137; II, 4, 29, 57, 85, 144, 146; III, 57, 60, 62, 145; IV, 109; V, 119, 120;
- Pterostylis revoluta* R. Br., An Unusual Habitat Record for . . . , B. Whitehead III, 60;**
- Pterostylis robusta* R. Rogers = *Pterostylis scabra* Lindley var. *robusta* (R. Rogers) A.S. George I, 18, 19, 20; II, 144; III, 44, 75; IV, 50, 77, 109; V, 47, 78;
- rubella* Colenso I, 128;
- rufa* sensu Fitzg. I, 67, 71;
- rufa* as used in South Australia I, 67, 71;
- rufa* R. Br. I, 69, 70, 124, 131, 153, 156; II, 29, 56, 57, 146, 148, 149, 150, 152, 160, 161, 163, 165; V, 59, 60, 120;
- var. *aciculiformis* (Nicholls) Blackmore et Clemesha II, 148, 157, 163, 164, 166; III, 147; IV, 71; V, 78, 120;
- var. *despectans* Nicholls = *Pterostylis biseta* Blackmore et Clemesha II, 148, 150, 152, 166;
- ssp. *mitchellii* (Lindley) Fitzg. = *Pterostylis mitchellii* Lindley II, 161, 166;
- ssp. *rufa* II, 153, 158, 163, 164, 166; III, 147;
- var. *squamata* (R. Br.) Fitzg. = *Pterostylis rufa* R. Br. ssp. *rufa* II, 163; III, 1;
- Pterostylis* 'rufa' group V, 42;
- Pterostylis russellii* Hunt II, 146; III, 57;
- sargentii* C.R.P. Andrews V, 190;
- scabra* Lindley IV, 50;
- var. *robusta* (R. Rogers) A.S. George IV, 77, 109, 110;
- var. *scabra* IV, 77;
- speciosa* Hunt non Colenso = *Pterostylis revoluta* R. Br. III, 57;
- squamata* R. Br. = *Pterostylis rufa* R. Br. subsp. *rufa* I, 67, 69, 70, 71, 78, 124; II, 29, 56, 148, 150, 152, 154, 156; 162, 163, 164, 166;
- var. *vallida* Nicholls = *Pterostylis boormanii* Rupp II, 152, 154, 166; III, 1;
- Pterostylis squamata* J.D. Hook. non R. Br. = *Pterostylis barbata* Lindley I, 127;
- striata* Fitzg. = *Pterostylis alata* (Labill.) H.G. Reichb. III, 133; IV, 44;
- stricta* Clemesha et B. Gray IV, 18, 20, 21, 22, 30, 32, 36; V, 38;
- tenuicauda* Kranzlin = *Pterostylis ophioglossa* R. Br. ssp. *ophioglossa* III, 30;
- Pterostylis tenuicauda* Kranzlin, A Reduction of . . . to a synonym of *Pterostylis ophioglossa* R. Br. var. *ophioglossa*, S.C. Clemesha III, 30;**
- Pterostylis tenuissima* Nicholls II, 73; III, 34; V, 124;
- X *toveyana* Ewart et Sharman I, 7; III, 120;
- trullifolia* J.D. hook. I, 3; II, 30; IV, 11;
- var. *alobula* Hatch I, 128, 130;
- var. *gracilis* Cheesem. I, 128;

- var. *rubella* (Colenso) Hatch I, 128, 129;
truncata Fitzg. I, 7, 79, 94, 110, 153, 156; II, 29, 144;
 III, 111, 145; IV, 32; V, 119;
turfosa Endl. = *Pterostylis barbata* Lindley I, 44;
 II, 56; IV, 50;
venosa Colenso I, 128, 130;
vereenae R. Rogers = *Pterostylis foliata* J.D. Hook.
 III, 64, 87; IV, 102; V, 57, 85;
vittata Lindley I, 18, 19, 20, 42, 124, 153, 156; II, 54, 80;
 III, 44, 75; V, 78;
woollsii Fitzg. I, 51, 67, 69, 70, 71, 160, 161, 162; II, 29,
 57, 80, 146, 149, 150, 158, 163, 166; III, 146; IV,
 32; V, 59, 60, 120;
Prostanthera Labill. IV, 44;
Prostanthera phyllicifolia F. Muell. IV, 44;
Ptilocnemus spp. (Insecta) IV, 38;
Ptilonorhynchus violaceus (Aves) II, 61;
Pultenaea Smith IV, 6;
Pultenaea hispidula R. Br. ex Benth. IV, 6;
 Pumpkin beetle IV, 38;
 Pyrethrin IV, 38, 39;
Quadrastipidiotis perniciosus (Insecta) IV, 39;
 Queensland, A New Record for South East . . . , J.
 Clarkson V, 86;
 Queensland, Recent Discoveries in North . . . , P.S.
 Lavarack V, 159;
 Questions and Answers III, 59;
 Recording, A New . . . for Australia, L. Cady IV, 8;
 Recordings, Recent . . . , M.J. Corrigan III, 111;
 Recordings, Recent . . . , C.K. Ingram III, 102;
 Records and Herbarium I, 4;
 Records, Three Additional . . . for N.S.W., J.A.P.
 Blackmore II, 76;
Renanthera Lour. IV, 42;
Restio tetraphylla Labill III, 45;
Rhagigiaster (Insecta) II, 120;
Rhinerrhiza Rupp II, 17, IV, 95; V, 49;
Rhinerrhiza divitiflora (F. Muell. ex Benth.) Rupp I, 21,
 51, 141; II, 29, 146; III, 31, 128; IV, 58, 62; V, 34, 39,
 103, 136, 143, 144;
Rhinerrhiza divitiflora, A Cultural Note on . . . , T.
 Gregory V, 143;
Rhinochilus ?nomen nudum IV, 95; V, 49;
Rhizanthella R. Rogers II, 86; IV, 22; V, 3, 5;
Rhizanthella gardneri R. Rogers I, 66; II, 143; V, 3, 4;
Rhizanthella gardneri R. Rogers, J. Trott V, 3;
Rhizanthellinae V, 4, 5;
Rhizobium I, 118;
Rhodalis cardinalis (Insecta) IV, 38;
Rhododendron lochae F. Muell. III, 154;
Rhoecocoris australasiae (Insecta) IV, 38;
 Rhubarb extract IV, 39;
Rhynchostylis retusa Blume III, 128;
Rimacola elliptica (R. Br.) Rupp II, 29, 62; III, 88; IV, 83,
 92;
 Robert David Fitzgerald (1830-1892), J. Betts V, 10;
Robiquetia mooreana (Rolfe) J.J. Smith V, 152;
rectifolia Dockr. II, 146; IV, 77;
tierneyana (Rupp) Dockr. II, 146; III, 33, 123; IV, 98;
wassellii Dockr. II, 146; IV, 98;
 Rogor 40 IV, 39;
 Root Pests IV, 112;
 Rotenone IV, 39;
 Royal Botanic Garden & National Herbarium (N.S.W.)
 Records, 1968 & 1969, Ed. IV, 70;
 Rupp to Fordham, Letters, On *Rhinerrhiza divitiflora*, A
 Monotypic Genus, J. Betts V, 144;
Saccolabiopsis armittii (F. Muell.) Dockr. II, 146;
rectifolia (Dockr.) Garay IV, 77;
Saccolabium brevilabre (F. Muell.) Rupp = *Plectorrhiza*
brevilabris (F. Muell.) Dockr. III, 31;
hillii F. Muell. = *Peristeranthus hillii* (F. Muell.) Hunt
 V, 81, 82;
rhopalorrhachis (H.G. Reichb.) J.J. Smith =
Trachoma rhopalorrhachis (H.G. Reichb.)
 Garay III, 54, 55; IV, 98;
Saccolabium rhopalorrhachis (H.G. Reichb.) J.J. Smith,
 New Guinea's . . . , N.H.S. Howcroft III, 54;
Saccolabium subluteum Rupp = *Trachoma subluteum*
 (Rupp) Garay II, 146; III, 33; IV, 77;
tierneyanum Rupp = *Robiquetia tierneyana* (Rupp)
 Dockr. III, 33;
 Sarcanthinae II, 79, 137; III, 25, 81, 128; V, 151;
 Sarcanthinae, An Unusual . . . from the Upper Allyn, P.
 Vaughan V, 39;
Sarcanthus Lindley I, 74, 97, 154;
Sarcanthus beckeri (F. Muell. ex Benth.) Rupp =
Papillabium beckeri (F. Muell. ex Benth.) Dockr.
 I, 21, 34, 51, 105, 141; II, 29;
macphersonii (F. Muell.) Rupp = *Pomatocalpa*
macphersonii (F. Muell.) Hunt II, 137;
purpuratus (Rupp) Rupp = *Schistotylus purpuratus*
 (Rupp) Dockr. I, 21, 51, 140; II, 29;
quinquefidus (Lindley) Schltr. V, 152;
Sarcanthus tridentatus (Lindley) Rupp = *Plectorrhiza*
tridentata (Lindley) Dockr. I, 21;
Sarcochilus R. Br. I, 3, 57, 154; II, 79, 99; III, 72, 74, 88,
 100; IV, 95; V, 49, 50, 90;
Sarcochilus, A New Species of . . . from North
 Queensland, S.C. Clemesha II, 92;
Sarcochilus, A New Status for a North Queensland . . .
 (Orchidaceae), S.C. Clemesha III, 35;
Sarcochilus, A New . . . from Northern Queensland, Ed.
 V, 3;
Sarcochilus, A . . . Problem, S.C. Clemesha & W.T.
 Upton I, 32;
Sarcochilus adversus Hook. I, 32;
amplexicaulis H.G. Reichb. III, 114;
australis (Lindley) H.G. Reichb. I, 21, 32, 33, 51, 141,
 142; II, 29, 124; IV, 45, 84; V, 39, 135;
Sarcochilus australis (Lindley) H.G. Reichb., S.C.
 Clemesha I, 51;
Sarcochilus barklyanus F. Muell. = *Sarcochilus australis*
 (Lindley) H.G. Reichb. I, 32;
brevirhachis Upton = *Dryadorchis barbellata* Schltr.
 V, 24, 25;
ceciliae F. Muell. I, 51, 88, 138, 141; II, 29, 61, 119,
 146; III, 35, 74, 111; IV, 58, 71; V, 63, 64, 97, 120;
 ssp. *ceciliae* II, 92, 94;
 ssp. *roseus* Clemesha = *Sarcochilus roseus* (Clemesha)
 Clemesha II, 92, 93, 94, 146; III, 35;
Sarcochilus ceciliae ssp. *roseus* X *Sarcochilus falcatus*
 II, 94;
Sarcochilus ceciliae ssp. *roseus* X *Sarcochilus hartmannii*
 II, 94;
Sarcochilus chrysanthus Schltr. V, 110, 111, 152;
Sarcochilus chrysanthus Schltr., A Species from the Mid-
 mountain Forests of New Guinea, N.H.S.
 Howcroft V, 110;
Sarcochilus dilatatus F. Muell. I, 32, 51; III, 79, 102;
divitiflorus F. Muell. ex Benth. = *Rhinerrhiza*
divitiflora (F. Muell. ex Benth.) Rupp V, 13, 16;

- Sarcochilus falcatus* R. Br. I, 21, 23, 26, 27, 32, 38, 51, 108, 126, 138, 141; II, 29, 61, 79, 146; III, 31, 32, 79, 88, 100, 128; IV, 45, 58, 59, 71; V, 34, 39, 98, 103, 114, 120, 129, 135;
- Sarcochilus falcatus*, A Cultural Note on . . . , T. Gregory V, 129;**
- Sarcochilus fitzgeraldii* F. Muell. I, 51, 97, 138; II, 29, 79, 119, 146; III, 29, 35, 74; IV, 64, 72; V, 101, 102; var. *aemulus* Rupp = *Sarcochilus fitzgeraldii* F. Muell. I, 51;
- gunnii* F. Muell. = *Sarcochilus australis* (Lindley) H.G. Reichb. I, 32;
- harriganae* Rupp - spec. dubia I, 34; V, 40;
- hartmannii* F. Muell. I, 21, 138; II, 29, 61, 79, 119, 139; III, 35, 74, 88, 128; IV, 58, 64, 97, 124, 136;
- Sarcochilus hartmannii* X *Sarcochilus ceciliae* III, 128;
- Sarcochilus hartmannii* F. Muell., B. Chick II, 139;**
- Sarcochilus hillii* (F. Muell) F. Muell. I, 21, 27, 51, 105, 141; II, 29, 94, 119; III, 35, 79; IV, 46, 58, 59, 62, 71, 84, 92, 99, 100; V, 39, 64, 103, 135;
- Sarcochilus hillii* & *S. tricallatus*, Growing . . . , G.R. Young IV, 99;**
- Sarcochilus hirticalcar* nomen nudum = *Pteroceras hirticalcar* (Dockr.) Garay III, 102;
- Sarcochilus iboensis* Schltr. V, 110;
- lilacinus* Griff. III, 114;
- moorei* (H.G. Reichb.) Schltr. IV, 42; V, 152;
- newportii* Bailey = *Bulbophyllum newportii* (Bailey) Rolfe II, 38, 42, 72, 100;
- odoratus* Schltr. V, 110;
- olivaceus* Lindley I, 21, 26, 27, 29, 32, 33, 51, 105, 108, 141; III, 102, 156; IV, 45, 58, 60, 62, 72; V, 3, 24, 40, 64, 103, 135, 136;
- olivaceus* forma? V, 41;
- Sarcochilus olivaceus* Lindley var. *borealis* Nicholls = *Sarcochilus olivaceus* Lindley I, 32; II, 146; III, 155;
- var. *olivaceus* II, 146;
- parviflorus* Lindley = *Sarcochilus australis* (Lindley) H.G. Reichb. I, 32;
- roseus* (Clemesha) Clemesha III, 35; V, 63, 64;
- serrulatus* D. Jones IV, 57; V, 3, 64;
- singularis* J.J. Smith V, 110;
- spathulatus* R. Rogers = *Pteroceras spathulatus* (R. Rogers) Garay I, 2, 32, 33, 34, 51, 141; II, 29, 61, 146; III, 102; V, 64;
- tricallatus* (Rupp) Rupp I, 156, 157; II, 94, 146; III, 35; IV, 99, 100; V, 64;
- Sarcochilus tricallatus*, Growing *Sarcochilus hillii* & . . . , G.R. Young IV, 99;**
- Sarcochilus uniflorus* Schltr. V, 110;
- weinthalii* Bailey I, 27, 51, 54; II, 29; III, 102; IV, 77; V, 64;
- Sarcophagidae IV, 106, 108;
- Sarcopteryx stipitata* (F. Muell.) Radlk. V, 97;
- Sarcophiza IV, 95;
- Sarcorrhiza IV, 95;
- Schefflera actinophylla* (Endl.) Harms II, 138;
- Schistotylus purpuratus* (Rupp) Dockr. IV, 58; V, 135;
- Schoenorchis densiflora* Schltr. II, 146; IV, 98; V, 108, 163;
- sarcophylla* Schltr. V, 163, 164;
- Scutiphora rubro-maculata* (Insecta) IV, 38;
- Sebaea ovata* (Labill.) R. Br. IV, 6;
- Selaginella* Beauv. III, 32;
- Senecio quadridentatus* Labill. IV, 6;
- Sesame II, 125;
- Sestochilus II, 89;
- Slay-afe IV, 39;
- Sloanea* L. III, 40;
- Slugs IV, 104;
- Snails IV, 104;
- Solomon Islands, Orchids of the . . . , G.F.C. Dennis V, 87;**
- Something Worth Talking About, R. Smythe III, 163;**
- South Australian Native Terrestrial Orchids, Notes on Cultivation of . . . , R. Nash I, 18;**
- Spathoglottis* Blume II, 5; IV, 44;
- Spathoglottis*, The Genus . . . in Australia, A.W. Dockrill II, 2;**
- Spathoglottis*, Some Australian . . . , A.W. Dockrill II, 5;**
- Spathoglottis altigena* Schltr. V, 151;
- kimballiana* Hort. Sand. II, 2;
- papuana* Bailey V, 151;
- paulinae* F. Muell. II, 2, 3, 5, 137, 146; V, 64;
- plicata* Blume V, 87;
- rivularis* Schltr. II, 2;
- soutteriana* Bailey = *Spathoglottis paulinae* F. Muell. II, 2;
- Sphaeracron II, 89;
- Spiculaea* Lindley II, 80; III, 31;
- Spiculaea ciliata* Lindley II, 141;
- hunteriana* (sphalm = *huntiana*) II, 29;
- huntiana* (F. Muell.) Schltr. = *Arthrochilus huntiana* (F. Muell.) Blaxell II, 120, 121, 141, 142, 143; III, 140; IV, 44, 76;
- Spiculaea huntiana* (F. Muell.) Schltr., Pollination of . . . , E.R. Rotherham II, 120;**
- Spiculaea irritabilis* (F. Muell.) Schltr. = *Arthrochilus irritabilis* F. Muell. I, 51, 156, 157; II, 29, 62, 80, 136, 141, 142, 146; III, 21, 31, 60; IV, 76, 83;
- Spiranthes* Rich. I, 3, 21, 74; II, 30; IV, 10, 11;
- Spiranthes australis* Lindley = *Spiranthes sinensis* (Pers.) Ames ssp. *australis* (R. Br.) Kitam I, 49;
- autumnalis* Rich. V, 56;
- lancea* (Thunb. ex Sw.) Backer I, 3;
- Spiranthes lancea* (Thunb. ex Sw.) Backer, R.C. Bakhuizen & Steenis I, 49;**
- Spiranthes sinensis* (Pers.) Ames I, 49, 51, 75, 97, 110, 112, 124, 143; II, 29, 95, 96, 143, 146; III, 60, 131, 147; IV, 23, 84; V, 65, 120, 124;
- Sporodanthus* = *Sporadanthus* I, 3;
- Springtails IV, 80;
- Square Mile, An Interesting . . . , M.J. Firth I, 97;**
- Stellilabium* Schltr. V, 169;
- Stenocarpus* R. Br. IV, 69;
- Stethopachys formosa* (Insecta) IV, 38;
- Stick Insects IV, 80;
- Stinging Trees, Something to Watch but not too Closely, P. Vaughan V, 114;**
- Stipa* L. IV, 4;
- Stradbroke Island Bush Walk, M.J. Percival III, 60;**
- Strumenta (Insecta) III, 61;
- Stylidium graminifolium* Sw. ex Willd. IV, 6;
- Stypandra glauca* R. Br. IV, 6;
- Sucking Insects IV, 104;
- Sulphur & Lime IV, 39;
- Symmetry, Concerning the . . . of Flowers, P.S. Vadilo IV, 98;**
- Syncarpia glomulifera* (Smith) Niedenzu IV, 69;
- Syrphidae (Insecta) II, 94;
- Syrphus (Insecta) II, 94;
- Taeniophyllum* Blume III, 31, 32; IV, 42, 59, 93;

- Taeniophyllum aureum* Schltr. V, 152;
cymbiforme Hunt = *Taeniophyllum glandulosum* Blume III, 33;
flavum Dockr. III, 31, 155, 156; V, 160;
glandulosum Blume V, 64, 65;
lobatum Dockr. II, 146;
malianum Schltr. V, 160, 162;
muelleri Benth. I, 21, 51, 97, 126; II, 146;
wilkianum Hunt = *Taeniophyllum glandulosum* Blume II, 146; III, 32, 33, 156; IV, 58, 59; V, 34, 64;
Tainia parviflora Schltr. I, 138; II, 146;
Tasmania, A New Record for . . ., M.J. Firth I, 113;
Tasmania, New Recordings from . . ., R. Curtis I, 125;
Tasmania, Native Orchids of North Western . . ., B.J. Dudman I, 142;
Telipogon Mutis ex Kunth V, 169;
Tenodera australasiae (Insecta) IV, 38;
Terminalia L. III, 40;
Termites IV, 80;
Terrestrials, Change of Climate — Effect on Cultivated . . .
B. Whitehead II, 144;
Tetranychus sp. (Insecta) IV, 38;
Tetrarrhena tetragyna IV, 6;
The Flowering Periods of Australian & New Zealand Orchids, Section I, N.S.W., E.G. Gordon II, 25;
The Published Writings of A.W. Dockrill, P. Colman II, 13;
Thelasis carinata Blume IV, 98;
Thelymitra J. Forst. & G. Forst. I, 3, 21, 74, 124, 142, 152, 154, 158, 159; II, 30, 44, 50, 51, 61, 79; III, 31, 45, 46, 60, 97, 100, 155; IV, 10, 23; V, 5, 42, 57, 58, 63, 186;
***Thelymitra*, Opening of . . . Flowers, P.H.T. Uhlherr** III, 97;
***Thelymitra*(s), The Pink . . . in N.S.W., C.K. Ingram** III, 82;
Thelymitra antennifera (Lindley) J.D. Hook. I, 130; II, 46; III, 44, 82, 92, 97;
aristata Lindley I, 37, 51, 55, 56, 138; II, 29, 33, 108, 124, 143; III, 31, 44, 45, 47, 136, 137, 155, 156; V, 2, 34, 58, 78, 120, 126, 128, 136, 179, 180, 181;
var. *aristata* II, 146;
var. *megcalyptra* (Fitzg.) Nicholls ex J.M. Black = *Thelymitra nuda* R. Br. V, 181;
Thelymitra aristata X *T. nuda* V, 78;
***Thelymitra aristata*, *Dendrobium kingianum* & . . ., The Association of, F. Fordham** I, 55;
Thelymitra azurea R. Rogers = *Thelymitra canaliculata* R. Br. IV, 77;
benthamiana H.G. Reichb. = *Thelymitra fuscolutea* R. Br. var. *fuscolutea* IV, 77;
canaliculata R. Br. IV, 77;
carnea R. Br. II, 29, 62, 108; III, 45, 82, 92, 107, 108, 109, 110, 137; IV, 82, V, 120, 124;
***Thelymitra carnea* R. Br. & *Thelymitra rubra* Fitzg., P.H.T. Uhlherr** III, 107;
Thelymitra X *chasmogama* R. Rogers II, 29; III, 136; IV, 82; V, 55, 78;
Thelymitra circumsepta Fitzg. II, 44, 45, 46, 128, 129; III, 37, 82, 85, 88;
cornicina H.G. Reichb. IV, 77;
crinita Lindley I, 42;
X *cyanea* (Lindley) Benth. II, 128, 129; III, 37, 45;
dedmanae R. Rogers = *Thelymitra fuscolutea* R. Br. var. *stellata* (Lindley) A.S. George IV, 77;
elizabethae F. Muell. = *Thelymitra carnea* R. Br. var. *carnea* III, 82;
fasciculata Fitzg. = *Thelymitra cornicina* H.G. Reichb. IV, 77;
flexuosa Endl. II, 29, 46, 124; III, 45, 82; V, 124;
fuscolutea R. Br. II, 46, III, 44; IV, 77;
var. *stellata* (Lindley) A.S. George IV, 77;
grandiflora Fitzg. = *Thelymitra aristata* Lindley I, 143; II, 124; III, 78, 92; V, 2;
X *irregularis* Nicholls II, 29, 95, 96; III, 133, 136;
ixioides Sw. I, 51, 98, 143, 152, 156, 157; II, 29, 62, 79, 95, 96, 124, 143, 146; III, 8, 45, 78, 92, 97, 127, 136; IV, 63, 82; V, 2, 26, 120, 179, 180;
var. *truncata* (R. Rogers) Nicholls = *Thelymitra* X *juncifolia* Lindley I, 113, 125; II, 29; III, 45; V, 179, 180;
forma *merranae* (Nicholls) Nicholls V, 86, 179, 181;
***Thelymitra ixioides*, Night Flowering . . .**, R.C. Nash III, 4;
Thelymitra longifolia J. Forst. et G. Forst I, 37, 55, 56; III, 137; IV, 82; V, 180, 181;
luteociliium Fitzg. V, 78;
media R. Br. II, 29, 44, 143; III, 78; V, 120;
var. *carneolutea* Nicholls = *Thelymitra media* R. Br. V, 120;
mucida Fitzg. V, 124;
murdochae Nicholls = *Thelymitra aristata* Lindley V, 126, 128;
Thelymitra nuda R. Br. I, 37; II, 30, 143; III, 136; IV, 82, 91; V, 2, 47, 78, 120, 179, 180, 181, 190;
pauciflora R. Br. I, 37, 110, 113, 143; II, 4, 30, 62, 143; III, 37, 47, 84, 92, 100, 136, 137; IV, 63, 82, 109; V, 34, 78, 120, 179, 180, 181;
forma *alba* ?nomen nudum III, 136;
var. *holmesii* (Nicholls) Nicholls = *Thelymitra holmesii* Nicholls I, 125;
var. *pallida* Nicholls nom. inval. II, 30;
var. *pauciflora* II, 146;
pulchella J.D. Hook. IV, 10;
relecta Rupp II, 124, 128, 129; III, 37, 45, 85;
rubra Fitzg. I, 130; II, 30, 46; III, 45, 47, 82, 107, 108, 109, 110; V, 2, 56, 57, 78, 120;
var. *magnanthera* Rupp II, 30; III, 83;
***Thelymitra rubra*, *Thelymitra carnea* & . . .**, P.H.T. Uhlherr III, 107;
Thelymitra truncata R. Rogers = *Thelymitra* X *juncifolia* Lindley III, 136; V, 86, 124, 179, 180;
***Thelymitra truncata* R. Rogers, On the Status of . . .**, D.K. McAlpine V, 179;
Thelymitra urnalis Fitzg. = *Thelymitra rubra* Fitzg. var. *rubra* V, 56, 57;
venosa R. Br. I, 111; II, 30, 44, 124, 128, 143; III, 37, 45, 84, 88, 127; IV, 82; V, 124;
var. *cedric-smithii* Hatch III, 84;
var. *cyanea* (Lindley) Hatch = *Thelymitra* X *cyanea* (Lindley) Benth II, 129; III, 37, 45;
var. *magnifica* Rupp = *Thelymitra venosa* R. Br. II, 30; III, 78, 79, 83;
***Thelymitra venosa* var. *magnifica*, The Reduction of . . . to a Synonym of *Thelymitra venosa* var. *venosa*, S.C. Clemesha** III, 79;
Thelymitra venosa R. Br. var. *venosa* III, 83;
***Thelymitra venosa* var. *venosa*, The Reduction of *Thelymitra venosa* var. *magnifica* to a synonym of . . .**, S.C. Clemesha III, 79;
Thelymitrinae II, 79;

- Themeda australis* (R. Br.) Stapf IV, 6;
Thrips IV, 112;
Thrips imuginis (Insecta) IV, 38;
Thrixspermum amplexicaule (Blume) H.G. Reichb. III, 114, 115, 116;
***Thrixspermum amplexicaule* (Blume) H.G. Reichb., A Recording for the Territory of Papua New Guinea, N.H.S. Howcroft III, 114;**
Thrixspermum arachnites J.J. Smith V, 152;
 congestum (Bailey) Dockr. II, 146;
 lilacinum H.G. Reichb. III, 114;
 parviflorum (Lindley) H.G. Reichb. = *Sarcochilus australis* (Lindley) H.G. Reichb. I, 32;
 platystachys (Bailey) Schltr. II, 137, 146; III, 33;
 tridentatum (Lindley) H.G. Reichb. = *Plectorrhiza tridentata* (Lindley) Dockr. I, 36, 51, 108, 138, 141; II, 30, 96;
Thunia H.G. Reichb. I, 38;
 Thynnid (Insecta) I, 114;
 Thynnidae (Insecta) II, 120;
Todea Willd. II, 139; III, 76;
Todea barbara (L.) T. Moore (misspelled as *Todea barbata*) III, 75;
Townsonia Cheesem. I, 3; II, 80;
T.P.N.G., Collecting Orchids in . . . , P.J. Spence IV, 42;
Trachoma subluteum (Rupp) Garay IV, 77;
Trichoceros Kunth V, 169;
Trichoglottis australiensis Dockr. II, 106, 107;
***Trichoglottis australiensis* Dockr., spec. nov., A.W. Dockrill II, 106;**
Trichoglottis lanceolabris Blume II, 106;
Trichoglottis sororia Schltr. V, 152;
Trigonia (Insecta) V, 169;
Trigonia caponaria (insecta) III, 128;
Trigonidium Lindley V, 169;
Tristania conferta R. Br. I, 140, 142; IV, 60, 69;
 exiliflora V, 163;
 laurina (Smith) R. Br. IV, 37, 60;
 longivalvis F. Muell V, 108;
Tumut Shire, Orchids of the . . . , K. Giles II, 143;
Urtica incisa Piolet V, 114;
 Urticaceae V, 114;
Vaccinium L. IV, 78;
Vanda W. Jones ex R. Br. I, 74, 154; II, 99; III, 26, 33, 78; IV, 80;
Vanda hindsii Lindley V, 152;
 whiteana D. Herbert et S.T. Blake = *Vanda hindsii* Lindley II, 146;
Vandae II, 78, 79;
Vandopsis warocqueana (Rolfe) Schltr. IV, 44;
Vanilla Mill. II, 112, 113, 114; V, 19, 87;
Vanilla aphylla Blume II, 112;
 barbaellata H.G. Reichb. II, 112;
 dilloniana Correll II, 112;
 lutescens Mog. II, 112;
 planifolia Andrews II, 112;
 phalaenopsis H.G. Reichb. II, 112;
 walkeriana Wight II, 112;
 Vanillinaceae II, 81;
Verbena citriodora Cav. = *Aloysia triphylla* (L'Her.) Britt. III, 103;
Victorian Group Outing, D.L. Jones & L.W. Raynes III, 91;
Vrydagzynea solomonensis Schltr. V, 88;
Wahlenbergia Schrad. ex Roth IV, 6;
 Water. On Fluoridated . . . , I, 162;
 White Ants IV, 80;
 White Oil IV, 39;
Xylobium Lindley I, 159;
Yoania Maxim I, 3, 4; II, 119; IV, 10, 11;
Yoania australis Hatch. I, 3, 4; II, 119;
Zeuxine Lindley V, 8, 151;
Zeuxine attenuata R. Rogers et C. White = *Cheirostylis ovata* (Bailey) Schltr. II, 30, 68; IV, 7;
 oblonga R. Rogers & C. White II, 68, 71, 146; IV, 7; V, 8;
***Zeuxine oblonga* R. Rogers et C. White in N.S.W., D. Blaxell IV, 7;**
***Zeuxine*, The Genera . . . & *Cheirostylis* in Australia, A.W. Dockrill II, 68;**
 Zineb IV, 39;

